INTERNATIONAL INSTITUTE OF AGRICULTURE BUREAU OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES

INTERNATIONAL REVIEW OF THE SCIENCE AND PRACTICE OF AGRICULTURE

MONTHLY BULLETIN
OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES

INDEX 1917



ROME
PRINTING OFFICE OF THE INSTITUTE
1920

THE INTERNATIONAL INSTITUTE OF AGRICULTURE

DRIGIN OF THE INSTITUTE AND SUMMARY OF THE INTERNATIONAL TREATY.

The International Institute of Agriculture was established under the international Treaty of 7 June 1905, which was ratified by forty governments. Seventeen other governments have since adhered to the Institute.

It is a Government institution in which each country is represented of delegates. The Institute is composed of a General Assembly and a fermanent Committee.

The Institute, always confining its attention to the inernational spect of the various questions concerned, shall:

- (a) collect, study and publish as promptly as possible, statistical technical, or economic information concerning farming, vegetable and animal products, trade in agricultural produce, and the prices prevailing in
- the various markets;

 (b) communicate the above information as soon as possible to those interested;
 - (c) indicate the wages paid for farm work;
- (d) record new diseases of plants which may appear in any part of the world, showing the regions infected, the progress of the diseases, and, if possible, any effective remedies;
- (c) study questions concerning agricultural co-operation, insurance and credit from every point of view; collect and publish information which might prove of value in the various countries for the organization of agricultural co-operation, insurance and credit;
- (f) submit for the approval of the various governments, if necessary, measures for the protection of the common interests of farmers and for the improvement of their condition, utilizing for this purpose all available sources of information, such as resolutions passed by international or other agricultural congresses and societies, or by scientific and learned bodies, etc.

PERMANENT COMMITTEE

OF THE INTERNATIONAL INSTITUTE OF AGRICULTURE

List of R 1 ABY 25 2 ABGRS 2 2 ABGRS 2 4 HUNN 6 BRIGT 6 6 BRAZT 7 6 BULG 1 6 COLOM 10 COLOM 11 COSTA 1 12 CUBA 4 13 DENM 10 COLOM 11 COSTA 1 14 CUBA 4 15 GOVPP 1 16 FRANC 7 17 PRENC 1 16 FRANC 1 17 PRENC 1 16 GREMM 17 PRENC 1 17 PRENC 1 18 GOVPP 1 19 MADU 1 10 GOVPP 1 10 G	-President : M. Louis-		
1 ABYSS 2 ABGEN 2 ABGEN 2 ABGEN 3 AUST 6 BRIGG 6 BRAZI 6 COLOM 11 COSTA 13 DENM 14 ECUAT 15 EQUAT 16 PEASI 17 EQUAT 18 E		DOL TY	elegate of France.
2 ABGES 2 ABGES 3 AUSTRE 6 BRIAT 6 BRI	of the Delegates of the I	Perman	ent Committee :
2 ABGES 2 ABGES 3 AUSTRE 6 BRIAT 6 BRI			
3 AUSTRI 3 HUND 4 HUND 5 BELGT 5 BELGT 6 BALGT 7 BULGA 8 CHILE 9 CHILE 9 CHILE 9 CHILE 9 CHILE 9 CHILE 17 COSTA 13 DENMA 14 ECUAL 13 DENMA 14 ECUAL 14 ECUAL 15 FANCE 16 FANCE 17 FARCE 16 FANCE 17 FARCE 17 MAU 18 BULGA 18 GUATE 18 BERTIT 18 BERTIT 18 BERTIT 18 BULGA 18 GUATE 18 GUATE 18 BULGA 18 GUATE	SYSMINIA	V	Prof. G. CUnoru, Director, Station of Plant Pathology, Rot
HUNN		i	Dr. OCATVIO PIÈREBO SORONDO.
Second S	OSTRIA	i	Chev. V. Dr Pozzi, Government Councillor.
6 BRAZII 6 CHILE 7 BOLGA 8 CHILE 8 CHILE 9 CHINA 10 COLOM 10 COLOM 11 COSTAL 12 CUBA 1 13 DENM 14 ECUAL 13 DENM 16 FRAN 17 FREN 16 FRAN 16 FRAN 17 FREN 16 FRAN 16 FRAN 17 FREN 16 FREN 17 FREN 16 FREN 17 FREN 16 FREN 17 FREN 17 FREN 17 FREN 18 MONTH 18	IUNGARY	iv	O. BOLLE.
BULGAS BULGAS BULGAS CHINA	ELGIUM	ĭ	O. BOLLE.
9 CRIMA 9 CRIMA 10 COLOM 11 COSTA 13 CONBA 14 ECUAA 13 DENMA 14 ECUAA 14 ECUAA 14 ECUAA 14 ECUAA 15 FANC 16 FRANC 17 PRENC 16 FRANC 17 TORN 18 GURBH 18 GURB	TLGARIA	iii	M. STANCIOFF.
9 CRIMA 9 CRIMA 10 COLOM 11 COSTA 12 COSTA 13 DENMI 14 ECUAT 15 EGYPT 16 FEANN 17 PENC 17 PENC 18 GYPT	ITLE	II	M. E. VILLEGAS, Minister Plenipotentiary.
COLOM	IINA	ï	WANG-TRENG-SEE.
COSTAL	LOMBIA	v	DON RUPO RUPPO, Principe DELLA SCALETTA.
CUBA	STA-RICA	v	MARCO BESSO.
DENMA 15 DENMA 15 DENMA 15 DEVENDA	BA	v	M. A. MARTIN RIVERO, Minister Plenipotentiary.
ECUAL	ENMARK	17	A. DE OLDENBURG, Charge d'affaires.
GYPTI GYPT	UADOR	v	M. MIGUEL VALVERDE, Consul Général.
FRANCI F	YPT	п	
	LANCE	1	Louis-Dor, Vice-President of the Institute.
MADD	ENCE WEST AFRICA.	v	Louis-Dop.
MORGO MORGO	LIGERIA	V	LOUIS-DOP.
TUNING TU	ADAGASCAR	V	Louis-Dop.
GERMA	lorocco	V	Louis-Dop.
Gr. Bi AUST A	UNIS	V	Louis-Dor.
AUSTINE AUSTIN AUSTINE AUSTINE AUSTINE AUSTINE AUSTINE AUSTINE AUSTINE AUSTINE	RMANY	1	Dr. T. MURLER, Privy Councillor,
BRITTI GRANA	. Britain & Ireland	1	Hon. WILLIAM ERSKINER, Counsellor of the Embassy.
CANAMO CA	USTRALLA	111	Hon. William Ersking.
MAURA	RITISH INDIA	II	Hon WILLIAM ERSKINE.
NEW UNIO GREESCH GREES	ANADA	II V	Hon. WILLIAM ERAKINE.
UNION	LAURITIUS	iv	Hon, William Ersking.
GRESCH GR	EW ZEALAND		Hon. WILLIAM ERSEINE.
GUATE ITALY IT	NION OF SOUTH APRICA	iv	Hon, WILLIAM ERSKINK. M. COROMILAS, Minister Plenipotentiary.
32 ITALY 33 ITALY 34 ERITI 35 JAPAN 36 LUXES 37 MEXICS 38 MONTE 39 NETES 30 OTTOM 44 PARAG 55 PERSU 67 PORTU 68 ROUMS 69 SALYA 50 SALYA	GEECE	v	G. MONTEFIORE, Consul General for Guatemala.
33 ERITI TAIN TAIN 35 JAPAN 36 J.UXES 36 MONTE 38 MONTE 39 NETES 30 OTTOM 31 OTTOM 32 NORW 33 OTTOM 34 PARAG PERSU 46 PERIU 47 PORTO 48 ROUM 48 ROUM 49 RUSS 49 RUSS 40 SALVA	JATEMALA	ì	Marquis R. CAPPELLI, Vice Pres. of the Ch., Pres. of the Institu
TRIPS	RITHEA & IT. SOMALIA	iv	
JAPAN JAPA	RIPOLI AND CIRENAICA		
36 i.uxes 37 Mexic 38 Monte 39 Nether 30 Dutc 11 Nicas 42 Norw 33 Ottom 44 Parag 56 Persu 57 Portu 58 Roum 59 Russl 59 Russl 50 Salva	PAN	1	SHINOOR IMAL, Pirst Secretary of the Embassy
MEXIC MEXIC MONTE MO	XEMBOURG	v	O. BOLLE, Delegate of Belgium.
98 MONTE 100 DUTC 11 NICAB 12 NORW 13 OTTOM 14 PARAG 15 PERSU 16 PERU 17 PORTU 17 PORTU 18 RUSSL 19 RUSSL 10 SALVA	EXICO	111	
NETHE DUTC II NICAR 22 NORW 13 OTTOM 14 PARAG PERU 7 PORTU 16 PERU 17 PORTU 18 ROUMI 19 RUSSI 19 RUSSI	ONTENEGRO	v	G. VOLPI, Minister Plenipotentiary.
O DUTC II NICAR 12 NORW 13 OTTOM 14 PARAG PERSU 16 PERIU 17 PORTU 18 ROUM 19 RUSSL 30 SALVA	THERLANDS	IV	Baron W. B. R. de WELDEREN RENGRES, Minister Plenip.
NICAR NORW NORW NORW NORW NORW NORM NORM NORM NORM NORM NORM NORM NORM	OUTCH EAST INDIES .	IV	Baron W. B. R. de WELDEREN RENGESS.
NORWA OTTOM PARAG PERSU PERSU PORTU ROUMA RUSSA SALVA	CARAGUA	v	V. BIANCHI, Consul General.
H PARAG FERSIJ FORTU ROUM RUSSI SALVA	TOMAY EMPIRE	IV	Dr. A. FJELSTAD, Counsellor to the Agricultural Departme
H PARAG FERSIJ FORTU ROUM RUSSI SALVA	TOMAN EMPIRE	1	Dr. Менмер Djimit, Вку.
5 PERSIJ 16 PERU 17 PORTU 18 ROUM 19 RUSSL 19 SALVA	RAGUAY	v	
6 PERU 7 PORTU 8 ROUM 9 RUSSL 9 SALVA	ERSIA	IV	A. DEL GALLO Marquis of ROCCAGIOVINE.
8 ROUM 9 RUSSL 50 SALVA	mett	v	LOUIS-DOP, Delegate of France.
9 RUSSL	RTUGAL	IV	EUSERIO LEAO, Minister Plenipotentiary.
O SALVA	DUMANTA	1	DEMRTRIUS C. PENNESCO, Counsellor to the Legation.
O SALVA	1991A	1	His Excell. G. G. ZARTELLO Consul General for Russia.
	LVADOR	V	A. BIANCHI CAGLIESI, Vice-Consul.
	N MARINO	· V	· His Excell. L. Luzzatti, Minister of State.
	RBIA	111	C. Scotti, Consul General for Serbia.
3 SPAIN	AIN	1	FRANCISCO BILBAO SEVILLA, Agricultural Engineer.
54 SWEDE	TEDEN	IV	Baron C. N. D. DE BILDT, Minister Plenipotentiary.
SWITZ	VITZERIAND	IV	M. DE PLANTA, Minister Plenipotentiary.
6 UNITE	TITED STATES	I V	DAVID LUBIN. Dr. E. ROVIRA, Consul.

Secretary General: Prof. CARLO DRAGONI.

EDITIORIAL STAPF OF THE BUREAU OF AGRICULTURAL INTELLIGENCE AND PLANT DISEASES.

Chief of Section : Dr. JULES MICHEL SAULNIRE.

Editors :

Prof. A. BRUTTINI, Chief Rédacteur. Prof. Girolamo AZZI. THÉODORE BIBLER, Lic. és Sc. phys. et nat. Dr. GUIDO BORGERANI. PAUL CARTON, Ing. Agr. et d'Agr. colon.

ALBERT DASCHER, Ing. Agr.

F. MILLICENT POOL M. A. (Liverpool).

Translators:

ATTILIO RIBIERI DE' ROCCEI.

GEORGE H. FORD, M. Sc. (Vict). Dr. LEO GABRICI. Dr. FRANCESCA PIRAZZOLI. Dr. GIULIO PROVENZAI. Prof. GIULIO TRINCHIBRI.

CONTENTS

PREFACE	Page	7
I. — Index of Original Articles))	9
II. — Index of Agricultural Intelligence:		
A) Subjects	»	10
B) Authors	n	72
III. — Index of Plant Diseases:		
A) Subjects	19	84
B) Authors	n	124
 Weights, measures and money of the various 		
countries with their English equivalents	D	127

PREFACE

This index, though arranged alphabetically, retains the grouping of the subjects used in the *International Review*. The arrangement of the subjects in each group is in chronological order of publication, except in the case of those relating to Agricultural Development, where the alphabetical arrangement was considered more useful.

Except in the case of the original articles, which are numbered according to their pages, the numbers of each subject refer to the paragraphs in the *International Review*.

The index consists of three parts: one, of the original articles, one concerned only with Agricultural Intelligence and the last with Plant Diseases.

This year there is included the table used for the conversion in the Review of the Weights, Measures and Money values of the various countries to the Metric System.

This volume of contents has been prepared by the rédacteur Dr. Giulio Provenzal.

I. — INDEX OF ORIGINAL ARTICLES

AMILON J. A. Porestry in Sweden page 1049.

ARRELL REGINALD. - Present State of Sheep Breeding in Canada, page 1333.

FALLON F. - The Organisation of the Agricultural Department in the Belgian Congo, page 177.

INTERNATIONAL INSTITUTE OF AGRICULTURE. - The International Trade in Feeding Stuffs, page 489.

MARTINOLI GAETANO. - Horse-breeding in the Argentine Republic at the Present Day, page 819. Cattle Breeding in the Argentine at the

Present Day, page 1073. Sheep and Pig Breeding in the Argentine Republic at the Present Day, page 1205.

NEWMAN L. H.-Wheat Production in Canada, page 961.

RUSSELL F. J.-The Recent Work at Rothamsted on the Partial Sterilisation of Soil, page 673.

TOUBEAU MAXIME. -The Organisation for the Prevention of Fraud in France, page 319.

TROUETTE G.-The Present State of the Livestock Industry in Algeria, page 1.

II. — AGRICULTURAL INTELLIGENCE

A) INDEX OF SUBJECTS.

ABACA in the Philippines, 889. Abacata, Persea americana, 449. Abacaxi, 449. Aberia caffra, 312. Abiù, 419. Abrasin, 436. Abutna legitima, 145. Acacia: Species Growing in the Botanical Garden of Casa Bianca, Grosscto Province, Italy, 312. Acarini Collected on Live Stock in the Belgian Congo, 251. Acetone, 482. Achiote, 530. Achira, Canna edulis, 530. Achras Sapola, 449, 530. Acidimeter, Morizot, for the Rapid Determination of the Acidity of Musts and Wines 1966. Avids: The commercial Use of Sac-

Acids: The commercial Use of Saccharose-Inverting Bacteria for the Manufacture of Lactic Acid, Acetic Acid and Acetone, 482. Effect of Sulphuric Acid Sprays on Sugar Beet, 821.

Adonis aestivalis, 262.

Adansonia digitata, see Baobab.
Adulteration and Fraud: Organisation for the Prevention of Fraud in France, page 319. On the Use of

Paraffin Oil as a Substitute for Olive Oil in Sealing Wine Flasks, 368. Separation and Identification of Food Colouring Substances, 403. Addes calopus, 891.

Aeschynomene indica, 409.

Africa: Karakul Sheep Breeding in South Africa, 64. The Possibilities of Fodder Plants in South Africa, 147. Oil Producing Flants of French West Africa, 920. Agricultural Development in South Africa, 1112.

Ajaja Ajaja, 188.

Agathis Ioranthifolia, 443. Agave, see Sisal.

Agraz, 530.

Agricultural Botany, see Chemistry and Plant Physiology.

Agricultural Education: The First Agricultural Demonstration Trains in Russia, 3. The First 37 Years of the Royal Hungarian School for Maîtres d'eau at Kassa (1879-1916), 217. The Foundation of a National School of Veterinary Medicine in Mexico, 218. The First School of Mechanical Cuttivation founded Germany; 303. Agricultural Education in Canada, 398, 402. Courses of Practical Agricul-

France, 519. School for Farmers at the Royal Colonial Garden of Palermo, 520. The Maple Sugar and Syrup Industry Schools of Quebec Province in Canada, 792. Forestry Instruction in Sweden. page 1460. Agricultural Improvements: Water Penetration in the "Gumbo" Soils of the Bellefourche Reclamation Project South Dakota, United States, 222. Draining and Cultivation of the Poitevin Marsh, France, 223. The Irrigation Canal of the Puszta Hortobagy in Hungary, 308. " Navazos" and their Use for Fixing Sandhills in the Province of Cadiz, Spain, 309. The Use of Dog's Tooth Grass (Cynodon Dactylen) for Binding Shitting Lands in Sicily, 525. Investigations in Cost and Methods of Clearing Land, 899. Cultural Ex-

tural Engineering in Italy and

in Madagascar, 998.

Agricultural Institutions: The Volunteer Cooperators of the U.S. Department of Agriculture for the Advancement of Farming, 4. The Organisation of the Agricultural Department in the Belgian Congo, page 177. The Activity of the Various Technical Branches of the Agricultural Administration of Tunis, 219.

periments in Mangrove Plantations

Agricultural Research and Experiment Stations: Eala Botanical Garden, page 179. Experimental Parm of Munama (Katanga), page 179. Recent Researches of the Imperial Institute on: Pibres from the Belgian Congo; the Pineapple as Pruit and Fibre Producer; Ceara Rubber from Manihot Glaziovii in Nigeria; the Essential Oil from the Tubers of Kaempleria Ethelae: The Essential Oil of Cymbopogon flexuosus, 118. Experimental Kelp Plant at Summerland California.

123. The Station of Forestry Research in Denmark, 618. Agricultural Experimentation in the Argentine Republic, 702. Farming Practice in the Sand Hills Section of Nebraska, 893. The Experimental Plantations of Vallombrosa, Italy, 023.

Agrimotor, Crawley, 942. Agropyron sp., 18. Agrostis vulgaris, 258. Atbizzia Lebbeck, 36. Albizzia moluccana, 804.

Alcohol: Sugar Sorghum and Alcohol in War Time, 369. Fuel Alcohol in Australia, 1058.

Aleurites spp., 436. Alfaha, see Lucerne.

Algarrobo, 530.

Algeria: The Present State of the Livestock Industry, page 1. Cotton Growing Prospects, 243. The International Trade in Feeding Stuffs, pag. 489. Observations on Manitola Wheat, 1017.

Allium vineale, 281.

Almendro, Terminalia Catappa, 530. Almonds: Acreage of iruit-orchards in California, 729.

Alosa fin'a, 751, 938.

Alpinia nutans, 312.

Althaea rosca, 631. Alysicarpus spp., 431.

Amblyomma variegatum and A. spp. 254.

Ammonia-Fixation in Semi-Arid Soils
994

Anabiosis, the Function in the Hiber nation of Winter Grain Crops, 228 Anacardium occidentale, 449. Anacolosa luzoniensis, 18.

Analysis of Agricultural Products:
Procedure adopted for determining
dry contents of beets, 19. The Che
mical Composition of the Leaves of
Rubus, 20. Experiment Work on
Various Cereals, 29. Analysis of
Varieties of Peanuts Grown, 39

Analysis of pure apple juice, 44. Palm Kernel Cake; Investigations carried out at the University on Seeds, 55. The Analysis of Hungarian Wines, 87. Average amounts of ash, potash and iodine in some seaweeds, 91. Analysis and estimation of Agave and Furcrava fibres from the Belgian Congo, 118. Results of examining the essential oil obtained by distilling of Kaempteria Ethèlae and Cymbopogon fleruosus f. albescens, 118. Analyses ol kafirin, 126. Some Proteins from Canavalia ensilormis, 127. The Proteins of the Peanut, 128. The Chemical Composition of the Rices of Bihar and Orissa, 141. Fertiliser Trials with . Teatraphosphate . in Italy, 142. Chemical Composition of Pistia aegyptiaca, 148. Choudodendron platythyllum, 155. Researche on the Method used for Determining the Water-content and the Dry Matter in Vegetable Products, 225. The Effect of Cultural and Climatic Conditions on the Yield and Quality of Peppermint Oil, 247. The Chemical Composition of American Grapes Grown in the Central and Eastern States, 253. Net Energy Values from cereals, legumes etc., 258. Chemical Composition, Digestibility and Feeding Value of Vegetable Ivory Meal, 259. Analyses of Mulberry leaves, 267. Improved Apparatus for Determining the Test Weight of Grain, with a Standard Method of Making the Test, 271. Method for the Investigation of the Aniline Derivatives and Other Foreign Colours in Wine, 278. The Refractive Index of Olive Oil and its Relation to Acidity and Rancidness, 282. The Chemical Composition of Tobacco during its Vegetative Period, 314. The analysis of a Sample of Medicago

jalcata, 333. The Iodine Content of Food Materials, 343. Separation and Identification of Food Colouring Substances, 403, A Saponin from Yucca filamentosa, 416. A New Sugar Extracted from the Fruit of the Avocado, 417. Physical and Chemical Constants of the Oil of 3 Varieties of Olive Grown in the Crimea, Russia, 437. Influence of Manganese on the Nitrogen Content of Sugar Beets, 444. Composition of Ground-Nut-Cake and of various cakes, 463. Egyptian Milk and Butter, 487. Yield and composition of the principal fodder crops of Uruguay, 517. Bromine Content of German Potash Salts, 527. New Feeding-Stuffs used in Germany during the War, 565. Comparative Chemical Composition of the chick pea and leblebii, 586. Dry Farmed and Irrigated Wheat, 632, Experimental Work on the Plum and the Composition of the Oil extracted from the Kernels, 639. Composition of the Juice of Hungarian Strawberlies, 672. Analysis of Tomato Preserve, 674. The Plant Food Materials in the Leaves of Forest Trees, 710. The Chemical Composition of Basic Slag, 711. Estimation of the Cyanamide Nitrogen in Calcium Cyanamide and Lime Nitrogen, 712. Composition of shaftal and lucerne hay at Quetta, 726. The By-Products of the Decortication of Rice (a pula vergine ») as a Substitute for Wheat in Feeding Horses, 739. Skim Milk and Milk Substitutes for Calf Feeding, 742. Approximate analysis of Eichhornia crassipes, 798. Analyses of Kafir and wheat flours in the Argentine, 811. Contribution to the Study of the Oil of Caydoc, 854. Percentage composition of alfalfa silage, 928. The By-Products of the Decortication of

Rice. (pula vergine) in the Feeding of Working oxen; Experiments in Italy, 933. Methods for Determining the Reaction of the Soil; Investigations in Denmark, 996. The Quantitative Estimation of Calcium Carbonate in Determining the Nature of Soils, 997. The Composition of Army Stable Manure, 1004. A New Source of Potash in England, 1006. Composition and Food Value of Andropogon tener Investigations in Brazil, 1018. Composition of Roasted Seed of Cassia Tora, 1022. Morizot Acidimeter for the Rapid Determination of the Acidity of Musts and Wines. 1066. Method for Estimating Bran in Flour and Bread, 1068. Comparative Percentage Composition of American and Hawaian Soils, 1119. New Method for the Estimation of "Zeolitic" Silicic Acid in Soils, 1123. Comparative Value of Legumes as Green Manure, 1126. Analysis of the grass and hay of Andropogon rufus, 1154. Essential oil content of various species of Medicinal Plants, 1163. Physical and Chemical Constants of the Seeds of Hydnocarpus, Pangium and Gynocardia, 1166. Composition of Sardine Oil and Fish Guano from the Presidency of Madras, 1198. Composition of Cymodocea manatorum. 1200. Anaplasma, see Hygiene of Live Stock.

Anaplasma, see Hygiene of Live Stock.
Anatomy and Physiology of Live
stock: The Function of Anabiosis in the Hibernation of Winter
Grain Crops, 228. The Nutrients
Required to Develop the Bovine
Poetus, 564. Relation between the
External Body Measurements, the
Live Weight and the Net Weight on
the One Hand, and the Weight of
the Heart and Lungs on the Other
Hand, in Cattle of the Schwytz and

Parmesan Breeds: Investigations carried out in Italy, 647. The Mine. ral Metabolism of the Mitch Cow. 648. Studies in Milk Secretion, 738. The Physiological Action of Sym. bionts, 926. Gradual Conversion of Colostrum into Normal Milk, 927 Some Aspects of the Physiology of Mammary Secretion, 1038. Studies on the Metabolism of Pats in the United States, 1182. A Study of Methods of Estimation of Metabolic Nitrogen, 1183. See also Feeds and Feeding. Andropogon spp., see Sorghum. Añil, Indigofera tinctoria, 530. Anime, Polymnia pyramidalis, 530. Anona spp., 2, 18, 449.

Antelope: Observations on Some Insect Pests of Livestock in the Belgian Congo, 254.

Anthephora pubescens, 147. Anthistiria ciliata, 431. Aphida varia, 431. Apiculture, see Bee kceping.

Apparatus to Prevent Spontaneous Combustion of Hay Ricks, 842.

Apples: Plants Introduced into the United States, 18. Studies of Apples in Oregon, United States, 43. Varieties of Cider Apple Suitable for the Manufacture of Jelly, in France, 44. New Experiments in Pruning Apple trees in Oregon, United States, 251. Apples; Production Estimates and Important Commercial Districts and Varieties, 450. Experiments on the Pollination of Froit Trees, 554. Fruit varieties for Maine, 637. The Acreage of Fruits, Bearing and Nonbearing by Counties in 1916 in California, 729. The use of Apples in Grain Distilleries, 767. Temperature Relations of Apple-Rot Fung. 772. Production of Apples in West Colorado, U. S. A., 1168.

Apricots: Seeds and Plants Introduc-

ed into the United States, 18, Acreage of fruit-orchards in California, 729. traca do Rio et Araça cagão, 449. arachine, 128. Araticum, 449. Abol de aceite, Laurus exaltata, 530. Aibol del pan, Arlocarpus incisa, 530. Arbol de la leche, Sapiun, aucuparium, 517. Arbol del Sebo, Myristica sebi/era, 2. Arboriculture: Farming Practice in the Sand Hills Section of Nebraska 803. Some observations on the Occurrence of Infertility under Trees in India, 898. Arden egrella, 118. Ardisia lepidota, 530. Arenillo, Hura crepitans, 530. Argenone, 920. Argentine: The Hord and Stud Books of the Argentine Rural Society, 264. Meat Production and Trade, 286. The International Trade in Feeding Stuffs, page 189. Horse-breeding in the Argentine Republic at the Present Day, page 819. Cattle Breeding in the Argentine Republic at the Present Day, page 1073. Agricultural Experimentation in the Argentine Republic, 702. Sheep and Pig Breeding in the Argentine Republic at the Present Day, page 1205. "Kafir" and "Mile" Sorghum as Grain Crops and Fodder Crops in Arid Soils Experiments made in the Argentine, S11, Wheat Production, 1016, The Sagar Beet in the La Plata District, 1150. Paspalum notatum and Tembleque in the Argentine, 829, 924, 1179. Arishda obtusa and A. sp., 147. Armina, oro. Amica, 530. Attacacha, Arracacia xanthorrhiza, 530. Arrayan, Myristica ceritera, 2, 530. Arsenic: Stimulating Influence of Arsenic upon the Nitrogen-Fixing Organisms of the Soil, 120. The Preence of Arsenic in Hops in the United States, 1008. Soil Constituents Which Inhibit the Action of Plant Toxins, 1118.

Artemisia sp. 18.

Arlocarpus sp., 2, 18, 449. Ash: The Utilisation of Ash in the United States, 1031.

Ash of Baker, 715.

Asparagus: Seeds and Plants Introduced into the United States, 18.

Irrigation Results obtained in 1916 at the Horticultural Experiment Station, 408. Variety Tests of Vegetables Carried Out at the Maryland Agricultural Experiment Station, United States, 824.

Aspidosperma Quebracho, 2.

Assess and Mules: The Present State
of the Livestock Industry in Algeria, page 1. Farm Animals in the
United States, 215. Observations
on Some Insect Pests of Livestock
in the Belgian Congo, 254. Horsebreeding in the Argentine at the
present day, page 819. The Characteristics of the Mule in Venezuela,

Astragalus sp., 18. Attalea Cohune, 2. Attalea junipera, 816. Auchmeromyia, 216.

Australia: Wild Plants of Queensland which can be Used for the Extraction of Textile Fibres and for the Manufacture of Paper, 149. Meat Production and Trade, 286. The International Trade in Feeding Stuffs, page 489. Officinal Plants of South Australia, 1164. See also New South Wales, Queensland, etc. Austria: Production of Seed of Sugar Beet, 234. The International Trade in Feeding Stuffs, page 489. Resin Tapping from Spruce, Scotch Pine and Black Pine in the Forests of

Austria, 337. Recent Data on the Potato Drying Industry in Austria, 374. Thirty-seven Years of Spruce Selection, in Austria, 721. Australian Rhodes Grass, 18, Auximones, 21. Averrhoa Carambola, 149. Aviculture, see Poultry. Avocado: In Guatemala, 2. Seeds and Plants Introduced into the United States, 18. A New Sugar Extract-'ed from the Fruit of the Avocado (Persea gratissima), 417. Persea gratissima, 449. In the Columbian Republic, 530. Azafran, 530.

BACTERIOLOGY AND SOIL ORGANISMS: The Influence on Bacterial Activity of Some Common Humus-Forming Materials of Marrow and of Wide Nitrogen Carbon Ratio, 11. The Quantitative and Qualitative Activity of Nitrogen-fixing Bacteria in Water and Flooded Soil, 12. Stimulating Influence of Arsenic upon the Nitrogen-Fixing Organisms of the Soil, 120. Soil Fertilisation by means of Bacteria, 124. The Partial Sterilisation of Scil, page 673. New Experiments on Soil Sterilisation in France, 404. The Substitution of Stassfurt Potash Salts by Finely Crushed Austrian Phonolites, 412. The Commercial Use of Saccharose-Inverting Bacteria for the Manufacture or Lactic Acid, Acetic Acid and Acetone, 482. The Action of some Olygodynamic Elements on Nitrogen-Fixing Bacteria, 524. A Review of Investigations on Soil Protozoa and Soil Sterilization, 619. The Relation of Protozoa to Certain Groups of Soil Bacteria, 620. Inoculation Tests on Lucerne and Lupin Seedlings in Denmark, 713. Influence of Crop. Season and Water on the Bacterial Activities of the Soil; Experiments Made in Utah, U. S. A., 995. On the Physiology and Biology of Nitrogen-Fixing Bacteria, 1122. Inversion of the Saccharose in Cane Sugar under the Influence of Micro-organisms at Java, 1219. Bactris utilis, 18.

Bacupari, 449. Badger, 1180.

Bajri, 431.

Baling of Agricultural Products: The Drying and Baling of Leguminous Fodders, 726.

Balso, Ochroma tomentosa, 530. Bamboo from Paper Pulp, 149. Bamboo of Paraguay Imported into the United States, 1129.

Bananas: In Guatemala, 2. Banana Pulp for the Manufacture of Paper, 149. In Fiji, 399. An Edible Seed-Bearing Banana for Temperate Climates, 730.

Banti, 431.

Baobab: Adansonia digitata in the Belgian Congo, 118. Barbasco, Piscidia Erythrina, 530.

Barchet soy bean, Soja max., 1126. Barley: Seeds and Plants Introduced into the United States, 18. The Increase in live stock in the period 1890-1915, 117. Cultivation in the United States, 215. Effect of Meteorological Factors on the Germination Capacity of Seeds, 220. Net Energy Values for Ruminants, 258 Comparative Results of Feeding Guinea-Pigs With Whole Grains of Barley in the Quiescent and in the Germinating State, 260. Cereal Experiments in Montana and in Wyoming, United States, 328. The Importance of the Awns of Native Wheat in Hungary and of Barley in Sweden, 430. Agriculture and Stock Breeding in Uruguay, 517-Experiments with Spring Cereals at the Eastern Oregon Dry-Farming Substation Moro, Oregon, 540. Giovanni Raineri and «Emilio Maraini . New Varieties of Autumn Barley Selected in Italy, 718. Experiments with Small Grains Under Irrigation in Idaho, United States. \$10. Dry Farming Investigations at the Sherman County Branch Experiment Station, 901. Studies of the Phosphorus and Potassium Requirements of the Barley Plant Daring its Different Periods of Growth, 1134.

Barnvard Millet, 18.

Baru, 431.

Basi, a beverage made from the juice of the freshly cut cane stalks and molasses, in the Philippines, 889.

Bassia sp., 436.

Batatillo, 530.

Beach sandalwood, 559.

Bean: In Guatemala, 2. Seeds and Plants Introduced into the United States, 18. Net Energy Value for Ruminants, 258. The Normal Dav's Work of Farm Implements Workmen and Crews in Western New York, 276. Cultivation of Beans in Germany, 636. Experiments with Irrigated Legume Crops and Grass Pastures, 813. Lima Beans and Snap Beans in the United States, 821. The Colour of the Seed in the Descendants of a Natural Hybrid of Two Varieties of Phaseolus vulgaris in Sweden, 1013. See also: Vi-

Beech: New Feeding Stuffs used in Germany during the War, 565. Beech-Oil, 1071.

Bee Keeping: Trigona williana and Trigona amalthea, Wild Bees attacking the Hive Bee in the Amazon Region, Brazil, 68. Agricultural Progress in the Province of Quebee, Canada, 398. Spore-Forming Bacteria of the Apiary, 654, New Hive with Store Chamber: the "Sans Souci" 749. On the Factors Governing the Sex of the Eggs of the Honey bee, 839. The Advantages of Full Sheets and Botton Starters in Sections, 1193.

Beets: Seeds and Plants Introduced into the United States, 18. The Determination by the Dry Matter in Beets, 19. Improvement in the Method of Apportioning the Mangel Ration, 261. Increased yield due to irrigation, 408. The Behaviour of Bolting Beets; Experiments in Italy, 427. Feeding Trials with Cattle at the Model Farm of Vikopshof, Germany, 740. Variety in the United States, 824. See also: Sugar-Beets.

Beggarweed, 46, Belgian Congo: The Organisation of the Agricultural Department, page 177. Recent Researches of the Imperial Institute of London in Fibres from the Belgian Congo, 118. Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. Swine as Agents in the Spreading of Sleeping Sickness in the Valley of Inkissi, 400.

Belgium: Production of Seed of Sugar, 234. The International Trade in Feeding Stuffs, page 489.

Bénéfing, 920.

Berberis glaucescens, 517.

Bermuda grass, 741.

Berries in California, 729.

Bibliography of Partial Sterilisation of Soil, page 680.

Bibliography of the International Trade in Feeding Stuffs, page 527. Bicho de porco, 216.

Biza Orellana, 530.

Blady grass, Imperata arundinacea, 149.

Blanquillos, 517.

Bodger, 1180.

Bohemia: The Muskrat Injurious to Fish and Aquatic Birds, 355.

Bolivia: Sugar Cane Cultivation and Sugar Manufacturing in Eastern Bolivia, 921.

Borrachero, Bruymansia lactea, 530. Bot, Horse, 458.

Botanical Garden: Species Growing in the Botanical Garden of Casa Bianca, Grosseto Province, Italy, 312.

Botryopsis platyphylla, 155.

Bottles of Paper for the distribution of Milk, 843.

Bourbon, the Introduction of the Cultivation of the Coffee tree, 36. Bran, Roumanian, 565.

Brasil (Bixa Orellana), 530,

Brazil: Goat Raising in the States of Piauhy and Maranhão, 173. The Trade in Feathers, 188, Comparative Studies on Different Varieties of Heyea Rubber in the Amazon District, Brazil, 334. Little known Brazilian Fruits which are of Interest to Fruit Growers, 449. The Native Trees of São Paulo, Brazil, 557. Wild Forage Plants, 1018, 1019. Hedychium coronarium in Brazil, 1020. Rhynchosia phaseoloides and R. minima, Plants considered as Poisonous to Live-Stock in the State of Rio de Janeiro, Brazil, 1034. The Improvement of "Carach" Cattle in the State of São Paulo, Brazil, 1044. «Capim jaraguà » (Andropogon rufus Kunth), a Brazilian Fodder Plant, 1154. Bread fruit trees, 2.

Bread-making: Experimental Work in Egypt on Various Cereals, 29. New Practical and Scientific Experiments in the Selection of German Wheats Rich in Gluten, 420. Dry Farmed and Irrigated Wheat, 632. Simple Method for Estimating the Degree of Bolting of Wheat Flour, 669. Method of Bread-Making with Previously Soaked Grain, 769. Breadmaking Trials in France

by the War Administration, 851 Deterioration of Bread caused by Yeast infected with Oospora variabilis, 852. A Comparison of Several Classes of American Wheats and a Consideration of some Factors Influencing Quality, 953. The Degree of Bolting: Food Value and Diges. tibility of Bread, Better Utilisation of Wheat, 1067. Method for Pati. mating Bran in Flour and Bread 1068. The Use of Brewer's Yeast in Bread-Making, 1069. The Use of Calcium Glucosates in Bread-Mak. ing, 1070. The Use of Chestnuts in Breadmaking, 1220.

Breeding of Live Stock: The Present State of Livestock Industry in Al. geria, page 1. Breeding of Livestock 2. The Registration of Pedigrees in the United States, 58. In the Belgian Congo, page 177. Influence of Age on the Value of Dairy Cows and Farm Work Horses, 182. The Head and Stud Books of the Argentine Rural Society, 264. Economics of the Breeding of Pure-Bred Stock, 265. Care, Feed and Management of the Dairy Herd in Iowa, 319. Horse-Breeding in the Argentine at the Present Day, pages 810, 1073, 1203. Stock-breeding in the Province of Quebec, Canada, 398. Animal Production in Uruguay, 517. Live Stock Production in the Eleven Far Western Range States S. U. A., 569. Methods and Cost of Growing Beef Cattle in the Com Belt States, 583. Agricultural and Economical Development of Venezuela, 699. In Queensland, 700. Stock-Breeding in Switzerland during the War, 1042. Livestock and the Maintenance of Organic Matter in the Soil, 1117. Prospects for American Purebreds, 1189.

Brewing: Net Energy Values for

Ruminants, 258. The International Trade of Brewing Residues, page 510. The Development of the Brewing Industry in the United States during the last 25 years, 370. New Feeding-Stuffs used in Germany during the War, 565.

Bri, a marly Scrobicularia clay of modern formation, 223.

Bromelia spp., 449.

Bromine Content of German Potash Salts, 527.

Bromus inermis, 258.

Broom Sorghum in Tunis, 31.

Brugmansia lacten, 530.

Bucano, Erythrina umbrosa, 530. Buckwheat, 215, 258.

Buffaloes: Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. Egyptian Milk and Butter, 487. Rabies and Haemorragic Septicaemia in some Young Buffaloes, 736.

Building construction: The Ventilation of Farm Buildings, So. Arrangement for Securing the Safety of Horses in Case of Fire, St. A Portable Sheep Shelter on a Farm in Central New-York, 82. Hygienic Drinking Trough with Separate Compartments, 365. Purifier for Rain-Water, 582. Reinforced Concrete Buildings, 760. The New Decauville Cement Brick, 761. Equipment for Farm Sheep Raising, 845. A Potato Storehouse, 940. Small Cold Storage and Dairy Buildings in Canada, 1000. The Construction of Pit Siloes in the United States, 1212. See also: Dacus, Drainage Hydraulies, etc.

Bulgaria: The International Trade in Feeding Stuffs, page 489. Observations on the Cultivation of the Vine "en Asmas", 642.

Butter: The Effect of Carrots on the Colour and Quality of Butter, 57. New Process for Preserving Butter over Long Periods, 376. The Introduction of a Trade Mark for Butter Madein Iowa, United States, 378. Egyptian Milk and Butter, 887. Effects of Feeding Cottonseed Products on the Composition and Properties of Butter, 651. Production; Consumption, Importation and Exportation of butter from 1903 to 1915 in the Argentine Republic, page 1083. Production in Queensland in 1915-16, 700. Investigation of the Methods and Costs of Marketing Butter in Kansas, 660.

Cababa pincea, 147.

Cabacinba do campo, 449.

Cabbage: Variety in the United States, 18, 824. The Effect of Continued Capillary Watering, 41. Net Energy Values for Ruminants, 258. The Normal Day's Work of Farm Implements, Workmen and Crews in Western New York, 276.

Cabbage of Kerguelen Pringlea antiscorbutica, 1129.

Cabelluda, 449.

Cabuga, 530.

Cavage, 530.

Cacao: Cultivation in Guatemala, 2.
Cacao in the Belgian Congo, page
180. Experiments on the Manuring
of Cacao in Java, 1912 to 1914, 635.
Feeding Trials with Cattle at the
Model Farm of Dikopshot, Germany, 740. Agriculture in the Dominican Republic, 888. Agriculture in the Philippines, 889. The
Fermentation of Philippine Cacao,
1160.

Caesalpinia brasiliensis, 2. Caesalpinia tinctoria, 530. Caimpito, Vismia lepidota, 530. Caimo, Lucuma Ricicoa, 530. Cairina moschata, 1192. Caja, Spondias lutea, 449.

Caju, 449.

Cake: Palm Kernel Cake, 55. The International Trade in Feeding

Stuffs, page 495, Employment of Ground-Nut Cake in the Feeding of Livestock, 463. Beechnut Cake and Walnut Cake, 565. Dry yeast sesame cake and maize gluten flour compared with ground nut cake, 740. Calophyllum Inophyllum, 436.

Camairon, 530.

Cambuca, 449.

Camellia drupifera, 436.

Camels in Algeria, page 1.

Camphor: Factors Causing Variation in the Yield of Camphor in the Florida Camphor Tree, 728.

Campomanesia Fenzliana, 449.

Caña fistula, 530.

Canada: Agricultural Development of the Province of Ontario, Canada, 117. Meat Production and Trade, 286. The International Trade in Feeding Stuffs, page 489. Agricultural Progress in the Province of Quebec, 398. Agricultural Instruction in Canada, 402. Irrigation Results Obtained in 1916 at the Horticultural Experiment Station of the Province of Ontario, 408. Wheat Production in Canada, page 961. The Maple Sugar and Syrup Industry Schools of Quebec Province in Canada, 792. The Cultivation of Flax for Fibre, 815. Present State of Sheep Breeding, page 1333. Experiments in Feeding for Beef, 932. Small Cold Storage and Dairy Buildings, 1000. Forest Products, 1174.

Canavalia ensiformis, 127, 446, 1126. Canavalin, 127.

Canélon, 517.

Canna edulis, 530.

Caoba, 2.

Caparrapi, 530.

Capim Jaraguà, Andropogon ru/us,

Capsicum annuum, 18, 629.

Car: Brine Tank Refrigerator Cars for Fruit Shipment, 478.

Carambola, 449. Caraño, 530. Carapa, 920.

Carate, 530.

Carbon: Carbon and Nitrogen Changes in Soil Treated with Lime Am. monium Sulphate and Sodium Ni. trate, 9. Researches on the Equilibrium between the Nitrogen and Carbon in the Soil, 10. The Influence on Bacterial Activity of Some Humus-Forming Materials of Narrow and of Wide Nitrogen-Carbon Ratio, 11.

Carica Papaya, 2, 18, 149.

Carp Breeding in Madagascar Rice Fields, 472.

. Carrots: Seeds and Plants Introduced into the United States, 18, The Fig. fect of Carrots on the Colour and Quality of Butter, 57. Net Energy Values for Ruminants, 258. Irrigation Results Obtained in 1910 at the Horticultural Experiment Station of the Province of Ontario, Canada, 408.

Carnation: Studies in the Inheritance of Doubleness in Flowers, 631. Caryophyllus Jambos, 449.

Cashew, 449.

Cassia auriculata and C. spp., 439. 517, 530, 1022, 1126,

Cassoway Tree of Sumatra, 1129. Castaño, Sterculia rugosa, 530.

Castor-Oil Plant in Egypt, 817. "Cataract" Root Washer and Peeler,

Cattle: The Present State of the Livestock Industry in Algeria, page 1. The Registration of Pedigrees in the United States, 58. Milk Production and Age, 59. On the Holding up of Milk in Cows, 60. Advances made in 1916 by the Four Leading American Breeds of Dairy Cows, 61. The Selection of Dairy Cattle and the Development of Cooperative Associations for the Control of Milk Production in the United States, from 1906 to 1916. 62. The Numbers of Purebred Schwiz and Simmenthal Cattle belonging to the Breeder's Societies in Switzerland on January 1st, 1916. 63. Agricultural Development of the Province of Ontario Canada, 117. Normal Duration of Heat (Oestrum) in Cattle, 164, Cattle in Austria. Spain, 166. Comparative Table of Milk Production in Dairy Herds in Relation to Age and Duration of Lactation, in the United States, 167. Comparison of American Advanced Registry Ayrshire with Avrshires in Scotland in Respect of Milk Production, 168. The Value of Prickly-Pear as a Cattle Feed : Experiments made at the Prickly Pear Feeding Station at Wallumbilla, Queensland, Australia, 169. Farm Animals in the United States, 215. Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. The Herd and Stud Books of the Argentine Rural Society, 264. Economics of the Breeding of Pure-Bred Stock, 265. A Cattle Reserve in Nigeria, 266, Statistical Data Relating to the Age of Cattle used as Breeders in Maine, United States, 345. A Jersey Cow which Earns \$ 367 per Annum in The United States, 346. The Influence of the Plane of Nutrition of the Cow Upon the Composition and Properties of Milk and Butter Fat, 347. The Value of Silage, 348. Diagnosis of Tuberculosis (Especially the Bovine Form) by Complement Fixation, 459. Anti-rinderpest Scrum Preparation at the Muktesar Laboratory, India, 460. Sound Reasons for Pure Breds, 464. The Niata Breed of Cattle in Uruguay, 466. The Efficiency of Certain Milk Substitutes in Calf Feeding, 407. Agriculture

and Stock Breeding in Uruguay, 517. The Nutrients Required to Develop the Bovine Foetus, 564. Methods and Cost of Growing Beet Cattle in the Corn Belt States, 583. Cattle of the Schwytz and Parmesan Breeds, 647. The Mineral Metabolism of the Milch Cow, 648. Effects of Feeding Cottonseed Products on the Composition and Properties of Butter, 651. Cattle Breeding in the Argentine Republic at the Present Day, page 1073. Agricultural and ' Economical Development of Venezuela, 699. Agriculture in Queensland, 700. Feeding Trials with Cattle at the Model Farm of Dikopshof, Germany, 740. Feeding Cottonseed Meal and Hulls to Dairy Cows, 741. Skim Milk and Milk Substitutes for Calf Feeding, 242, The Production of Baby Beef, 743. The Shorthorn in Ireland, 744. Paspalum notaium, the Cause of the Disease of Cattle known as "Trembleque " or " Chucho " in the Argengentine, 829. Experiments to find a Basal Ration for the most Economical Feeding of Dairy Cattle under Northwestern Conditions in the United States, 831. The Mechanical Milker in Dairy-Herd Management in Idaho, 832. Experiments in Feeding for Beef in Canada, 931, 932. The By-products of the Decortication of Rice in the Feeding or Working Oxen, 933. Selecting Dairy Bulls by Performance, 1041. Silage for Beef Production, 1043. The Improvement or "Caraců" Cattle in the State of São-Paulo, Brazil, 1044. Prospects for American Purebreds, 1189. The Rehabilitation of the Milking Shorthorn in the United States, 1190.

Caunce, Godoya antioquensis, 530. Cay doc, Garcinia tonkinensis, 436, 854. Ceara, see Manthot. Celery in the United States, 18, 824.* Celtis Tala, 517. Cement: The Nature of Cement Mill

Potash, 905. Cenchrus biflorus, 431.

Centrosema Plumieri, 446.

Cephalanthus Sqrandi, 517.

Cephalonema polyandrum, 118.

Cereals: Cereals in 'Guatemala, 2.
Seeds Introduced into the United
States by the Bureau of Plant Industry, 18. Experimental Work in
Egypt on Various Cereals, 29. On
the Study of the Root System of
Cereals, 125. The Activity, During
the Agricultural Season (1914-1915).

of the Branches of the Agricultural Administration of Tunis, 219. The Function of Anabiosis in the Hibernation of Winter Grain Crops, 228. The Growth and Yield of the Mil-

lets Panicum miliaceum and Setaria italica in Russia, 239. Net Energy Values for Ruminants, 258. Cereal Experiments in Montana

and in Wvoming, United States,

328. The Influence of the Disinfection of Cereals Seeds by HotWater on their Germinating Capacity, 533. Experiments with Spring Ce-

reals at the Eastern Oregon Dry-Farming Substantion, Moro, Oregon, 540. The Effect of Weeds upon

Cereals Crops, 625. Dry Farmed and Irrigated Wheat, 632. Fall-sown Grains in Maryland and Virginia,

723. See also Barley, Maize, Oats, Wheat etc. Chan, Salvia Chio, 2.

Chawli, 431.

Chaulmoogra, 1166.

Cheese: The Pasteurization of Milk for Cheese-Making, 93. General Data on Cheeses Manufactured at the Lodi Royal Experimental Station (Italy) during the Year 1915-1916, 372. "Grana" Cheese Attacked by Penicillium Roquejorti at the

Cheese Making Station at Loli, Italy, 488. Pepsin in Cheesemaking, 676. Production, consumption, importation and exportation of cheese from 1903 to 1915, page 1083, Paying for Milk in Cheesemaking, 860. The Use of Selected Ferments in Cheesemaking, 861. Apparatus for Determination the Water Content of Cheese, 1209. On the Formation of "Eyes" in Emmenthal Cheese, 1223.

Chemistry and Plant Physiology:

Seeds and Plants Introduced into the United States, 18, 1129. The Determination of the Dry Matter in Beets, 19. A Contribution to the Knowledge of the Chemical Composition of the Leaves of Rubus, 20. A Bacterial Test for Plant Food Accessories (Auximones), 21. The Relation of Transpiration to Assimilation in steppe plants, 22. The Relation of Soil Moisture to Transpiration and Photosynthesis in Maize, 23. Germination Tests of the Seeds of the Seeds of Garden Cress, 24. On the Study of the Root System of Cereals, 125. Kafirin an Alcohol-soluble Protein from Kant, 126. Some Proteins from the Jack Bean, Canavalia ensiformis, 127. The Proteins of the Peanut, 128. The Globulins Arachin and Conarchin, 129. Role of Ammonia in the Metabolism of Nitrogenous Substances in Plants, 130. Relation Between Alkalinity of the Cultural Medium and Plant Yield. Experiments in Russia, 141. Effect on Plant Growth of Sodium Salts in the Soil, 132. The Function of Calcium in the Nutrition of Garden Pea Seedlings with Ammoniacal Salts, 133. Daily Transpiration During the Normal Growth Period and Its Correlation with the Weather, 134. Correlations Between Morphological Characters and the Saccharine Content of Sugar Beets, 151. Researches on the Method used for Determining the Water-content and the Dry Matter in Vegetable Products, 225. On the Resistance of Plants to Withering, 227. The Function of Anabiosis in the Hibernation of Winter Grain Crops, 228. Effect of Sodium Salts in Water Cultures on the Absorption of Plant Food by Wheat Sædlings, 229. The Assimilation of Nutrients by the Rice Plant : Studies made in India, 230. Species Growing in the Botanical Garden or Casa Bianca, Grosseto Province Italy, 312. Development of the Root System of Cirsium arvense and Medicago sativa with Reference to their Vegetative Reproduction: Observations carried out in Russia, 313. The Chemical Composition of Tobacco during its Vegetative Period. Researches carried out in Russia, 314. Preezing Point Lowering of the Leaf Sap of the Horticultural Types of Persea americana: Experiments made in America, 315. Germination of the Seeds of Lepidium satirum in Solutions of Electrolytes, 316. The Function or Flavones in Plants, 317. The Action of Non-Nitrogenous Reserve Substances in Trees, 318. The Effects of Manganese and Iron on the Growth of Wheat, 319. The Slow Change or Vine Wood Buried in the Soil, 414. The Action of Bacteria and Fungi in the Tissues of Plants, 415. A Saponin from Yucza filamentosa, 416. A New Sugar Extracted from the Fruit of the Avocado, 417. The Part Played by Oxidases in the Improvement of Cultivated Plants; Biological Experiments and Corsiderations, 418. The Cryoscopic Constants of Expressed Vegetable Saps as Related to the Local Environmental Conditions in the Arizona Deserts, 419. Usetul Plants found in the Columbian Republic, 530. The Formation and Disappearance of Saccharose in the Beet, 532. The Influence on Germination of the Hot Water Treatment of Cereal Seeds for Smut, 533. Oxidation and Reduction Phenomena in Plant Tissues, 534. The Effect of Weeds upon Cereal Crops, 625. Assimilation of Iron by Rice from Certain Nutrient Solutions, 626. The Use of Baker's Ash as Artificial Soil Almost Free from all Mineral of Organic Matter Suitable for the Study oi Plant Growth and the Influence of Various Chemical Fertilisers, 715. Some Studies on the Germination of the Seed of Oryza nativa and Zea Mays, 716. The Influence of Water and Mineral Matter on the Germination of Peas, 717. The Resistance of Wheat to Cold in Relation to its Sugar Content, 800. Temperature and Life Duration of Soils; Experiments made in the United States, 801. The Influence of Light on the Germination of the Seeds of Nicotiana Tabacum, 802. The In-, fluence of Mineral Matter on the Germination of Peas, 803. The Influence of Hot-Water Treatment on the Germination Percentage of the Seeds of Albizzia moluccana Miq., Pithecolobium Saman Benth, Mimosa invisa Mart., and Croialaria striata D. C., 804. Study of the Sucrose Variations in Successive Cane Joints as They attain Maturity with Special Reference to the Death of the Leaves, 820. The Freezing ot Fruit Buds; Researches made in the United States, 894. Studies on the Root-Nodules of Non-Leguminous Plants in Java, 906. The After Ripening of Sugar Cane, Chemical Changes which take place after Cutting, 907. Studies on Tobacco Seeds in Java, 908, Effect of Frost on Plants at Loenardslee, Horsham, Sussex, England, 909. The Presence of Arsenic in Hops in the United States, 1008. The Presence of Nitrites and Ammonia in Disead Plants. 1009. Self-Sterility in Plants, 1010. Classification of the Indian and Far Eastern Species of the Genus Strychnos, 1130. The Morphological Examination of Dog-Berries, 1131. A Chemical Study of the Seeds of Hydnocarpus venenata, H. alcalae and Pangium edule, 1132. Environment of Seeds and Crop Production, 1133. Studies or the Phosphorus and Potassium Requirements of the Barley Plant During its Different Periods of Growth, 1134. Daily Variation of Water and Dry Matter in the Leaves of Maize and the Sorghums, 1135. The Action of Certain Organic Substance in Plants 1136. The Diastatic Degradation of Inulin in the Root of Chicory, 1137. The Acid Excretion of Roots, 1138.

Chenopodium Quinoa, 18, 447. Cheromyses, 216.

Cherry: Seeds and Plants Introduced into the United States, 18. Experiments on the Pollination of Fruit Trees, 554. Fruit varieties for Maine, 637. In California, 729.

Chestnut: Seeds and Plants Introduced into the United States, 18, 1129. The Plant Food Materials in the Leaves of Forest Trees, 710. Chicle, 2.

Chicory: Varieties of Chicory in the Province of Lecce, Italy, 42. Culture and Forcing of Witloof Chicory, 249. The Diastasic Degradation of Inulin in the Root of Chicory, 1137.

Chick Pea: Leblebii a food made from

the Chick Pea in the Eastern Bal. kans, 586. In British India, 790, 1127.

" Chigoe " of man, 216, 254.

Chili: Irrigation Work, 224. The International Trade in Peeding Stuffs, page 489. Good Varieties of Wheat for Chili, 724. Chilicayote, 2.

Chinese burt, Urena sp., 149.

Chirimayo, Anona Cherimolia, 530. Chloris barbata, 431.

Chloris Gayana and Chloris virgata

Chloris paraguaiensis, 18.

Chlorophora tinctoria, 530. Chondodendron platyphyllum, 155. Chorioptes equi, 254.

Chorisia speciosa, 312.

Chrysanthemums: The Introduction in the United States of Arlemisia might extend the northern limit of chrysanthemum cultivation, 18.

Chrysomyia bezzianum, 254.

ly, in France, 44.

Chrysopogon serrulatus, 147. Chubimbo, Sapindus Saponaria, 530. Chuguas, Ullucus tuberosus, 18, 530. Cider: Varieties of Cider Apple Suitable for the Manutacture of Gel-

Cinnamon Tree: The Cultivation of the Sweet Cinnamon Tree, Cinnamomum Burmanni.

Cirpe, Pourouma sapida, 530.

Circium arvense, 313. Ciruelo, Spondias purpurea, 530.

Citrus fruits: In Guatemala, 2. Citrus spp. Introduced into the United States, 18. Citrus Conditions in Florida, Cuba, and California, 48-A New Machine for Peeling Citrus Fruits, 362. Citrus fruits in the Co-

lumbian Republic, 530. See also. Oranges etc. Clostridium Pasteurianum, 1122.

Clover: Correlation between the External and Internal Morphology and the Length of the Vegetative Pe-

riod of Some Varieties of Trifolium pratense, 28. Work on Great Millet (Sorghum vulgare) and Bersim (Trifelium alexandrinum) in Egypt, 33. Agricultural Development of the Province of Ontario, Canada, 117. Choice of Varieties and Seed Selection in Forage Crops, 145. Trii ljum africanum, 147. Net Energy Values for Ruminants, 258, Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Experiments in Germany on the Determination and Yield of Red Clover from Various Sources, 433. Trifolium Charrierii, a New Natural Hybrid Clover, Found in France, 434. Value of "Bersim" (Alexandrian Clover) for Feeding Stock; Experiments in Egypt, 462, Leguminous Crops in Desert Agriculture, 726. The Agricultural Development of North-West India, 790. The Fertilisation of Gramineae and Leguminosae in Relation to Selection, 805. Experiments with Irrigated Legume Crops and Grass Pastures, 813. Wild White Clover (Trifolium repens) for Artificial Grass Lands: Trials in Different Parts of the United Kingdom, 814. Farming Practice in the Sand Hills Section of Nebraska, 803. Clover Seed Stupper, 946. Clupea spratta, 1199.

Chemidocoptes mutans, 254.

Cobboldia loxodontis and C. chrysiditormis, 251.

Coro de mico, 530.

Coconuts : In Fiji, 399. In Indo-China, 436. Coconuts and coconut products in the Philippines, 889.

Coffee: Cultivation in Guatemala, 2. The Introduction of the Cultivation of the Coffee-tree into Reunion, 36. Coffee in the Belgian Congo, page 180. Experiments in Transplanting Coffee at the Porto Rico

Agricultural Experiment Station, 822. Agriculture in the Dominican Republic, 888. Agriculture in the Philippines, 889. Coir, 436.

Cold Storage, see Refrigeration.

Colhereira, 188,

Colletia cruciata, 517.

Colocasia spp., 2; 18, 530. Colocasia antiquorum, 2.

Columbia: Useful Plants found in the-Columbian Republic, Central America, 530.

Colza: Net Energy Values for Ruminants, 258. The International Trade in Feeding Stuffs, page 497.

Comino, Aionea perutilis, 530.

Conarachine, 128,

Concanavaline, 127.

Coniterae in the Botanical Garden of Casa Bianca, Grosseto Province, Italy, 312.

Contarea Lexandra, 18.

Copepod parasite, 1199.

Copper: Copper Sulphate, 13. Soil Constituents which unhibit the Action of Plant Toxius, 1118.

Copra: The International Trade in Feeding Stuffs, page 505. Results of Experiments on the Preparation of Copra, in Java, 818. Agriculture in the Philippines, 889. Cordin amplifolia 36.

Cardoncillo, 530.

Cork: The Preparation and Use of Wood Flour, 92.

Coronilla, 517.

Corozo: Corozo, 2. Chemical Composition Digestibility and Feeding Value of Vegetable-Ivory Meal, 259.

Cotton: Agriculture in Guatemala, 2. The Cotton Plant in the Belgian Congo, page 181. Agriculture in the United States, 215. A Sowing Date Experiment with Egyptian Cotton, 242. Cotton Growing Prospects in the French Colonies, Results in Algeria, 243. Production of Cottonseed Cakes and Mea!, page 496. The Selection of Sea-Island Cotton (Gossypium barbadense), in the United States, 536. Cotton-Growing Trials at the Palermo Royal Colonial Garden, Sicily, in 1915, 548. Sea-Island Cotton, Improved by Selection in the United States, 546. A Lister Attachment for a Cotton Planter, 658. Feening Cottonseed Meal and Hulls to Dairy Cows, 741. Cotton-Growing in the New-Hebrides, 918.

Contarea hexandra, 18.

Cover Crops: Seeds and Plants Introduced into the United States, 18. "Matkee" a Green Manuring Plant of Tea Estates in India, 409. The Manuring of Tobacco Nurseries in Java, 446. A Modified method of Green-Manuring, 623. Water Hyacinth and its Values as a Fertiliser, 798. Crolularia usaramoensis as Green Manure in Java, 903. Comparative Value of Legumes as Green Manure, 1126. Studies of Leguminous Plants as Green Manure, 1127.
Cow-pea: Seeds and Plants Intro-

duced into the United States, 18.
Citrus Conditions in Florida, Cuba, and California, 46. Sheep Feeding Experiments in Kansas, 170. Net Energy Values for Ruminants, 258.
Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Comparative Value of Legumes as Green Manure, 1126.

Cows, see Cattle.

Coyote, 1180.

Cress, Germination, Tests of the Seeds of Garden Cress, 24.

Crotalaria juncia, 431, 623, 1022, 1027.

Crotalaria striata, 804. Crotalaria usaramoensis, 903. Croton spp., 530.

Cucurbita ficifolia, 2.

Cuscuba, 530.

Cyaniopsis psoralioides, 431.

Cymbopogon flexuosus, 118.

Cymodocen manatorum, 1200.

Cynodon Dactylon, 525.

Cynonys ludovicianus, 1180.

DA, 920.

Dactylis glomerata, 241, 258
Dahomey: Cotton Growing Prospects

in Dahomey, 243.

Dairying: Palm Kerel Cake: Inve. stigations carried out at the Uni. versity of Leeds, 55. The By-pro. ducts of the Decortication of Rice in the Feeding of Milking Cows. 56. Milk Production and Age, 59 On the Holding up of Milk br Cows, 60. Advances made in 1015 by the Four Leading American Breeds of Dairy Cows, 61. The Selection or Dairy Cattle and the Development of Cooperative Associations for the Control of Milk Prequetion in the United States from 1905 to 1916, 62. Comparative Table of Milk Production in Dairy Herds in Relation to Age and Duration of Lactation, 167, Comparison of American Advanced Registry Ayrshires with Ayrshires in Scotland in Respect of Milk Production, 168. Influence of Age or the Value or Dairy Cows and Parm Work Horses, 182. The Dairying Industry of England and Wales. 187. Dairy Products, 258. Cooling Hot-Bottled Pasteurised Milk by Forced Air, 283. The Influence of the Plane of Nutrition of the Cow Upon the Composition and Properties of Milk and Butter Fat, 347. The value of Silage, 348. Care, Feed and Management of the Dairy Herd in Iowa, 349. Daity Industry in the Province of Quebec, Canada, 398 Sound Reasons for Pure Breds, 404 Speed Indicator for Hand-worked Cream Separators, 477. The "Omega!' Milking Machine and Its Influence on the Yield and Quantity of Milk: Experiments at the Federal Dairying Station of Liebefeld (Berne), Switzerland, 483. The Simplified Molecular Constant and its Application to Milk from the Yonne Region, France, 484. Egyptian Milk and Butter, 487. Effects of Feeding Cottonseed Products on the Composition and Properties of Butter, 651. Production of Milk and its Derivatives in the Argentine Republic, page 1082. Dairying in Oucensland, 700. Feeding Cottonseed Meal and Hulls to Dairy Cows, 740, 741. Labour Requirements or Dairy Farms as Influenced by Milking Machines, 763. Refrigerating Establishments in Italy, 773. Experiments to find a Basal Ration for the most Economical Feeding or Dairy Cattle under Northwestern Conditions in the United States, 831. The Mechanical Milker in Dairy Herd Management in Idaho, 832 Making Milk Bottles of Paper, 843. The Sterilisation of Liquids in Thin Streams by Heat, 859. Paying for Milk in Cheesemaking, 860, Figures showing the Conversion of Colostrum into Normal Milk, from the Standpoint of the Dairy Industry, 961. Selecting Dairy Bulls by Performance, 1041. A Milk-Coolet Fixed on a Trolley, 1057. Small Cold Storage and Dairy Buildings in Canada, 1060. The Sterilisation of Milk by the Lecomte method; Tests made in Holland, 1074. Cooling Milk on the Farm, 1076, Causes of Variation in Cream Tests. 1077. Dairy in South Airica, 1112. The Rehabilitation of the Milking Shorthern in the United States, 1190. Report of the Committee on Statistics of Milk and Cream Re-

gulations of the Official Dairy Instructors' Association of the United States, 1228. See also Milk, Butter, Cheese etc.

Damar, 443.

Dams, Reservoir, in France, 999.

Danthonia semiannularis and D. pilosa, Plants Used in Pasture Formation in New Zealand, 241.

Date palm; Varieties in the United States, 18.

Dendé, 449.

Denmark: Production of Seed of Sugar Beet, 234, Meat Production and Trade, 286. The International Trade in Feeding Stuffs, page 489. The Station for Forestry Research, 618.

Dermanyssus gallinue, 254, 1181. Dermestes lardarius, 256.

Deserts: The Cryoscopic Constants of Expressed Vegetable Saps as Related to the Local Environmental Conditions in the Arizona Deserts, United States, 419. Desmodium gyroides, 446.

Desmodium tortuosum, 46, 431, 1126. Desmodium uncinatum, 1126.

Development of Agriculture in different Countries: Agricultural Development in South Africa, 1112. Agricultural Development of the Province of Ontario, Canada, 117. Agricultural Progress in the Province of Ouebec, Canada, in 1915-1916, 398. The Organisation of the Agricultural Department in the Belgian Congo, page 177. Agriculture in the Dominican Republic, 888. Agriculture in Fiji, 399. Guatemala, 2. The Agricultural Development of North-West India, 790. Agriculture in the Philippines, 889. Agriculture in Queensland in 1915-1916, 700. The Distribution of Crops and Farm Animals, in the United States, 215. Agriculture and Stock Breeding in Uruguay, 517. Agri-

cultural and Economical Development of Venezuela, 600. Dinebra arabica, 431. Dionate, Astronium graveolens, 530. Dioscorea spp., 530. Diospyros spp., 18. Dipteryx odorata, 530. Distillery: Residues of Sugar Industry, page 518: Sugar Sorghum and Alcohol in War Time, 369. The Use of Apples in Grain Distilleries, 767. The By-Products of Alcoholic Fermentation, 1218. Divi-Divi, 530. Diviners, 900. Djuct, 64. Dog's tooth grass for Binding Shitting Sands in Sicily, 525. Dog-wood Cornus Mas, 1131. Dolichos biflorus, 431, 1126. Dolichos Lablab, 431, 1127.

Drago, 530. Dry-Farming: The Relation of Transpiration to Assimilation in Steppe Plants, 22. Experiments on Loss of Moisture from Soils by Evaporation (Dry-Farming), 119. Experiments with Spring Cereals at the Eastern Oregon Dry-Parming Substation, Moro, Oregon, 540. Dry-Farmed and Irrigated Wheat, 632. Study on the Digestibility of the Grain Sorghums, 633. Leguminous Crops in Desert Agriculture, 726. "Kafir" and "Milo" Sorghum as Grain Crops and Fodder Crops in Arid Soils: Experiments made in the Argentine, 811. Dry-Farming Investigations at the Sherman County Branch Experiment Station, 901. Ammonia - fixation in Semi-Arid Soils; Researches in the United States, 994.

Drying: The Drying for Milling Purposes of Damp and Garlick Wheat, 281. The Drying of Cereal Grains in Germany, 373. Recent Data on the Potato Drying Industry in

Austria, 374. The Schilde "Uni. versal Drier", 661. Leguminous Crops in Desert Agriculture, 726 Ducks: Observations on Some In. sect Pests of Livestock in the Belgian Congo, 254. Injury to Duck. lings Caused by the Larvae of the Coleopteron Dermestes lardarius, 256. The propagation of Wild-Duck Food, 567. Grafting of the Ovary in Rouen and Pekin Ducks, 748, Experiments in controlling Ectoparasites, 830. Brazilian Ducks: pato do matto " (Sarcidiornis carunculata) and "Pato brayo" Cairina moschata), 1192. Dumori, 920.

Dynamite: Drainage by Dynamite in the United States, 407. Blasting

Ditches, 1000. Dynamometer, the Hyatt, 662.

Echinochloa frumentacea, 18. Education, see Agricultural Education.

Egg Plant in the United States, 824.
Eggs: Dwarf Eggs, 67. On the Mechanical Protection and Conservation of Eggs, 94. The Strength of Eggshells, 95. Egg Laying Record of White Leghorn Pullet, 351. Investigations into the Changes undergone by Eggs, 588. Breeding for Egg Production, 747. Protein Feeds for Laying Hens, 1047, 1048.

Egypt: Experimental Work on Various Cereals, 29. Work on Great Millet and Bersim in Egypt. 33. Sheep, 172. A Sowing Date Experiment With Egyptian Cotton, 242. The International Trade in Feeling Stuffs, page 489. Value of "Bersim", 462. Egyptian Milk and Batter 487. The Castor-Oil Plant, 817. Eichhornia crassipes, 798.

Elweisstrohkraftsuther, 565. Elaeis: Production of Palm Kernel Eragrostis abyssinica, 431.

Cakes in Importing Countries, page 508. Little known Brazilian Fruits which are of Interest to Pruit Growers, 449. Oil-Producing Plants of Brench West Africa, 920. electricity: On the Classification of Soils according to the Electrical Conductivity of their Aqueous Extract, 121, Employment o Elecricity in agriculture, in France, 753. Electric Ploughing, 1202. Electricity Applied to the Threshing and Drying of Cereal in Italy, 1206. Elephant grass, 18, 147, 431. Elephants: In the Belgian Congo, page 182. Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. Eleusine aegyptiaca, 431. Elasine coracana, 431. Evinus dahuricus, 18. Ema, 188. Encino colorado, 2. Encairgement of Breeding, see Breed-Endocimus ruber, 188. Engineering Farm, see Machinery, Building Construction, etc. Ensilage: Experiments in Feeding Maize Silage to Lambs at the South Dakota Experiment Station, U. S. A. 65. Net Energy Values for Ruminants, 258. The increasing Use of Forage Silos on Farms in the United States, 284. The value of Silage, 348. Lamb Feeding in Texas, 408. A Contribution to the Bacteriology of Silage, 650. Altalfa Silage, 928. Silage for Beef Production, 1043. The Revival of the Ensilage Question, 1078. Chemical Changes Observed in Silage in the United States, 1079. The Construction of Pit Silos in the United States, 1212. Enteritis paratuberculosa bovis specifica, 160. Epicampes macroura, 2.

Eragrostis superba, 147. Erbsenstrohmehl, 565. Eriodendrum anfractuosum, 2. Erodium spp., 18, Erythrina Crista-Galli, 517. Escobillo, 2. Espina de la cruz, 517. Espinillo, Acacia Farnesiana, 517. Essences: The essential Oil of Lemon Grass, 118. The effect of Cultural. and Climatic conditions on the yield and Quality of Peppermint Oil, 247 The Manufacture of Essential Oils in the United States, 855. Eucalyptus: Species Growing in the Botanical Garden of Casa Pianca, Grosseto Province, Italy, 312. The Eucalyptus as Fuel in North Africa. 827. Effect of Frost on Plants, 909. Grass and Clover Seed Imports into the United States, 913. Farm Management Investigations in the United States, 950. Variations in the Chemical Composition of soils in the United States, 1120. Euchlaena mexicana, 431. Eugenia spp., 449. Euphorbia cervicornis, 147. Exceccaria biglandulosa, 517. Experiments, see Agricultural Re-

FAL, 431. Farm Sheep, Equipment for Farm Sheep Raising, 845. Feathers: The Trade in Feathers in Brazil, 188. Feeding of Live Stock: Larkspur Poisoning of Live Stock, 54. Palm Investigations Kernel Cake ; carried out by the University of Leeds, 55. The By-products of the Decortication of Rice in the Feeding of Milking Cows, 56. The Effect of Carrots on the Colour and Quality of Butter, 57. Lupines as Poi-

search.

sonous Plants, 161. The Effects of Feeding the Proteins of the Wheat Kernel at Different Planes of Intake,162. Dietary Deficiencies of the Maize Kernel, 163. The Valuation of Feeding Stuffs, 257. Net Energy Values for Ruminants, 258. Chemical Composition, Digestibility and Feeding Value of Vegetable-Ivory Meal, 259. Comparative Results of Feeding Guinea-Pigs With Whole Grains of Barley in the "Quiescent" and in the Germinating State, 260, Improvement in the Method of Apportioning the Mangel Ration, 261. Feeding Tests for the Toxic Effect of the Seeds of Adonis aestivalis contained in Milling Residues in Hungary, 262. The International Trade in Feeding Stuffs, pag. 489. The Iodine Content of Food Ma-*terials, 343. The Influence on the Plane of Nutrition of the Cow Upon the Composition and Properties of Milk and Butter Fat: Experiments Carried out in America, 347. The Value of Silage, 348. Separation and Identification of Food Colouring Substances, 403. Value of "Bersim" for Feeding Stock, 462. Employment of Ground-Nut Cake, 463. New Feeding-Stuffs used in Germany during the War, 565. Experimental Researches on the Nutritive Value of Maize; Raw, Sterilised and Decorticated, 566. The Propagation of Wild-Duck Foods, 567. Is Lysine the Limiting Amino-Acid in the Proteins of Wheat, Maize or Oats, 568. The Mineral Metabolism of the Milch Cow. 648. By-Products from the Manutacture of Tin Plate 649. Alfalfa Silage, 928. Investigations in Animal Nutrition: Beer Production, 931, 932. The By-Products of the Decortication of Rice in the Feeding of Working Oxen, 933. The Nettle Tree, Considered from the Points of View of Porestry, Food and Industry, 1028, Utilisation of Farm Wastes in Feeding Live Stock in the United States, 1039. A Comparative Study of the Feeding of Cattle and Pigs with Regard to Meat-Production, 1184. Horse chestnuts as a Food for Farm Animals, 1185. See also Forage Crops etc.

Feeds: Experiments in Feeding Maize Silage to Lambs, 65. The Value of Prickly-Pear as a Cattle Feed, 169. Sheep Feeding Experiments in Kansas, 170. Pumpkins as Food for Sheep, 171. Substitution of Potatoes by Mangels in the Fattening of Pigs, 174. The Valuation of Feeding Stuffs, 257. Net Energy Values for Ruminants, 258. Chemical Composition, Digestibility and Feeding Value of Vegetable-Ivory Meal. 259. Comparative Results of Feeding Guinea Pigs with Whole Grains of Barley in the "Quiescent" and in the Germinating State, 260. The Increasing Use of Porage Silos on Farms in the United States, 284. The International Trade in Feeding Stuffs, page 489. New Feeding-Stuffs used in Germany during the War, 565. By-Products from the Manufacture of Tin Plate, 649. The By-Products of the Decortication of Rice (pula vergine) as a Substitute for Wheat in Feeding Horses. 739. Feeding Trials with Cattle at the Model Farm, 740, 741. Skim Milk and Milk Substitutes for Calf Feeding, 742. Amounts in lbs. of Feeds Equivalent to 20 lbs. of Barley, 835. Alfalfa silage, 928. Investigation in Animal Nutrition Beef Production, 931, 932. The By-Products of the Decortication of Rice in the Feeding of Working Oxen, 933. The Nettle Tree, 1028.

Studies in Forage Poisoning, 1032. Utilisation of Farm Wastes in Feed. ing Live Stock in the United States. 1039. Silage for Beef Production. 1043. The Ventilation of Hay-Ricks, 1056. Horse chestnuts as a Food for Farm Animals, 1185. Chemical Composition and Food Vathe of the Grass and Hay or Andropogon rufus Kunth, 1186. Feijao bravo, 1034.

venugreek, Trigonella Foenum-graecum, 431.

Fiber zibethicus, 355.

Fibre Crops: Agriculture in Guatemala, 2. Fibres from the Belgian Congo, 118. Wild Plants of Queensland (Australia) which can be Used for the Extraction of Textile Fibres and for the Manufacture of Paper, 149. Useful Plants found in the Columbian Republic Central America, 530. The False Cotton Plant Gomphocarpus truticosus in Italy, 547. Fibre plants in Venezuela, 699. Brazilian Piassava, 816. Paka Fibre (Urena lobata) or Madagascar Jute, 919. The Carbone Method for Retting Textile Plants by Microbiological Action, 956. See also Sisal etc.

Fig: On the Growth of the Fig Tree in Arizona, U. S. A., 451. The Acreage of Fruits, Bearing and Nonbearing in Cali.omia, 729.

Fiji: Agriculture in Fiji, 399.

Pinzan, 920.

Fir: The Spruce and Balsam Fir Trees of the Rocky Mountain Region, 50. The Technical Properties of the Wood of the Greek Fir, 455.

Fish Breeding: On the Possibility of the Infection of Pigs with the Flukes, 52. On the Spawning Migration of the Lake Trout (Salmo fario lacustris L.), 70. The Activity of Nitrogen-fixing Bacteria in Fish Ponds, 71. Trade in Fish and Meat Meal, page 520. New Freezing Process for the Preserving of Pish, 354. The Muskrat Injurious to Fish and Aquatic Birds in Bohemia, 355. Carp Breeding in Madagascar Rice Fields, 472. On the Biology of the Shad of the Algerian Coast, 751. Fish-breeding in Switzerland during 1916, 752. The Biology of the Spawning Migration of Shad, 938. Carajat Incubator for Hatching Trout Fry, 939. The Work of the Madras Government Fishery Department in British India, 1198. A New Disease of the Sprat (Clupea Spratta) Due to a Parasitic Copepod (Lernaenicus sardinae), 1199.

Flax: In the United States, 215. The International Trade in Feeding Stuffs, page 489. Cereal Experiments in Montana and in Wyoming United States, 328. In Uruguay, 517. The Cultivation of Flax for Fibre in Canada, 815. Seeds and Plants Imported into the United States, 1129. The Cultivation of Flax in the French Colonies of North Africa, 1155.

Florida Beggar Weed, Desmodium tortusum, 46, 431, 1126.

Florida mahatee, 1200.

Florida Velvet Bean, 431.

Flour, see Milling, Bread Making.

Flour of Wood, the Preparation and Uses. 02.

Flowers: Studies in the Inheritance of Doubleness in Flowers II. Meconopsis, Althaea and Dianthus, 631.

Forage Crops: Agriculture in Guatemala, 2. Seeds and Plants introduced into the United States, 18. Nettles as Forage Plants, 35. Choice of Varieties and Seed Selection in Forage Crops, 145. The Possibilities of Fodder Plants in South Africa, 147. The "Water Pansy" or "Madagascar Pansy" (Pistia aegyptiaca) in the Island of Reunion:

Branches of the Agricultural Admimistration of Tunis, 219. Danthonia semiannularis and D. pilosa, Plants Used in Pasture Formation in New Zealand, 241. Net Energy Values for Ruminants, 258, The Normal Day's Work of Farm Implements, Workmen and Crews in Western New York, 276. Medicago falcata in the South of Italy, 333. Wild and Cultivated Fodder Crops of the Bombay Presidency India, 431. Agriculture and Stock Breeding in Uruguay, 517. Leguminous Crops in Desert Agriculture, 726, Effect of Inoculation on Growth of Lucerne and Lupin, 727. Kafir and Milo Sorghum as Grain Crops and Fodder Crops in Arid Soils, 811. Experiments with Irrigated Legume Crops and Grass Pastures, 813. Composition and Food Value of Andropogon tener, 1018. Panicum racemosum, a Wild Forage Plant of Brazil, 1019. Sheep poisoned by Golden-Rod (Solidage Western spectabilis) in U. S. A., 1033. Rhynchosia phaseoloides and R. minima Plants considered as Poisonous to Live-stock in the State of Rio de Janeiro Brazil, 1034. "Capim jaraguà " (Andropogon rufus Kunth.). a Brazilian Fodder Plant, 1154. Forestry: Forests in Guatemala, 2, Forest Management in Morocco, 49. Black Poplars, 157. The Restoration of Forests Devastated by the Operations of War, 158. The Im-

portance of Robinia Pseudo-Aca-

cia L. in the Afforestation of the

Steppes in the Province of Jeka-

katerinoslav (Russia), 159. The Re-

lation Between Forests and At-

mospheric and Soil Moisture in

India, 304. Resin-Tapping from

Spruce, Scoth Pine and Black Pine

Composition and Uses, 148. The

Activity of the Various Technical

tection Forest and Their Influence on the Raintall and Watercourses in British India, 338. Afforestation of Dunes in the Province of Cadiz Spain, 339. Forest Management in Formosa, 456. The . Unsuitable Working of Dammara Forests in the Sultanate of Batjan, in the Moluccas, 457. Agriculture and Stock Breeding in Uruguay, 517. Usebul Plants found in the Columbian Republic, Central America, 530. The Formation of National Parks in Spain, 556. The Native Trees of Sao Paulo, Brazil, 557. The Forests of Porto Rico, Past, Present and Future, 558. The Forests of the Hawaiian Islands, 559. The Station for Forestry Research in Denmark. 618. Influence of the Perennial Lupin on the Development of Forest Trees, 643. The Plant Food Materials in the Leaves of Forest Trees, 710. Thirty-seven Years of Spruce Selection in Austria, 721, The Contribution of Forestry to the Problem of Public Nutrition during the War, in Germany, 732. Agriculture in the Dominican Republic, 888. The Experimental Plantations of Vallombrosa, Italy, 923. Forestry in Sweden, page 1449. The Nettle Tree, Considered from the Points of View of Forestry, Food and Industry, 1028, Pinus canariensis, a Tree with Wood which does not Rod, Recommended for Replanting Forests in Warm Temperate Countries, 1029. Nursery Practice in the National Forest of the United States, 1030. The Utilisation of Ash in the United States, 1031, Forestry in South Africa, 1112. Reforestation on the National Forests of the United States, 1173. Forest Products of Canada, 1174. See also Pine, Oaks, Acacia etc.

in the Forest of Austria, 337, Pro-

Fowls, see Poultry roxtail, 328.

prance: The Organisation for the prevention of Fraud in France page 319. Draining and Cultivation of the Poitevin Marsh, 223. Production of Seed of Sugar Beet, 234. Good Hybrid Direct Beares Cultivated in France, 252. Test of Mechanical Cultivators in the Department of the Indre, France, 274. The International Trade in Feeding Stuffs, page 489. Manitoba Wheat, 326. Trifolium Charrieri. Coste, a New Natural Hybrid Clover Found in France, 434. The Comparative Costs of Using Agricultural Machinery in the United States and in France, 473. Courses of Pratical Agricultural Engineering in France, 519. The Encouragement of Mechanical Cultivation, 656. Notes on Hybrid Direct Bearers in the Scine-et-Marne District, 731. Mechanical Cultivation, 753. Machine Cultivation Trials at Mettray, 940. The Construction of Reservoir Dams in France, 999. Trials of Agricultural Tractors at Noisy-le-Grand. 1051. The Annual Work of a Tractor in France, 1052. Decree of the Minister for Agriculture Creating a Service of Agricultural Material, 1110. Red Fife Wheat in the South West of France, 1148. Hybrid Direct Bearers in the Seine-et-Marne District, France, in 1917, 1170. The "Madone" Vine in the Department of Ande, France, in 1917, 1171 The Choice of the Type of Agricultural Tractor Suited to French Conditions, 1203. Frand and Palsification, see Adulte-

ration and Fraud.

Friega platos, 530.

Fruit Growing: In Guatemala, 2 Seeds and Plants Introduced into the United States, 18, " Jaboticaba de cipo". Wild Brazilian Fructiferous and Medicinal Plant, 155. New Process for Extracting the Oil from the Kernels of Stone Fruit, 185. The Activity of the Various Technical Branches of the Agricultural Administration of Tunis, 219. The Normal Day's Work of Farm Implements Workmen, and Crews in Western New York, 276. Fruit growing in New Zealand, 335. Statistics of Fruits in the Principal Countries, 448. Little known Brazilian Fruits which are of Interest to Fruit Growers, 449. The Use of Brine Tank Refrigerator Cars for Fruit Shipment, 480. Fruit growing in Uruguay, 517. In the Columbian Republic, 530, Expetiments on the Pollination of Fruit Trees, 554. A Humidifier for Lemon Curing Rooms, 580. Fruit-varieties for Maine, 637. The Acreage of Fruits, Bearing and Non-bearing, by Countries in California, 729. Some Observations upon the Relation of Humidity to the Ripening and S orage of Fruit, 771. The Refrigeration of Fruit, 863. The Freezing of Fruit Buds, 894. Agricultural Development in South Africa, 1112. The Morphological Examination of Dog-Berries, 1131. Fruit Nomenclature (Fourth Conterence of the "Pomological Committee of Australia", in 1917, 1167. See also Citrus Fruit, Apple, Peach etc.

Fruta de conde, 449. Fruta de condesa, 449. Fruta de pao, 449.

Funtumia: In the Belgian Congo, page 191.

Furcraea: F. gigantea in Guatemala, 2. In the Belgian Congo, page 191,

Futtermehl, 565.

GALO, 18. Garça, 188.

Garça, 188.
Garcinia tonkinensis, 436, 854.
Gardening: In Guatemala, 2. The
Effect of Continued Capillary Watering, 41. Culture and Forcing
of Witloof Chicory, 249. Martynia
proboscidea, a Vegetable which
should be more Extensively Grown
in the United States, 250. Agricultural Progress in the Province of
Quebec, Canada, in 1915-1916, 398.
Variety Tests of Vegetables Carried
Out at the Maryland Agricultural
Experiment Station, United Sta-

tes, 824.
Gastrophitus intestinalis and G. asininus, 254.

Genipa americana, 449.

Genipapo, 449.

Geranium sp., 18.

Germaniaphosphat, 411.

Germany: Production of Seed of Sugar Beet, 234. Exhibition and Trial of New Agricultural Machinery, 268. Experiments Made in Germany on the Treatment and Use of Frozen Beef, 285. The International Trade in Feeding Stuffs, page 489. The First School of Mechanical Cultivation founded in Germany, 303. Injury to Grazing Cattle caused by the Sound-fly Simulium replans, 311. The Muskrat (Fiber zibethieus) Injurious to Fish and Aquatic Birds in Bohemia, 355. The Drying of Cereal Grains in Germany, 373. Experiments on the Determination and vield of Red Clover from Various Sources, 433. The Cultivation of Chenopodium Quinoa in Germany, 447. New Feeding-Stuffs used in Germany during the War, 565. Cultivation of Beans, 636. The Contribution of Forestry to the Problem of Public Nutrition during the War, 732.

Germination, see Chemistry and Physiology,

Ginseng, 18.

Glycine Soya, see Soya. Glossina palpalis, 216.

Glossina tachinoides, 216.

Goats: The Livestock in Algeria, page 6, Goat Raising in the States of Piauthy and Maranhao, Brazil, 173. Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. Tuberculosis of the Goat, 303. Studies on Contagious Agalaxy of Goats in Algeria, 737.

Gomphocarpus fruticosus, 547.

Goose Raising in the United States,

Gooseberries: Varieties in the United States, 637.

Gourbet, 223.

Gramichana, 449.

Gramixana, 449.

Gramineae: Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. The Fertilisation of Gramineae and Leguminosae in Relation to Selection, 805. Experiments with Irrigated Legume Crops and Grass Pastures, 813.

Grapes: "Pellaverga" a good Italian Table Grape, 48. The Chemical Composition of American Grapes Grown in the Central and Eastern States, 253. Table Grape Hybrid Bearers, (100). The Cultivation of Grapes for Export in the District of Almeria, Spain, 1172.

Gravatà, 449.

Great Britain and Ireland; Comparison of American Advanced Registry Ayrshires with Ayrshires in Scotland in Respect of Milk Production, 168. The Dairying Industry of England and Wales, 187. The International Trade in Feeding Stuffs, page 480. Egg-Laying Record of White Leghorn Pullets, 351. Grass Land and Ploughel

Land, 916. The Feeding of Poultry. recce: Cultural Trials of some Native and Wheats at Pharsalos, Thessalv, 140. The Technical Properties of the Wood of the Greek Pir, 455. men Manures, see Cover Crops. goselha, 449. iound Grape Pips, 565. habiroba, 449. maco, Mikania amara, 530. malanday, Jacuranda Caroba, 530. wanto, Juga, 530. hanabana, 2, 530. manidine Carbonate, 1118. mar, 431, 726. harús, 188. matemala: Agriculture, in Guatemala, 2. jnava, 449. havabo, 530. mavacán, 530. kiana, British: Notes on Some Animal Parasites in British Guiana, 733. binea grass, 431. am Plants, see Rubber. imbo soil, 222.

HARMATOPINUS Spp., 254. Biemstopota perturbans, 251. Eumatoxylon campechianum, 2, 530. Brivesting and Breaking-up of Stubble with a Tractor, 945. Hau, 559. Hovain The Forest, 550. The Soils of Hawaii, 1119. Bay Ricks, Apparatus to Prevent Spontaneous Combustion, 842. H. whiten coronarium, 1020. lictedity: The Normal Duration of Heat in Cattle, 104. Data on the Measurement of Inbreeding, 263. Radimentary Mammae in Swine a Sex-Limited Character, 344. Statistical Data Relating to the Age of Cattle Used as Breeders in Maine, United States, 345. Sound Reasons for Pure Breds, 464. Studies of FreeMartins, 929 Family Performance as a Basis for Selection in Sheep, 930. Selecting Dairy Bulls by Performance, 1041. The Abderhalden Test for Pregnancy in Animals. 1187. Heredity Causes and Importance of White Marks on the Coats of Equine Animals; Researches in Italy. 1188.

Hevea: In the Belgian Congo, page 191.
A Genetic Study of Plant Height in.
Phaseolus vulçaris, 232. Comparative Studieson Different Varietes
of Hevea Rubber in the Amazon
District, Brazil, 334. In Indo China,
436. Scientific Methods of Tapping
Hevea brasiliersis in Java, 442.
Seed Selection in the Cultivation
of Herea brasiliensis, 538. A Bacteriological Study of the Natural
Coagulation of the Latex of Hevea
brasiliensis, 858.

Heterothalamus brumoides, 517.
Hibiscus cannabinus, 920.
Hibiscus Sabdariffa, 149.
Hide, see Skins.
Higuerón, Urostiema sp., 517.
Hobo, Spendias lutea, 530.
Holeus lanatus, 241.

Honduras: Indigo Cultivation, 1021, Honey Grape, 857. Hop: The Presence of Arsenic in

Hops. 1008. The improvement of Hops by Crossing and Selection, 1142. Hop Sage, Graya spinosa, 701. Horse-hestfuts, Utilisation, 054, 1185. Horse-radish tree, 020.

Horses: The Livestock in Algeria, page 3. The Comparative Values of the Intra-Dermal-Palpebral Mallein Test and the Examination of the Blood for the Diagnosis of Glanders, 51. The Registration of Pedigrees in the United States, 58. Arrangement for Securing the Safety of Horses in Case of Fire, 81. The Increase in Livestock in 25 years, Canada, 117. The Future Utility of

the Pessina Method for Determining the Age of Horses, 165. Production in the United States, 215. Observations on Some Insect Pests of Live stock in the Belgian Congo, 254. Studies on Contagious Absorption in Mares, 255. The Herd and Stud Books of the Argentine Rural Society, 264. Economics of the Breeding of Pure-Bred Stock, 265. The Possible Formation of Specific Antibodies in the Blood of Horses as a Result of Ingestion of dead Bacili, 340. Hygienic Drinking Trough with Separate Compartments, 365. The Larva of the Horse-bot, 458. Feeding Experiments of Pure Draft Fillies in Illinois, 465. Horse-breeding in the Argentine Republic at the Present Day, page 819. Stock Breeding in Uruguay, 517. The Treatment of Overworked Horses and the Value of the Use of Glucose Serum in Intertracheal Injections, 500. Treatment of Lymphangitis in Horses by Bacteriotherapy, 561. Experimental Work upon Equine Trypanosomiasis in Morocco, 562. New Feeding-Stuffs used in Germany during the War, 565. Breeding Stock in Venezuela, 699. Agriculture in Queensland in 1915-1916, 700. Ulcerative Stomatitis in Horses, 735. The By-Products of the Decortications of Rice to pula vergine of as a Substitute for Wheat in Feeding Horses, 739, Prospects for American Purebreds, 1189.

Huesito, Banara ibaguansis, 530. Humidifier for Lemon Cuing Rooms, 580.

Humidity of the Air, 78.

Humidity of soil: The Relation of Soil Moisture to Transpiration and Photosynthesis in Maize, 23. Factors Affecting the Evaporation of Moisture from the Soil, 704. The Effect of Soil Moisture Content on Certain Factors in Wheat Production, 705. Measurement of the Inactive or Unfree Moisture in the Soil by Means of the Dilato meter Method, 896. Relation of the Water-Retaining Capacity of a Soil to Its Hygroscopic Coefficient, 1114.

Humogen, 714. Humus, see Soil.

Hugarian Millet, 258.

Hungary: The Analysis of Hung: rian Wines, 87. Compulsory De germing of Maize, 184. The First 37 Years of the Royal Hungaria School for « Maitres d'eau » at Kassa 217. Test of the Cultural Value a Vetch Seeds being Residues from Milling, 235. The Utilisation of Milling Residues in Hungary, 280 The International Trade in Feed ing Stuffs, page 489. The Irrigation Canal of the "Puszta Hortobägy 308. Varieties of Hungarian Whea Selected to Increase the Nationa Production, 325. The Important of the Awns of Native Wheat ! Hungary, 430.

Hura crepitans, 2, 539. Hyacinth, Water, 798. Hydrocarpus spp., 1166.

Hydraulies: Drainage and Cultivation of the Poitevin Marsh, France 223. The Irrigation Canal of the Puszta Hortobágy" in Hungar 308. Drainage by Dyanamite is the United States, 407. The Drainage of Irrigated Shale Land. 70 The Divining Rod, 900. The Costruction of Reservoir Dams France, 990. Blasting Ditches. 100 Internal-Combustion Farm Drainage Machines, 1053. See also I rigation etc.

Hydrology: Water Penetration the Gumbo Soils of the Vell fourche Reclamation Project, Sou Dakota, United States, 222. lygiene of Live Stock: The Comparative Values of the Intra-Dermalpalpebral Mallein Test and the Framination of the Blood for the Diagnosis of Glanders, 51. On the Possibility of the Infection of pigs with the Plukes Opisthorchis felineus, Pseudamphistomum danubiense and Methorchis albidus, 52. The ontrol of Contagious Epithelioma in Chickens by Vaccination; Experiments in Nevada, U.S.A., 53. Notes on Glossinae or tsetse flies, safe 184. The Ticks of the Belgian congo, page 184. The Treatment of Enteritis paratuberculosa bovis spetifica by Methylene Blue, 160. Observations on Some Insect Pests of Livestock in the Belgian Congo. 154. Studies on Contagious Abortion in Mares, 255. Injury to Ducklings Caused by the Larvae of the Coleopteron Dermestes lardarius, 256. The possible Formation of Specific Antibodies in the Blood of Horses as a Result of Ingestion of dead Bacilli, 340. Injury to Grazing Cattle caused by the Sandfly Simainm replans, 341. Contribution to the Knowledge of the Strongylid Zyngamus bronchialis in Domestic Poultry, 342. Auto-Inoculation and Early Development of the larva of the Horse-bot (Gastrophilus intestinalis) in the Membranes of the Mouth Cavity, 458. Diagnosis of Tuberculosis (Especially the Bovine Farm) by Complement Fixation, 459. Anti-rinderpest Se mm Preparation at the Muktesar Laboratory, India, 460. Glossina and Pig Trypanosomiasis in the lakissi Valley, Middle Belgian Congo, ior. The Treatment of Overworked Horses and the value of the Use of Glucose Serum in Intratracheal Injections, 560. Treatment of Lymphangitis in Horses by Bac-

teriotherapy, 561. Experimental Work upon Equine Trypanosomiasis in Morocco, 562. Tuberculosis of the Goat, 563. Anophylaxis in Cattle and Sheep, 644. A Study of Hemorragic Septicaemia. Observations in Sheep and in Mouflon-Sheep Hvbrids, 645. An Intradermal Test for Bacterium pullorum, Infection in Fowls., 646. The Characteristics of the «criollos» cattle, page 1074. Notes on Some Animal Parasites in British Guiana, 733. Mercury Compounds in the Treatment of Epizootic Lymphangitis, 734. Ulcerative Stomatitis in Horses, 735. Rabies and Haemorragic Septicaemia in some Young Buffaloes, in Italy, 736. Studies on Contagious Agalaxy of Goats in Algeria, 737. Poisoning of Cattle by Ragwort (Senecio Jacobaea L.) in England, 828. Paspalum notaium the cause of the Disease of Cattle known as "Tembleque" or "Chu ho" in the Argentine, 829. Experiments in Controlling Ecto-Parasites on Poultry in the United States, 830. Contribution to the Study of" Tembleque", 921. The Sheep Tick and its Eradication by Dipping, 925. Studies in Forage Poisoning, 1032, Sheep poisoned by Western Golden-Rod (Solidago speciabilis) in U. S. A., 1033. Rhynchosia phasecloides and R. minima, Plants considered as Poisonous to Live Stock in the States of Rio de Janeiro, Brazil, 1034. Erzoutic Paraplegia in Lambs, 1035. Rinderpest in Swine, 1036. The Virulence of Hog-Cholera Blood at Different Periods During the Disease, 1037. A Disease of Cattle in the Philippine Islands Similar to Anaplasma marginale Theiler, 1177. The Avenue of Invasion and the Behaviour of the Infection of Contagious A-

bortion in the Uterus 1178. Paspalum and "Tembleque" in the Argentine, 1179. The Susceptibi- lity of the Prairie Dog to Rabies, 1180. The Chicken Mite (Dermanyssus gallinae); Its life History and Habits, 1181. Hygiene, Rural: Pigs and the Spread of the Ectoparasites of Man in Tropical Regions, 216. Swine as Agents in the Spreading of Sleeping Sickness in the Valley of Inkissi Central Belgian Congo, 400. Carp Beeding in Madagascar Rice Fields, 472. The Purification of Rain Water for Human Consumption, 518, Observations on Certain Flies Infesting Meat or Causing Human Myaisis 617. The Relation of Farm Weeds to Hay Fever, 701. Studies on the Digestibility of some Vegetable and Animal Fats, 791. Value of Poultry for Rural Hygiene, 890 The relation between the Hatching of the Eggs and the Development of the Larvae of Stegomvia fasciata and the Presence of Bacteria and Yeasts. 891. Observations on the Influence of Salt and other Agents in Modifying the Larval Development of the Kook-Worms Anhylostoma duodenale and Necator americanus, 892. Are Anopheles of Non-Marshy Districts Capable of Transmitting Malaria, 988. Poisoning by Illicium religiosum Siebold, in the Philippines, 989. The Degree of Bolting of Flour in Relation to Healthy Alimentation, 990. Studies of Food Utilisation: the Utilisation of Carbohydrate on Relatively High and Relatively Low Cereal Diets, 1113. Hylandia lalebrosa, 431. Hymenaea Courbaril, 530. Hypomane Mancinella, 2. Hyssopus afficinalis, 550.

IBIAS, Oxalis luberosa, 503. Illicium religiosum, 989. Illipé, 436. Imbu, 449. Imperala arundinacea, 149. Improvements, see Agricultural Im provements. Incubator, Carajat, for Hatchin-Trout Fry, 939. India: The Selection and Improvemen of Indigo in Bihar, 136. The Che. mical Composition of the Rices of Bihar and Orissa, 141. The International Trade in Feeding Stuffs page 489. The Relation Between Forests and Atmospheric and Sa Moisture in India, 304. "Matkee (Aeschynomene indica L.), a Greet Manuring Plant of Tea Estates is India, 409. Wildand Cultivate Fodder Crops of the Bombay Pre sidency, Indie 431. The Cultivation of Cassia auriculata as a Source of Tannin in British India, 430. lk velopment of Rubber Cultivation in Burma, 440. Anti-rinderpest S. rum, Preparation at the Muktesa Laboratory India, 460. Rainia Irrigation and Subsoil Water: the United Provinces of Agra an Oudh, 706. Leguminous Crops: Desert Agriculture, 726. The Co tivation of Pepper-Vines at Bank Dutch-East-Indies, 1024. Studi of Leguminous Plants as Gra Manure, 1127. The Work of th Madras Government Fishery Dep. ment in British India, 1198. Indigo: The Selection and Impr venient of Indigo in Bihar, is Indigo Cultivation in Hondur. 1021. Comparative Value of 1 gumes as Green Manure, 111 Indigojera spp., 431, 530. Indo China: The Resources of I do China in Oil-Yielding Plants, t.

Industries Depending on Plant Pi

ducts: Varietes of Cider App Suitable for the Manufacture

Jelly, in France, 44. The Value

Seaweed as Raw Material for Chemical Industry, 91. The Preparation and Uses of Wood Flour, o2. Fermentation Tests of Tea Leaves in Java, 585. Composition of the Juice of Hungarian S'rawberries, 672. On the Interpretation of the Results of Analysis of Tomato Preserve, 674. The Sanitary Control of Tomato Canning Factories, 856. "Grape Honey", 857. The Utilisation of the Horse Chestnut, 954. Observations and Experiments on the Manufacture of Tea at Java, 955. The Carbone Method for Rettling of Textile Plants by Microbiological Action, 956. Cassia Tora, a New Coffee-Adulterant Examined at Poona, British India, 1022. The Morphological Examination of Dog-Berries, 1131. Preparation and Fermentation of Cacao in the Philippines, 1221. See Distillery, Breadmaking, Winemaking, etc. Industry Depending on Animal, Pro-

duct, see Wool, Eggs, Dairving, Meat, etc.

Institutions, see Agricultural Institutions.

Iedina rhombifolia, 517.

Iodine: The Iodine Content of Food Materials, 343.

Ipecacuana, 530.

Ipomeoa Batatas, 2, 18, 399, 530, Ibomoea crassipes, 147.

Irch, sec Funtumia.

Iron: The Effect of Manganese and Iron on the Growth of Wheat, 319 The Use of Iron in Agriculture, 405. Assimilation of Iron by Rice from Certain Nutrient Solutions, 626. Irrigation The Effect of Continued Capillary Watering, 41. Irrigation Work in Chili, 224. Irrigation Results obtained in 1016 at the Horticultural Experiment Station of the Province of Oatario, Canada, 408 Irrigation in Uruguay, 517. New Irrigation-District Code for Oregon, U. S. A. 621. Summary of Researches by Messers Muntz nd Laine on the Control of Irrigation according to the Physical Properties of Soils, 622. Portable Water Heater, 663. Rainfall, Irrigation and Subsoil Water in the United Provinces of Agra and Oudh. 706, Spray Irrigation, 708. Irrigation in Various States and Colonies, 796. Experiments with Small Grains Under Irrigation in Idaho, United States, 810, Experiments with Irrigated Legume Crops and Grass Pasture, 813. Experiments in Irrigated Crops in the United States, 1002. Irrigation Technique for Sugar-Beets in Utah, U. S. A. 1124. Irrigation and Manuring Studies in Utah, 1125.

Ischaemum binatum, 1129.

Ischaemum pilosum, 431.

Iseilema Spp. 131.

Istapa, 530.

Italy: The Utilisation of Sewage-Water in Italy, 14. Sulla in the Agriculture of Southern Italy, 34. The Results of Summer Rearing of Silkwormsin Piedmont,in 1916, 69. Production of Seed of Sugar Beet, 234. The International Trade in Feeding Stuffs, page 489. Species Growing in the Botanical Garden of Casa Bianca Grosseto Province, Italy, 312. Manitoba Wheat, 326. Medicago talcata in the South of Italy, 333. General Data on Cheeses Manufactured at the Lodi Royal Experimental Station, 372. Results of Experiments on the Cultivation of Spring Wheats at Valdichiana, Tuscany, 429. Experiments Made in the Province of Lecce in order to Control the Unproductivity of Olive Trees, 438. Courses of Pratical Agricultural Engineering in Italy, 519. School

KABI, 920.

Kaempferia Ethelae, 118.

for Farmers at the Royal Colonial Garden of Palermo, 520. The Use of Dog's Foot Grass for Binding Shifting Sands in Sicily, 525. Cotton Selection in Sicily, 537. Studies on Wheat in the Province of Rovigo, Italy, 541. Sweet Potato Culture in Sicily, 435. Cotton-growing Trials at the Palermo Royal Colonial Garden, 545. The False Cotton-Plant in Italy, 547. The Encouragement of Mechanical Cultivation in Italy and France, 656. Refrigerating Establishments in Italy, 773. The Experimental Plantations of Vallombrosa, 923.

Jaboticaba, Myrciaria cauliflora, 18.

JABORANDI, 530.

LLQ. Jaboticaba decipó, Chondodendron platyphyllum, 155. Jacaranda Caroba, 530. Jacca, Artocarpus integra, 449. Jackbeau, Canavalia ensiformis, 127, 446, 1126. Jambo, 449. Japan: Studies made by the Imperial Sericultural Station of Japan, 267. The International Trade in Feeding Stuffs, page 489. Forest Management in Formosa, 456. Development of Sericulture, 471. Potassium Chloride from Mother Liquor in Manufacture of Sea-Salt, 1128. Japan clover, 431. Jatropha Curcas, 2, 853, 920. Java: Behaviour of Tobacco "Variations", 426. Scientific Methods of Tapping Herea brasiliensis, 442. The Manuring of Tobacco Nur-

series in Java, 416. Experiments on the Manuring of Cacao, 635.

Results of Experiments on the Pre-

paration of Copra, in Java, 818.

Observations and Experiments on

the Manufacture of Tea at Java,

955. Experiments on the Manuring of Tobacco Plantation, in Java, 1025. Jiquilite, 2. Jocote Marañon, 2. Johnson grass, Sorghum halepense, 701, 741. Jowar, 431. Juazeiro, 449. Jute: Wild Plants of Queensland, 149. The Improvement of the Jute Crop by Pure Line Selection in British, India, 1140. Jvazeiro, 449.

Kafir, 126, 170, 811.
Kafirine, 126.
Kamala, 1164.
Kamani, 559.
Kang. 431.
Kaoliang, 633.
Kapok in Guatemala, 2.
Kavetel, 1166.
Kern greasewood, Spirostachys occudentalis, 701.
Kikuyu grass, 147.
Knife, the Jahn Curved, 660.
Koa, 559.
Kohl-Rabi, By-Products, 565.
Kukui Aleurites moluccana, 559.

Kulthi, Dolichos biflorus, 431, 1126.

Kumalas, 339.

Lalang, Imperata arundinacea, 149.
Lamy, 920.
Larkspur Poisoning of Live Stock, 54.
Lathyrus spp., 18, 431, 630.
Laurel agucatillo, 530.
Laurel blanco, 517.
Laurel cacho, 530.
Laurel olio, 530.
Laurel olio, 530.
Laurus spp., 530, 550.
Laurus spp., 530, 550.
Lead: The Use of Lead for Stimulating Growth in Plants, 529.
Leblebii, a Food Made from the

Chick Pea (Cicer arietinum) in the Eastern Balkans, 586. tecithys longifolia, 530.

gislative and Administrative Mea-

sures: International Yearbook of Agricultural Legislation, 1. Appropriation of the Pederal Depart-

ment of Agriculture of the United States for the Fiscal Year Ending June 30, 1917, 214. The Sanitary control of Tomato-Canning Factories, 856. Porest administration

in Sweden, page 1451. Decree of the Minister for Agriculture Creating 3 Service of Agricultural Material

in France, 1110, Laws and Orders concerning the Production Preservation and Sale of Milk and Cream

in the United States, 1111. The Work of the Madras Government Pishery Department in Bititish

India, During the Year 1915-1916, 1168 scuminosae of the Bombay Presi-

dency, India, 131. guminous Plants grown for seed, 2, 18, 805.

smon grass, 118.

emon Trees: The Improvement of Lemon Trees by Selection in Cahiornia, United States, 539. A Humidiffer for Lemon Curing Rooms, 580. The Acreage of Fruits Bearing and Non-bearing by Counties in 1916,

in California, 729. Andium satirum, 24, 316.

spiespermum scoparium, 241. anaeenicus sardinae, 1199.

Bredeza striata, 431.

Attuce: The Effect of Continued Capillary Watering, 41. In the United States, S24 .

ice: Observations on Some Insect Pests of Livestock in the Belgian Congo, 254. Experiment in Controlling Ectoparasites on Poultry in the United States, 830

ight: The Influence of Light on the

Germination on the Seeds of Different Varieties of Nicotiana Tabacum, 802.

Liitow, Phaseolus aureus, 1129. Limao do matto, 449.

Lime: The Influence of the Lime: Magnesia Ratio in the Soil on the Yield in Seed of Sugar Beets, 7, 38. Carbon and Nitrogen Changes in Soil Treated with Lime Ammonium Sulphate and Sodium Nitrate, 9. The Function of Calcium in the Nutrition of Garden Pea Seedlings with Ammoniacal Salts, 133. Availability of the Potash in Certain Orthoclase Bearing Soils as Affected by Lime and Gypsum, 306. Researches on the Calcium Compound in Soils in the United States, 406. The Quantitative Estimation of Calcium Carbonate in Determining the Nature of Soils, 997. Lime on the Farm in New South Wales. Australia, 1003.

Linoleum, 92.

Lock Nut, 479.

Locust: The International Trade in Feeding Stuffs, page 511. The Locust a feed of Milch Cows, 740. Lelium: History, Cultivation and Im-

provement of Lolium berenne, at Svalöf, Sweden, 146.

Lowland tussock, 241.

Lucerne: Seeds and Plants Introduced into the United States, 18, Commercial Varietes of Lucerne in the United States, 32. Net Energy Values for Ruminants, 258. Development of the Medicago sativa with Reference to Their Vegetative Reproduction, 313. Medicago falcaia in the South of Italy, 333. Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Transplanting Alfalfa, 432. Hybrid Origin of Cultivated Lucerne, 531. Influence on the Time of Cutting on the Yield of Lucerne, in Italy, 544. Inoculation Tests on Lucerne and Lupin Seedlings in Denmark, 713 Leguminous Crops in Desert Agriculture, 726. The Fertilisation of Gramineae and Leguminosae in Relation to Selection, 805. Experiments with Irrigated Legume Crops and Grass Pastures, 813. Alfalfa Silage, 928.

Lucilia argyrocephala, 254.

Lucuma mammosa, 2.

Lucima Sellowii, 517.

Lupins: In the United States, 18.
Lupines as Poisonous Plants, 161.
The International Trade in Feeding Stuffs, page 511. Influence of the Perennial Lupin on the Development of Forest Trees, 043. Inoculation Tests on Lacerne and Lupin Seedlings in Denmark, 713. Comparative Value of Legumes as Green Manure, 1126. The Selection of Lupins of Low Akaloid Content in Germany, 1139.

Lyperosia pallidipes, 254.

Lysine: Is Lysine the Limiting Amino-acid in the Proteins of Wheat, Maize or Oats, 568.

MACHINERY and Implements Agriculture: A New Device to Increase the Power of Tractors, 72. A Simple Apparatus for Clearing Vines, 73. Hay Sweep, 74. Apparatus for Sulphuring Musts on a Large Scale by Sulphur Dioxide produced directly by Burning Sulphur, 75. A Simple Apparatus for Filtering Win-Lees, 76. A New Apparatus for the Distillation of Peat at a Low Temperature, 77. A Device for the Automatic Regulation of the Humidity of the Air., 78. Importation of Agriculture Machines and Implements into Russia from 1903 to 1912, 175. Guiding Mechanism for Seed Drills and Similar Machines, 178. A New Cotton Picking Machine, 179. Dust Aspiration for Chaff-cutters, Pendt System, 180. Exhibition and Trial of New Agricultural Machinery and Appliances organised by the German Agricultural Society in 1016, 268. Whiting Standard A. gricultural Tractor, 269. Trailer for Men who have lost a Leg, 270 Improved Apparatus for Determin. ing the Test Weight of Gram, 271 The "Cataract" Root Washer and Peeler, 272. Hinman Mechanical Mil. kers, 273. Tests of Mechanical Cul. tivators in the Indre Department France, 274. The First School of Mechanical Cultivation founded is Germany, 303. Improvements in the Galardi-Patuzzo Motor plough, 356 Bates-Joliet Tractor with Extensible Steering, 358, Potato Dilblers, 359. The "Marvel" Potate Digger, 360. Grain Driers Now in Use in Germany, 361. A New Machine for Peeling Citrus Fruits, 402 Tipping Trailers, 363. The Comparative Costs of Using Agricultural Machinery in the United States, and in France, 473. The Comparative Cost of Tractor and Horse Power in the United States, 474. The Ransome Three-Row Ridger, 475 Tests of the "Omega" Milking Machine at the Federal Dairy Station at Liebefeld, Switzerland, 476. Spec-Indicator, for Hand-worked Cream Separators, 477. Brine Tank R: frigerator Cars for Pruit Shipmen Used to Canada, 478. Lock No Made by the Western Screw an Lock NutCompany of San Francisc U. S. A., 479. Courses of Practica Agricultural Engineering in Ital and France, 519. Ploughing with Tractor, 574. Tractor Plough & justments and Hitches, 575. Spik ing Machine of Wheel Barrow Tyl for Small Farms, 576. A Tourit Car Converted into a Tractor, 57 The Jullien Tool-Holder for On armed Men, 578. The Width of Wagon Tyres Recommended for Loads of Varying Magnitude on Earth and Gravel Roads, 579, A Humidifier for Lemon Curing Rooms 580. The Encouragement of Mechanical Cultivation in Italy and France, 656. The Donalies Patent Mechanism, for Attaching One or More Implements to a Balance-Plough, 657. A Lister Attachment for a Cotton Planter, 658. New Stump Burner for Logged-Off Lands 659. The Jahn Curved Knife for Root-Pulping Machines, 660. The Schilde «Universal Driers», 661. The Hyatt Dynamometer, 662. Portable Water Heater, 663. Mechanical Cultivation in France, 753. The Actual Extent of the Use of Motor Tractor on American Farms, 754. The New Ford Tractor, 755. The "Once-Over" Tiller, 756. Devices for Disabled Farm-hands, 757. Mechnical Methods of Cultivation of Vinevards, 841. Apparatus to Prevent Spontaneous Combustion of Hay Ricks, 842. Machine Cultivation Trials at Mettray. France, 940. The Moline Farm Tractor, 941. The Crawley Agrimotor, 042. Patent Stone, Sand and Asphalt Distributing Mahines, 944. Simultaneous Harvesting and Breaking-up of Stubble with a Tractor, 945. Clover Seed Stripper, 946. Trials of Agricultural Tractors at Noisy-le-Grand, France, in 1917, 1051. The Annual Work of a Tractor in France, 1052. Internal Combustion Farm Drainage Machines, 1053. Harvesting with Tractors: Trials at Grignon, France, in 1917, 1054. The " Bell " Automatic Stooker, 1055. The Ventilation of Hay-Ricks, 1056. A Milk Cooler Fixed on a Trolley, 1057. Puel Alcohol in Australia, 1058. Decree of the Minister for

Agriculture Creating a Service of Agricultural Material in France, 1110. Electric Ploughing, 1202. The Choice of the Type of Agricultural Tractor Suited to French Conditions, 1203. Attachment for Adapting a Motor Car to Agricultural Traction, 1204. Rick Drying by Machinery, 1205. Electricity Applied to the Threshing and Drying Cereals in Italy, 1206. The Metrolac Apparatus for Recording the Amount of Dry Rubber in Latex, 1207. Apparatus for Determining the Water Content of Cheese, 1209. Apparatus for Selecting Cocoons in Silkworm, Rearing, 1210. Review of Patents, 79, 181, 275, 364, 480, 581, 664, 758, 844, 947, 1059, 1211. Machura tinctoria, 530.

Madagascar: Carp Breeding in Madagascar Rice Pields, 472. Industrial and Economic Use of Pulza-Oil, 853. Cultural Experiments in Mangrove Plantations in Madagascar, 998.

Madroon, 530.

Mafafa, 530.

Magnesia Ratio in the Soil on the Yield in Seed of Sugar beets, 7, 38. "Magnolia", 2, 530.

Maguey, 2, 530, 889.

Marskolbenschrot, 565.

Maize: Agriculture in Guatemala, 2. Seed and Plants Introduced into the United States, 18. The Relation of Soil Moisture of Transpiration and Photosynthesis in Maize, 23. Experimental Work in Egypt on Various Cereals, 29. Development of the Province of Ontario, Canada, 117. Variety Tests of Maize, 144. Compulsory Degerming of Maize in Hungary, 184. Cultivation in the United States, 215. Net Energy Values for Ruminants, 258. The Normal Day's Work of Farm Implements, Workmen, and Crews in

Western New York, 276. Manuring of Maize on the Government Experiment Farm Gwebi, Rhodesia, 329. The Composition of Hybrids of Zea Mays L. as Regards the Strength of the Endosperm, 423. Wild and Cultivated Fodder Crops of the Bombay Presidency India, 431. Principal crops of Uruguay in the Year 1913-1914, 517. New Feeding-Stuffs used in Germany during the War, 565. Experimental Researches on the Nutritive Value of Maize, 566. Is Lysine the Limiting Amino-acid in the Proteins of Wheat, Maize or Oats 7, 568. Methods and Cost of Growing Beef Cattle in the Corn Belt States, 583. Some Studies on the Germination of the Seed, 716. Cost Prices and Unit Yields of Wheat, Maize and Kafir, 811. Variety Tests of Vegetables Carried Out at the Maryland Agricultural Experiment Station : United States, 824. Agriculture in the Philippines, 889. Hybrids, 1012, Irrigation and Manuring Studies: The Effect of Varying Quantities of Irrigation Water and Manure on the Growth and Yield of Corn. 1125. Daily Variation of Water and Dry Matter in the Leaves of Maize and the Sorghums, 1135. Varieties of Maire for Grain and Fodder Recommended by the Department of Agriculture for New South Wales, 1151. Malanga, Xanthosoma sagittitelium, 2. Malaya: The Rubber Industry, 245. Mamac, 419. Mamey, Lucuma Bouplandia, 2, 530. Mamoncillo, Melicocca bijuga, 530.

Manatce grass, 1200.

414.

Mandarines in Fiji, 399.

Manganese: The Effects of Manganese

and Iron on the Growth of Wheat,

319. Influence of Manganese on the

Nitrogen Content of Sugar Beets,

Mangilera indica, 449.
Mangle in Guatemala, 2.
Mango, 449.
Mangoes: Varieties introduced into
the United States, 18.

Mangrove, 998.

Manihot: M. carthaginensis, 2. M. Glaziovitin the Belgian Congo, page 191. In Nigeria, 118. Manihot utilissima, 2, 530.

Manioc: In Guatemala, 2. Manioe Flour, page 511.

Manuka, 241. Manures and Manuring: The International Movement of Fertilisers and Chemical Products Useful to Agriculture (Half-yearly Review). 13. The Utilisation of Sewagewater in Italy, 14. Soil Fertilisation by means of Bacteria, 124. The Aiter Effect of Fertilisers applied to Maize, in Rhodesia, 311. Manuring of Maize on the Government Experiment Farm, Gwebi, Rhodesia, 329. The Use of Lead for Stimulating . Growth in Plants, 529. Fertilisers in Venezueia, 600. The Plant Food Materials in the Leaves of Forest Trees, 71c. Inoculation Test on Lucerne and Lupin Seedlings in Denmark, 713. Report on Humogen, 714. The Use of Bakers' Ash as Artificial Soil Almost Pree from a Mineral or Organic Matter, suitable for the Study of Plant Growth and the Influence of Various Chemical Fertilisers, 715. The Fixation of Nitrogen in Paeces, 797. Action of Artificial Manures on a Mountain Meadow in Switzerland, or 7. The Composition of Army Stable Manute, 1001. Value of Duck Manute. 1005. Fertilisers in South-Africa, 1112. The Effect of Soil Reaction on the Availability of Ammonium Sulphate, 1117, Irrigation and Mauuring Studies; The Effect of Varying Quantities of Irrigation Water

and Manure on the Growth and Yield of Corn, 1125. The Work of the Madras Government Fishery Department in British India During the Year 1915-1916, 1198. Manures Greens, see Cover Crops, Manures, Nitrogenous: Carbon and Nitrogen Changes in Soil Treated with Lime, 9. The International Movement of Fertilisers and Chemical Products Useful to Agriculture, 13. The Function of Calcium in the Nutrition or Garden Pea Seedlings with Ammoniacal Salts, 133. Comparative Results with Calcium Cvanamide and Sulphate of Ammonia, 152. The Comparative Action of Ammonium Sulphate, Sodium Nitrate, and some Organic Nitrogenous Manures: Pot Manurial Experiments in Russia, 413. The Addition of Tar to Calcium Cvanamide to Pacilitate Spreading: Experiments made in Germany, 528. The Trade in Nitrogenous Materials, 624. Estimation of the Cvanamide Nitrogen in Two Calcium Cyanamide and Lime Nitrogen, 712. The Fixation of Nitrogen in Facces. 797. Production of Nitrates by the United States Government, 1007. The Effect of Soil Reaction on the Availability of Ammonium Sulphate, 1116.

Manures, Phosphatic: New Phosphatic Limestone Deposits in Mexico, 122. Pertiliser, Trial with "Tetraphosphate"in Piedmont Rice Fields, Italy, 142. The Assimilation of Nutrients by the Rice Plant, 230. Explorations and Studies of the Beds of Phosphorites in Russia: Report for 1914, 310. "Germaniaphosphat", a New German Phosphatic and Potassic Manure, 411. Gnano and phosphates in Venezuela, 699. The Chemical Composition of Basic Slag, 711. The Solubility of Calcium Phosphates.

 phates in Citric Acid, 799. Measures Adopted in England Respecting the Supplies and Prices of Basic Slag, 904. Studies of the Phosphorus and Potassium Requirements of the Barley Plant During its Different Periods of Growth, 1134.

Manures, Potash: A Potassic Manure obtained from Orthoclase Felspar, in Canada, 15. The Value of Seaweed as Raw Material for Chemical Industry, 91. Experimental Kelp Plant at Summerland, California, 123. The Assimilation of Nutrients by the Rice Plant, 230. Availability of the Potash in Certain Orthoclase-Bearing Soils as Affected by Lime and Gypsum, 306. The Substitution of Stassfurt Potash Salts by Finely Crushed Austrian Phonolites, 412. The Rapid Increase in the Output of American Potash. 526. Bromine Content of German Potash Salts, 527. The Nature of Cement Mill Potash, 905. A New Source of Potash in England, 1006, Potassium Chloride from Mother Liquor in Manufacture of Sea-Salt, 1128. Studies of the Phosphorus and Potassium Requirements of the Barley Plant During its Different Periods of Growth, 1134.

Manzanillo, Hura trepitans, 2, 530. Maple: the Plant Food Materials in the Leaves of Sugar Maple, 710. The Maple Sugar and Syrup Industry Schools of Quebec Province in Canada, 792. In the United States, 849.

Maracujàs, Passiflora sp., 449. Market-garden, 2, 18. Margaropus annulatus, 254.

Mariyana proboscidea, a Vegetable which Should be More Extensively Grown in the United States, 250.

Marvel grass, 431. Matalotage, 530. Mata ojo, 517. Math, 431. Matico, 530. Matkee, 409. Matk1, 431. Mauritius Water Grass, 431.

Meadows and Pastures: Choice of Varieties and Seed Selection in Forage Crops, 145. Agriculture and Stock Breeding in Uruguay, 517. Live Stock Production in the Eleven Far Western Range States U. S. A., 569. Wild White Clover for Artificial Grass Lands, 814. Farming Practice in the Sand Hills Section of Nebraska, 893. Grass Land and Ploughed Land, 916. Action of Artificial Manures on a Mountain Meadow in Switzerland,

917. _Ieat : Fresh Meat, Salted Meat, Pork, etc., in Algeria, page 4. Net Energy Values for Ruminants, 258. Experiments Made in Germany on the treatment and Use of Frozen Beet, 285. Meat Production and Trade in the United States and Other Countries, 286. The Great Cattle Markets of the United States, 287. The International Trade in Meat Meal, page 520, Methods and Cost of Growing Beef Cattle in the Corn Belt States, 583, Changes in Fresh Beef During Cold Storage Above Freezing, 587. Observations on Certain Flies Infecting Meat or Causing Human Mylasis, 617. Meat Trade in the Argentine Republic, page 1081. Agricultural and Economical Development of Venezuela, 699, Agriculture in Queensland, 700. The Production of Baby Beef, 743. Profitable Pork Production in the United States, 746. The Theory of Correlation as Applied to Farm Survey Data on Fattening Baby Beef, 764. The Desiccation of Meat Resulting from Freezing and Cold Storage, 862. Present State of Sheep Breeding in Canada, page 1334. Investigation in Animal Nutrition Beef Production, 931, 932. Silage for Beef Production, 1043. The Improvement of "Caracu" Cattle in the State of São Paulo, Brazil, 1044. Agricultural Development in South Africa 1112. A Comparative Study of the Feeding of Cattle and Pigs With Regard to Meat-Production, 1181. The Possibility of Breeding the Walrus (Trichechus latirostris) for Meat Production in the United States, 1200.

Medicago falcata in Italy, 333.

Medicinal Crops: Agriculture in Guatemala, 2. Plants introduced into the United States, 18. Results of the Inter-Ministerial Conference in 1915 on the Production and Improvement of Medicinal Plants in Russia, 154. Iaboticaba de cipo, 155. Useful Plants in the Columbian Republic, 530. The Castor-Oil Plant in Egypt, 817. Experiments in the Cultivation of Medicinal Plants at the Agricultural Station of Bezentchouk, Russia, in 1916, 1163. Officinal Plants of South Australia and Their Uses, 1164. The Genus Strychnos in India and the Far East, 1105. The Use and Chemical Composition of the Seeds of Hydrocarpus venenata, H. alculae, and Panguan edule, 1160.

Meibonua hirta, 18 Melastoma laccigatum, 530. Melilotus alba, 258, 431. Meliletus indica, 431. Melinis minutiflora, 18. Melons in the United States, 18, 824. Melophagus, Sheep, 925. Mené, Lophira alata, 920. Merey, Anacardium occidentale, 530. Merremia palmata, 147. Mesembryan/hemum, 312. Mesquite, Prosopis juliflora, 559. Meteorology Agricultural: Weather

Forecasting and Mountain Stations, 5. Daily Transpiration During the Normal Growth Period and Its Correlation With the Weather, 134. Effect of Meteorological Pactors on the Germination Capacity of Seeds, 220. Influence of Meteorological Factors on the Development and Yields of the Millets Panicum miliaceum and Setaria italica, in Russia, 221. The Relation Between Forests and Atmospheric and Soil Moisture in India, 304. The Influence of Meteorological Factors from Year to Year on the Cheometric Index of Musts from the Same Vine, 305. Freezing Point Lowering of the Leaf Sap of the Horticultural Types, 315. Manuring of Maize on the Government Experiment Parm Gwebi, Rhodesia, 320. Climate in Uruguay, 517. A Study of Climatic Conditions in Maryland (United States) as Related to the Growth of the Soy-Bean, 521. Influence of Temperature and Moisture on the Growth of Millet, 703. Rainfall, Irrigation and Subsoil Water in the United Provinces of Agra and Oudh, 706, The Resistence of Wheat to Cold in Relation to its Sugar Content, 800. Temperature and Life Duration of Seeds, Sor, The Freezing of Fruit Buds, 804. Effect of Frost on Plants at Leonardslee Horsham, Sussex, Fugland, 900. Methi, 431.

Methods of Cultivation, see Tillage.

Metorchis adodus, 52.

Metrolac, Apparatus for Recording the Amount of Dry Rubbet in Latex, 1207.

Mexico: The Foundation of a National School of Veterinary Medicine in Mexico, 218, Meat Production and Trade in Mexico, 286.

Microbiology, ser Bacteriology and Soil Organisms.

Mikania spp., 530.

Milk: Some New Constituents of Milk. The Distribution of Phosphatides in Milk, 186. New Considerations on the Examination of Milk, 371. The Simplified Molecular Constant and Its Application to Milk from the Yonne District, France, 484. The Contamination of Milk by Animal Faeces: Experiments in Italy, 485. A Case of Ropy Milk Due to Bacterium aerogenes, 486. Egyptian Milk and Butter, 487. Studies in Milk Secretion, 738. Skin Milk and Milk Substitutes for Calf Feeding, 742. The Sterilisation of Liquids in Thin Streams by Heat, 859. Gradual Conversion of Colostrum into Normal Milk, 927. A Milk-Cooler Fixed on a Trolley, 1057. The Sterilisation of Milk by the Lecomte Method, 1074. Cooling Milk on the Farm, 1076. Milking: Hinman Mechanical Milkers, 273. Tests of the "Omega" Milking Machine, 476. Labour Requirements of Dairy Farms as Influenced by Milking Machines, 763. The Mechanical Milker in Dairy-Herd Management in Idaho, 832. The Milking Machine in British India, 1208.

Mill, Crushing, and Cylinder Mill, 268. Millet: In the United States, 18, Influence of Meteorological Factors on the Development and Yield of the Millets Panicum miliaccum and Setaria italica in Russia, 221. Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Influence of Temperature and Moisjure on the Growth of Millet, 703. Milling: Experimental Work in Egypt on Various Cereals, 29. Compulsory Degerming of Maize in Hungary, 184. Net Energy Values for

Ruminants, 258. The Utilisation of , Name, Colocasia antiquorum, 2. Milling Residues in Hungary, 280. The Drying for Milling Purposes of Damp and Garlicky Wheat, 281. Milling Residues, page 492. Dry Farmed and Irrigated Wheat, 632. Simple Method for Estimating the Degree of Bolting of Wheat Flour, 669. Sorghum Plour for Human Consumption: Investigations on its Digestibility, 671. The Degree of Bolting, 1007. Method for Estimating Bran in Flour and Bread, 1068. Milo. 811. Mimosa invisa, 804. Mimosa pudica, 1126. Molle, 517. Moluccas: The Production of "Damar" Resin in the Batjan Sultanate, Moluccas, 443. Mora, 530. Morera, Morus spp., 530. Morocco: Forest Management in Morocco, 49. The Cultivation of Flax, 1155. Mortiño, Ardisia lepidota, 530. Moringa pterygosperma, 920. Mucuna utilis, 46. Mug. 431. ' Mulberry: In the United States, 18. The Relation between the Proportion of Veins and of Fruit to the Leaves in Different Varieties of Mulberry, 553. The Consumption of Mulberry Leaves by Silkworms, 573. Mung Bean, Phaseolus Mungo, 431, 1126. Muskrat, 355. Myiase, 617. Mvrab, 439. Myrciaria spp., 18, 449. Myrica parvillora, 530. Myristica cerifera and M. sebifera, 2.

NACASCOLOTE, 2. Nachani, 431.

Myrsine sp., 517.

Myrius spp., 530.

Napicladium Ravenelia, 924. Napier fodder, 18, 147. Natal Red Top, 147. Navazos, 309. Netherlands: The International Tr in Feeding Stuffs, page 489. The Pol tato Starch Industry in Holland 481. Nettle-tree (Coltis australis), 1208. Nettles as Forage Plants, 35. New Hebrides: Cotton-Growing, 913 New South Wales: Lime on the Farm in New South Wales, 1003. Varieties of Maize for Grain and Green Fodder Recommended by the Department of Agriculture for New South Wales, 1151. New Zealand: Danthonia semianna laris and D. pilosa, Plants Use. in Pasture Formation in New Zealand, 241. Meat Production and Trade in New Zealand, 286. The International Trade in Feeding Stuffs, page 489. Fruitgrowing in New Zealand, 335. Nicticorax pilentus, 188. Nigeria: A Cattle Reserve, 206. Nigüito, Melastoma lauvigatum, 5: Nispero, Acras Sapota, 530. Nitrogen: The Washing-out of Num tes from Arable Soil, 8, Carbon and Nitrogen Changes in Soil Treate with Lime, Ammonium Sulphate and Sodium Nitrate, 9. Researche on the Equilibrium between the Nitrogen and Carbon in the Soil, i-The Influence on Bacterial Act rity of Some Common Humas Forming Materials of Narrow anof Wide Nitrogen-Carbon Ratio, 11 The Quantitative and Qualitativ Activity of Nitrogen-fixing Bach ria in Water and Flooded Soil, 1. Stimulating Influence on Arseni upon the Nitrogen-Fixing Org. nisms of the Soil, 120. Role of An monia in the Metabolism of Nitro genous Substances in Plants, 130. The Assimilation of Nitrogen by the Rice Plant, 230. The Presence of Nitrites and Ammonia in Discased Plants, 1009. On the Physiology and Biology of Nitrogen Fixing Bacteria, 1122. Comparative Nitrogen Adding Values of Various Legumes grown as Green Manure, 1126.

Negal, 530.

Norway: The International Trade in Feeding Stuffs, page 489. Trade in Fish Meal, page 520. Culture Experiments with Different Varieties of Oats in Norway, 1150.

Ni pa fruticans in the United States, 18.

OAKS: Cuercus tinctoria. 2. The Plant Food Materials in the Leaves of Forest Trees, 710. Effect of Frost on Plants at Leonardslee, Horsham, Sassex, England, 499.

Out: Seeds and Plants Introduced into the United States, 18. Studies on the Correlation of Characters in the Out Plant in U.S. A. 26.

in the Out Plant, in U. S. A., 26. Agricultural Development of the Province of Ontario, Canada, 117. The Distribution of Crops and Farm Animals in the United States, 215. Studies in Oat Breeding in Maine, United States, 231. Net Energy Values for Runninants, 258, Cereal Experiments in Montana and in Wyoming, United States, 328, Improvement of Black Oats by Selection and Crossing in Sweden 422. Wild and Cultivated Fodder Crops of the Bombay Presidency, 431. Agriculture and Stock Breeding in Uruguay, 517. Experiments with Spring Cereals at the Eastern Oregon Dry-Farming Sub-Station, More, Oregon, 540. Is Lysine the Limiting Amino-acid in the Pro-

teins of Wheat, Maize or Oats?,

508. Experiments in Oat-Growing

in the North of Sweden, 725. Experiments with Small Grains (Wheat, Barley and Oats) under Irrigation in Idaho, United States, 810. The Behaviour of the Hybrids, 1011. Studies of the Phosphorus and Potassium Requirements of the Barley Plant During its Different Periods of Growth, 1134. Cultural Experiments with Different Varieties of Oats in Norway, 1150. Ochroma tomenlosa, 530.

Octea longifolia, 530.

Oestridae (Gastricolcus), 254.

Oil Crops: Agriculture in Guatemala,
2. The Resources of Indo-China in
Oil-Yielding Plants, 436. Useful
Plants in the Columbian Republic,
530. Alemites moluccana, 559. Plants
yielding in Venezuela, 699. The Castor-Oil Plant in Egypt, 817. Seeds
of the Madagascar Physic-Nut Tree,
819. Oil Producing Plants of French
West Africa, 920.

Oil-mill: Net Energy Values for Ruminants, 258. The Retractive Index of Olive Oil and Its Relation to Acidity and Rancidness, 282. Residues of Oil Industry, page 495. On the Use of Paraffin Oil as a Substitute for Olive Oil in Sealing Wine Flasks, 368. Oils, various: Salvia Chio, 2, Aquacate.

Oils, various: Salvia Chio, 2. Aguacate, 2. Jocote Marañon, 2. Pepitoria and Chilicayote, 2. The Peanut Oil, 39. New Process for Extracting the Oil from the Kernels of Stone Fruit, 185. Oil from Plum Stones, 673. Industrial and Economic Use of Pulza-Oil, Extracted from the Seeds of the Physic-Nut Tree (Jairopha Curcas), 853. Contribution to the Study of the Oil of Caydoc (Garcinia tenkinensis), 854. In the Philippines, 889. Beech-Oil, 1071. Chaulmoogra Oil, 1166. The Work to the Madras Government Fishery Department in British India, 1198.

Panar quinquefolium, 18. Olho de cabra, 1034. Olifants Melk-bos, 147. Olives: Olea verrucosa in the United States, 18. Cultivation of the Olive Tree on the South Coast of the Crimea, Russia, 437. Experiments made in the Province of Lecce. Italy, in order to Control the Unproductivity of Olive Trees, 438. Acreage of fruit-orchards in California, 729. Effect of Frost on Plants at Leonardslee, Horsham, Sussex, England, 909. Onça, Felis onca, 173. Ocions, Irrigation Results, 408. Onobrychis viciaejelia, 131. Opisthorchis felineus, 52. Opuntia, 169, 312. Oranges: In the United States, 18. Effect of Fertilizers on the Composition and Quality of Oranges, 638. Acreage of fruit-orchards in California, 729. Orcodathne acutifolia, 517. Oregon Vetch, Vicia americana, 1126. Ornamental Plants in Guatemala, 2. In the United States, 18. Effect of Frost on Plants at Leonardslee, Horsham, Sussex, England, 909. Ornithodorus monbata, 254. Otootan Soybean, 1126. Otovo, 530. Oxalis tuberosa, 530. Oxydases in the Improvement of Cultivated Plants, 418. PAKA, 919. Palms: Species Growing in the Botanical Garden of Casa Bianca, Grosseto Province, Italy, 312. In

the Columbian Republic, 530. Palm kernels, page 507. Palo amarillo, Berberis glaucescens, 517. Palo del Brasile, Caesalpinia brasiliensis, 2. Palo de Nance, Guatemala, 2. Palo de Tinte, 2.

Pandanus sp., 149. Pangium edule, 1166. Panicum spp., 2, 147, 221, 258, 328 431, 2019. Panification, see Bread making. "Pansy, Water", or Madagaser, Pansy, 148. Paper: In Queensland, 149. In the Columbian Republic, 530. Hedy. chium coronarium in Brazil, 1020, Ischae : um binatum used in the 16. per industry, 1129. Forest Product, of Canada, 1174. Paraffin Oil as a Substitute for Oliv-Oil in Sealing Wine Plasks, 368, Para grass, 2, 431. Paraguay: Stevia Rebaudiana a Sa. chariferous Plant of Paraguay 1150 Paneira brava, 155. Parsley Seed, 565. Partridge Pea, Cassia Chamaecra: 1126. Paspalum spp., 18, 431, 924. Paspalum and Tembleque in the Argentine, 820, 024, 1179. Passeromya heterochaeta, 254. Passiflora Spp., 449. Pataleta argentine, 1035. Patents, see Machinery. Pato brayo, 1192. Pato do matto, 1192. Peach: In the United States, 18, 635 Varieties of American Peach-tre-Introduced into Italy, 45. A Fatt day's work for one man in pickin, peaches, 276, Financial Statement of the Delaware Experiment Sta tion Peach Orchard, 665. In Calfornia, 729. The Freezing of Frui Buds, 894. Peanut: The Peanut (Arachis hy) gaea) and its Products, 39 Th

Proteins of the Peanut, Arachi

hypogaea L., 128. Net Energy Va

lues for Ruminants, 258. The In

ternational Trade in Feeding Stuff

page 498. In Indo China, 436. Peaunts of French West Africa, 929. ear: Plants Introduced into the United States, 18. Pyromia, a Hyhrid Between the Pear and Quince, 323. Fruit Varieties in Maine, 637. The Acreage of Pruits, Bearing and Nonbearing by Counties, in 1916 in California, 729. eas: The Function of Calcium in the Nutrition of Garden Pea Seedlings with Ammoniacal Salts, 133. Net Energy Values for Ruminants. 58. Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 131. The Influence of Water and Mineral Matter on the Germination of Peas, 717. The Influence of Mineral Matter on the Germination of Peas, 803. Experiments with Irrigated Legume Crops and Grass Pastures, 813. Variety Tests or Vegetables Carried Out at the Maryland Agricultural Experiment Station, United States, 824. Dry Farming Investigations at the Sherman County Branch Experiment Station, oor, The Effects of Age on the Hybridisation of Pisum satium: Researches in Austria, 1014. | Peat : A New Apparatus for the Distillation of Peat at a Low Tempe rature, 77. Scan Nut Tree, 555. Peticulus vestimenti, 216. Pennisetum Spp., 18, 147, 431. Pentadema oleracca, 920. Pepitoria, 2. Propermint: The Effect of Cultural and Climatic Conditions on the Yield and Quality of Peppermint Oil, 247. The Manufacture of Essential Oils in the United States, Peppers: Varieties in the United States, 18. Studies on the Hybrids or Capsicum annuum, 629.

Pepper-Vines: Investigations of the

Dying-out of Pepper-Vines in the Dutch East Indies, 1083. Pepsin in Cheesemaking, 676. Pera do campo, 449. Perfume Crops; The Effect of Cultural and Climatic conditions on the Yield and Quality of Peppermint Oil, 247. The Cultivation of Aromatic Plants on the Southern Crimean Coast, Russia, 550 Perico, 530. Perillo, 530. Persea gratissima, 2, 312, 315, 417, Persia: The Cultivation of Silkworms in Persia, 1196. Persian clover, 431. Perú: Rice Production, 143. Pierdefutter, 565. Phalaris canariensis, 517. Phaseolus spp., 431, 1126, 1127. See Bean etc. , Phleum pratense, 258. Phyllanthus spp. 449, 517. Physics and Chemistry of Soil, see Soils. Physicaut, Jatropha Curcas, 2, 853, 920. Physiology, animal, sec Anatomy. Physiology, vegetable, see · Chemistry and Physiology. Phytelephas macrocarpa, 2, 259. Piassava bresilienne, 816. Pig Keeping: The Livestock in Algeria, page 6. On the Possibility of the Injection of Pigs with the Flukes Opisthorchis telineus, Pseudamphistomum danubiense, and Metorchis aibidus, 52. The Registration of Pedigrees in the United States, 58. Relation of Fertility to Length of Body in Brood Sows., 66. The Increase in Livestock in 25 Years, Canada, 117. Substitution of Potatoes by Mangels in the Fattening of Pigs: Experiments in Germany, 174. Production in the United States, 215. Observations on Some In-

sect Pests of Livestock in the Beldan Congo, 254. The Herd and Stud Books of the Argentine Rural So-

ciety, 264. Economics of the Breeding of Pure-Bred Stock, 265. Rudimentary Mammae in Swipe, A Sex-Limited Character, 344. Swine as Agents in the Spreading of Sleep-

ing Sickness in the Valley of inkissi, Central Congo, 400. Stock

Breeding in Uruguay, 517. New Feeding-Stuffs used in Germany during the War, 565. Pig Feeding Experiments on the Model Farm

of Dikepshof, Germany, 652. Agriculture in Oneensland in 1915-1916, 700. Experiments in the Disposal of

Irrigated Crep through the Use of Hogs, 745. Prefiteble Perk Preduction in the United States, 746. Pig Breeding in the Argentine Repu-

blic, page 1210. Economical Pig Feeding; Experiments in the United Kingdom, 835. Perk Predretter Ex periments on Field Peas in Idaho-

836. Rinderpest in Swine: Experiments upon its Transmission from Cattle and Carabaos to Swine and Vice Versa, 1036, The Mcdel Garbage-Disposal Piggery belonging to Worcester, Massachusetts, U. S. A.,

1046. Prospects for American Purebreds, 1189. Pigeons: Experiments in Controlling Ectoparasites on Poultry in the

United States, 830. Piggeries, Ventilation of. 80.

Pineapple : The Pineapple as Fruit and Pibre Producer, 118. In Queensland, 149. In Fiji, 399. Pines: Pinus Bungeana, 2. Resin-

Tapping from Spruce, Scotch Pine and Black Pine in the Porests of

Austria, 33:. Pinus ponderosa Laws in Oregon, United States, 454. The Pine Trees of the Rocky Mountain Region, \$26. Effect of Frost on

Plants at Leonardslee, Horsham,

Sussex, Rapland, 909. Piese cong sisses; & Tree With Wood Which does not Rot, 1029. Pinha, 449. Pinón, Jahropha Curcas, 2. *

Pipe: Ground Grape Pips, 565. Piscidia Erythrina, 530. Pistacia integerime in the United States, 18,... Pistia aegyptiaca, 148.

Pitanga, 449. Pithecolobium Saman, 804. Pitomba, 449.

Pita, Agade app., 530.

Pituri, Duboisia Hopwodii, 1164. Plant Breeding: On the Inheritance of Certain Stem Characters in Sorghum, 25. Studies on the Correla.

tion of Characters in the Oat Plant in U. S. A., 26. Correlative Characters of the Rice Plant, 27. Correlation between the External and Internal Morphology and the Length of the Vegetative Period of some

Varieties of Trifolium pratense: Research-work in Russia, 28. • Fylgia", Extra Squarebead III", "Sol II", Pansar, Thule II, Varieties of

Wheat selected at Sya'of, Sweden, 135. The Selection and Improvement of Indigo in Rihar, 136. Selection Experiments on some Varieties of Raspherries in the United States, 137. The Improvement of the Walnut by Selection in Cali-

fornia, United States, 138. Choice

of Varieties and Seed Selection in Forage Crops, 115. Studies on Oat Breeding in Maine, United States, 231. A Genetic Study of Plant Height in Phaseolus vulgaris, 232. Some Recent Investigation in Su-

States, 233. The Suppression of Characters on Crossing, 320. Sunflower Selection at the District Agricultural Station of Saratov, Russia, 321. Strawberry Selection

gar-Beet Breeding in the United

in the United States, 322. Pyronia. a Hybrid Between the Pear and Quince, 323. Variations of a Sexual Hybrid of the Vine obtained by Grafting it on one of its Parents, 124. Varieties of Hungarian Wheat Selected to Increase the National Production, 325. New Practical and Scientific Experiments in the Selection of German Wheats Rich in Ginten, 420. The Selection of Native Wheat in Hungary and Barley in Sweden; The Function of the Awas and their Correlations with Other Characters, 421. Improvement of Black Oats by Selection and Crossing in Sweden, 422. The Composition of Hybrids of Zea Mays L. as Regards the Structure of the Endosperm, 423. Transmission of Characters in the Hybrid Nicotiana Tabacum × N. sylvestris, 424. Hereditary Anomalies of the Plower of Nicotiana Tabucum Observed in Germany, 425. Behaviour of Tobacco «Variations», in Java, 426. The Behaviour of « Bolting » Beets, 427. Pure Lines in Self-Pertile Plants Probably, Unalterable by Selection, 535. The Selection of Sea Island Cotton (Gossypium barbadense) in the United States, 536. Cotton Selection in Sicily, Italy, 537. Seed Selection in the Cultivation of Heven brasiliensis, 538. The Improvement of Lemon Trees by Selection in California, United States, 539. Pollination and Cross-Pertilization in the Juar Plant (Andropogon Sorghum Brot), 627. Potato Selection Experiments in Germany, 628. Studies on the Hybrids of Capsicum annuum, Part II. On Some Variegated Races, 629. Reduplication Series in Sweet Peas, 630. Studies in the Inheritance of Doubleness in Flowers, II. Meconopsis, Althaea and

Dianthus, 631. Antumn Barley Selected in Italy, 718. Observation on the Inheritance of Anthocyan Pigment in Paddy Varieties, 719. On Cultural Bud Mutations of some Species of Solanum and on the Acclimatization in France of some Bolivian Species, 720, Thirty-seven Years of Spruce Selection, in Austria, 721. Musa paradisiaca 8. sp. seminifera in Banana Selection, 722., The Fertilisation of Gramineae and Leguminosae in Relation to Selec- . tion, 805. Selection of Spring Wheat in Sweden, 806. Hybridisation Tests between Spelt and Wheat in Holland, 807. Experiments in Hybridizing Wheat and Rye in the United States, 808. Experiments on the Artificial Hybridisation of Rice in Java, 809. A New Physiological Theory of Heredity, 911. The Behaviour of the Hybrids Avena sativa patula var. Victor × Avena sativa nuda var. inermis, 1011. Hybrids of Zea ramosa and Zea tunicata: Experiments Carried out in the United States, 1012. The Colour of the Seed in Descendants of a Natural Hybrid of two Varieties of Phaseolus vulgaris, in Sweden, 1013. The Effects of Age on the Hybridisation of Pisum salivum: Researches in Austria, 1014. The Improvement of Native Vines by Crossing and Selection in the United States, 1015. The Selection of Lupins of Low Alkaloid Content, in Germany, 1139. The Improvement of the Jute Crop by Pure Line Selection in British India, 1140. Variation in Young Sunflower (Helianthus annuus) Plants in Colorado, 1141. The Improvement of Hops by Crossing and Selection 1142. Experiments in Crossing Varieties of Tomato in the United States, 1143.

Stimulant Plants: In the Columbian Republic, 530. Cassis Tora, 1022. Illicium anisatum and Illicium religiosum, 1023.

Ploceus collaris, 254.

Plough: A Double Plough for Disabled Soldiers, 176. Improvements in the Galardi-Patuzzo Motor-Plough, 356. The Dowling Plough, 357. Tractor

Plough Adjustments and Hitches, 575. The Donalies Patent Mechanism for Attaching One or More Implements to a Balance Plough, 657. The Benedetti Double Brabant Motorplough, 840. The Schlenker Motorplough, 943.

Ploughing with a Tractor, 574. Ploughing, electric, 1202.
Plums: Varieties introduced into the United States, 18. Experiments of

United States, 18. Experiments of the Pollination, 554. Fruit varieties for Maine, 637. Experimental Work in Italy on the Plum (Prunus domestica L. var. occoronica) and the

mestica L. var. oeconomica) and the Composition of the Oil extracted from the Kernels, 639. The Acreage of Fruits, Bearing and Non-bearing by Counties in California, 729.

Plum-Growing at the Maryland Agricultural Experiment Station, 825. The Freezing of Fruit Buds, 894. Poa australis, 241.

Poa pratensis, 258.

Polakowskia tacaco, 18.

Pollination of Pruit Tr.

Pollination of Fruit Trees, 554. The Fertilisation of Gramineae and Leguminosae, 805.

Polymnia pyramidalis, 530.

Pomarosa, Jambosa vulgaris, 530.

Ponteria Caimilo, 449.

Poplars: Black Poplars, 157. Parming

Practice in the Sand Hills Section of Nebraska, 893. Poppy: Trials on the Cultivation of the Opium Poppy, 248.

Porto Rico: The Porests, Past, Present and Puture, 558. Portulataria aira, 147.
Potatoes: Plants Introduced into the

United States, 18. Growing of Early Season Potatoes from Sprouts 240. The Cultivation of Potatoes

from Potato Skin: Experiments Carried out in Italy, 332. Potato Dibblers, 359. The "Marvel", Potato Digger, 360. Recent Data on

the Potato Drying Industry in Austria, 374. Use of Flowers of Sulphur for Preserving Potatoes, 375. The Ransome Three-Row Rid. ger, 475. Results of Trials in 1916

periments in Germany, 628. On Cultural Bud Mutations of Some Species of Solanum and on the Acclimatization in Prance of some

at the German Station for Potate

Growing, 542. Potato Selection Ex-

Bolivian Species, 720. Utilisation of Rotten Potatoes in the Manufacture of Starch, 770. Variety Tests of Vegetables Carried Out at the Maryland Agricultural Experiment

Station, United States, 824. Farming Practice in the Sand Hills Section of Nebraska, 893. Dry Farming Investigations at the Sherman County Branch Experiment Station, 901. A Potato Storehouse

948. Experiments in Irrigated Crops in the United States, 1002. Effect of Removing Blossom on Yield of Potatoes, 1153. Potometers, 23.

Poultry: The Control of Contagious Epithelioma in Chickens by Vacci-

nation, 53. Studies on the Physiology of Reproduction in the Domestic Fowl: Dwarf Eggs, 67. Agricultural Development of the Province of Ontario, Canada, 117. Observa-

vestock in the Belgian Congo, 254-Contribution to the Knowledge of the Strongylid Syngamus bronchialis in Domestic Poultry, 342. Egg-

tions on Some Insect Pests of Li-

Laying Record of White Leghorn Pullets, 351. Poultry-Keeping in the Province of Quebec, Canada, 308. Injurious Effect of Palpating Laying Hens in order to Determine the Presence of Eggs, 469. Poultry Food, 565. The Cost of Raising Leghorn Pullets, 571. An Intradermal Test for Bacterium pullorum Infection in Powls, 646. Temperature Experiments in Incubation, 653. Breeding for Egg Production: A Study of Annual and Total Production, 747. Grafting of the Ovary in Rouen and Pekin Ducks, 748. Experiments in Controlling Ectoparasites on Poultry in the United States, 830. Feeding Experiments to determine the Relative Efficiency of Vegetable and Animal Protein for Egg Production, 837. Fertility and Age in the Domestic Fowl, 934. The Feeding of Poultry, 935. Protein Feeds for Laving Hens, 1047. The Feed Cost of Egg Production; Experiments in U. S. A., 1048. The Chicken Mite, 1181. The 15th Egg-Laying Test at Hawkesbury Agricultural College, New South Wales (April 1, 1916to March 31, 1917), 1191. See also Eggs. Prairie Dog and Prairie Marmot, 1180. Prickly-Pear, 169, 312. Pringlea antiscorbutica, 1129.

Psoralea corylifolia, 431, Psoroptes communis var. caprae, 254. Pulicidae in the Belgian Congo, 254. Pump: Aebi High Pressure Liquid Manure Pump, 177. Portable membrane pump and Hannibal Ante portas Pump, 268.

Pseudamphistomum danubiense, 52.

Psidium Guajava, 449, 530.

Proso, 328.

Pumpkins: as Food for Sheep, 171. Net Energy Values for Ruminants, 258.

Punga, Cephalonema polyandrum, 118.

Purifier for Rain-Water, 582.

Pycnosoma bezzianum, 254.

Pyronia a Hybrid Between the Pea.

and Quince, 323.

QUEBRACHO, 2.

Queensland: Agriculture in 1915-1916, 700.

Queensland Hemp, Sida retusa, 149. Quickly-growing Plant, 4c. Quince: Pyronia i Hybrid Between

the Pear and Quince, 323. Varieties for Maine, 637.

Quinine tree, Codonocarpus cotinifolius, 1164.

Quinoa, 18, 447.

RABBITS: Acarini in the Belgian Congo, 254.

Radishes: Varieties Introduced into the United States, 18. The Effect of Continued Capillary Watering, 41. Wild Radish Husks, 565. Rala, 431.

Rama negra, Cassia corymbosa, 517. Raphia vinifera, 816.

Raspberries: Selection Experiments on some Varieties of Raspberries in the United States, 137. Increased Yield per Acreducto Irrigation, 408. Fruit Varieties for Maine, 637. Composition of the Juice of Hungarian Strawberries, 672.

Ray grass: History, Cultivation and Improvement of *Lolium perenne* at Syalof, Sweden, 146.

Reana luxurians, 431.

Red Teff Grass, 431.

Refrigeration: Experiments Made in Germany on the Treatment and Use of Frozen Beef, 285. New Freezing Process for the Preserving of Fish, 354. The Use of Brine Tank Refrigeration Cars for Fruit Shipment, 489. Changes in Fresh Beef During Cold Storage above Freezing, 587. The Desiccation of Meat Resulting from Freezing and Cold

Storage, 862. The Refrigeration of Fruit, 863. A Milk-Cooler Fixed on a Trolley, 1057. Small Cold Storages and Dairy Buildings in Canada, 1060. Cooling Milk on the Farm, 1076.

Renguera, Peruvian, 1035.

Resin Plants: In Guatemala, 2. Resin Tapping from Spruce Scotch Pine and Black Pine in the Forests of Austria, 337. The Production of "Damar" Resin in the Batpan Sultanate, Moluccas, 443. Resin Plants in the Columbian Republic, 530.

Retting Textile Plants by Microbiological Action, 956.

Rhea americana, 188.

Rheedia brasiliensis, 449.

Rhipicephalus appendiculatus and Rh. sp., 254.

Rhizophora Mangle, 2.

Rhodes Grass, 18, 147, 431.

Rhubarb Leaves, 565. In the United States, 824.

Rhus succedanea, 436.

Rhyncosia phaseoloides and R. minima, 1034.

Rice: Seeds and Plants Introduced into the United States, 18, Correlative Characters of the Rice Plant, 27. The By-products of the Decortication of Rice in the Feeding of Milking Cows; Experiments at the Zootechnical Institute of the Royal Higher School of Agriculture of Milan, Italy, 56. The Chemical Composition on the Rices of Bihar and Orissa, 141. Fertiliser Trials with "Tetraphospate" in Piedmont Rice Fields, Italy, 142. Rice Production in Peru, 143. In the United States, 215. The Assimilation of Nutrients by the Rice Plant, Studies Made in India, 230. The International Trade in Feeding Stuffs, page 189. P. 7 and P. 6: Two Notable New Varieties of Rice Grown in Italy, 330. Morphology and Conditions of Growth of Trans. planted Rice in Piedmont, Italy 331. Carp Breeding in Madagascar Rice Fields, 472. Some Studies on the Germination of the Seed of Oryza sativa and Zea Mays, 716 Observations on the Inheritance of Anthocyan Pigment in Paddy Va. rieties, 719. The By-Products of the Decortication of Rice as a Sub. stitute for Wheat in Feeding Horses 739. Experiments on the Artificial Hybridisation of Rice in Java, 800, The By-products of the Decortica. tion of Rice in the Feeding of Working Oxen, 933.

Ridger, 475.

Robinia Pseudo-Acacia L. in the Afforestation of the Steppes, 15%, Rocon, Bixa Or.llana, 558.

Rollinia spp., 18, 449.

Romerillo, 517.

Roses: Wild mountain roses introduced into the United States, 18, Rosmarimus officinalis, 550.

Roumania: The International Tradin Feeding Stuffs, page 489.

Rubber: Forest Rubber in the Belgian Congo, page 180. Ceara Rubber from Mantho! Glaziovii in Nigeria, 118 Rubber Cultivation in Siam, 15% Rubber Investigations at the Central Rubber Station, 244, Rhe Rubber Industry in Malaya, 245. Observations in Java on the Mould attacking Sheet Rubber, 246. Agriculture in Fiji, 399. The Production of Rubber of Uniform Colour, 441. A Bacteriological Study of the Natural Coagulation of the Latex 858. Influence of Various Factors on the Quality of Rubber, 957. Researches on the Coagulation of Rubber, in Java, 958, Experiments to Prevent Rustiness in Sheet Rub ber, 959. The "Metrolac", Apparatus for Recording the Amount of Dry Rubber in Latex, 1207.

The Estimation of Rubber in Latex, 1222. See also Rubber Plants. Rubber Plants: Agriculture in Guatemala, 2. Development of Rubber Cultivation in Burma, 440. Researches on the Cicatrisation of Wounds caused by Tapping in Rubber, producing Plants, 634. Influence of Various Pactors on the Quality of Rubber, 957. See also Rubber, Herea etc.

Kubus, a contribution to the Knowledge of the Chemical Composition of the Leaves, 20.

Ramex hymenosepalum, 4c.

gard Economies: The Method of Valuation of Real Estate, 81, The Method of Determining the Cost of Production of Agricultural Products, 81. Incluence of Age on the Value of Dairy Cows and Farm Work Horses, 182. The Normal Dav's Work of Farm Implements. Workmen, and Crews in Western New York, 270. The Sugar Industry in Russia, 270, Agricultural Progress in the Province of Ouebec. Canala, in 1915-1010, 398. Agriculture in Fig. 399. The Comparative Costs of Using Agricultural Machinery in the United States and France, 473. The Comparative Cost of Tractor and Horse Power, in the United States, 474. Agriculture and Stock Breeding in Uruguay, 517. Live Stock Production in the Eleven Far Western Range States, U. S. A., 560. The Cost of Raising Leghorn Pullets, 571. Methods and Cost of Growing Beef Cattle in the Corn Belt States, 583. The Economics of Live Stock Production in the Far Western Range States, U. S. A., 584. Financial Statement of the Delaware Experiment Station Peach Orchard, 665. Agricultural and Economical Development of Venezuela, 600. Labour Require-

ments of Crop Production, 762. Labour Requirements of Farms a: Influenced by Milking Machines, 763. The Theory of Correlation as Applied to Farm Survey Data on Fattening Baby Beef, 764. The Utilisation of the Profits made by Swiss Farmers, 846. Investigations in Cost and Methods of Clearing Land, 899. Farm Management Investigations in the United States, 950. Farming in the Bluegrass Region, 951. A Survey of Beet-Producing Districts in Minnesota, 1061. The Cost of Food in Egg Production, 1062. Application to Agricultural and Forest Valuation, 1213. The Cost of Producing Apples in Western Colorado, 1211. Russia: The First Agricultural Demonstration Trains in Russia, 3. Results of the Inter-Ministerial Conference in 1015 on the Production and Improvement of Medicinal Plants in Russia, 154. The Importance of Robinia Pseudo-Acacia L. in the Afforestation of the Steppes in the Province of lekaterinoslav, 159. Importation of Agricultural Machines and Implements into Russia, 175. Influence of Meteorological Factors on the Development and Yield of the Millets Panicum miliaccum and Setaria italies, in Russia, 221. Production of Seed of Sugar Beet in Russia, 234. Trials on the Cultivation of the Opium Poppy, 248. The Sugar Iudustry in Russia, 270. The International Trade in Feeding Stuffs, page 189. Explorations and Studies of the Beds of Phosphorites, 310. Sunflower Selection, 321. Cultivation of the Olive Tree on the South Coast of the Crimea, 437. The Cultivation of Aromatic Plants on the Southern Crimean Coast, 550. Tobacco Growing, 551. Experiments

in the Cultivation of Medicinal Plants, 1163.
Rutabaga: Net Energy Values, 258.
Rye: In the United States, 215. Net Energy Values for Runninants, 258.
Principal Crops of Uruguay in the Vear 1913-1914, 517. Experiments in Hybridizing Wheat and Rye in the United States, 808. The Most Favourable Times for Sowing Wheat and Rye at Alnarp, Sweden, 1149.

SAGU, 530. Salmo tario lacustris, 70. Salvia Chio, 2. Salvia grandiflora, 550. Sande, 530. Sandhills: "Navazos" and their Use for Fixing Saudhills in the Province of Cadiz, Spain, 300. Sandy Soil: In the United States, 18. Colletia cruciata, espina de la crux, of the sandy shores of the Atlantic, 517. The Use of Dog's Tooth Grass for Building Shifting Sands in Sicily, 525. Farming Practice in the Sand Hills Section of Nebraska, 803. Sann heurp, 431. San Salvador: Wheat-land, 30. Sant, Acacia arabica, 172. Sapindus Mukorossii, 436. Sapin lus Saponaria, 530. Supium aucuparium, 517. Saponaria spp., 530. Saponin irom Yucca filamentesa, 416. Saponin Plants in the Columbian Republic, 530. Sapoti, Achras Sapete, 149. Sarandi blanco and Sarandi colorado, 517. Sarcidiornis carunculata, 1192.

Sarcopsylla penetrans, 216, 254.

Sarrapia, Dipteryx odorata, 530.

Sauce del país, Salix Humboldtiana,

Sawan, 431.

Schools of Agriculture, see Agricultural Education.

Scutia buxifolia, 317.

Scaweeds: The Value of Seaweed a, Raw Material for Chemical Indus, try, 91. Experimental Kelp Plant at Summerland California, 123. Senweed, 595.

Sebastiana Spp., 517. Seeds: Seeds and Plants Introduced into the United States by the Bureau of Plant Industry of the Department of Agriculture during the Second Half of 1013, 18. Changes in the American Beet Sugar Industry, 130. Choice of Varieties and Seed Selection in Forage Crop-145. Effect of Meteorological Factors on the Germination Capacita of Seeds, 220, Production of Sec. of Sugar Beet in Russia, 234, Testof the Cultural Value of Vetch Scale being Residues from Milling, a Hungary, 235. The Determination of the Weight of Seeds per Um Volume: Official Method and Atparatus Adopted in the United States, 236. Improved Apparatafor Determining the Test Weight: of Grain with a Standard Meth ! of Making the Test, 271, Germina tion of the Seeds of Lepidaum ticum in Solutions of Electrolyte-316. The Influence on Germinatica of the Hot Water Treatment of Cereal Seeds for Smut, 533. Temperature and Life Duration of See's Experiments made in the Unite. States, Sor. The Influence of Light on the Germination of the Sees of Different Varieties of Nicotors Tabacum, 802. The Influence of Mineral Matter on the Germinatics of Peas, So3. The Influence of Het-Water Treatment on the Germination Percentage of the Seeds, 8-4 Wild White Clover for Artificial Grass Land, 814. The Determina-

tion of the Seeds of Cultivated plants, 912. Grass and Clover Seed Imports into the United States, ol 3. Sugar Beet Seeds, in France, Seed Drills, 178, 658. Seibe, 517. Sen. 530. Serecio crepidifolius, 530. Senecto Jacobaca, 828. Sanji, 431, 726. Sparator: Speed Indicator for Handworked Cream Separators, 477. Scienture: The Results of Summer Rearing of Silkworms obtained in Piedmont, in 1916, 69. Studies made by the Imperial Sericultural Station of Japan, 267. Study of the Genital Functions of the Silk Moth in Relation to the Orientation of the Cocoons, 352. Sericulture in Spain: Average Returns from Silkworm Rearing in Normal Years; Government Encouragement of the Industry, 353. Breeding of 3 Chigese Races of Silkworms at the "Osservatorio bacologico Marson" at Vittorio Veneto, Italy, 470, Development of Scriculture in Japan, (71) The Use of Phototaxy in Selecting, from the moment of their Birth those Larvae of Bomby conori most Resistant to the Disease "Fla cherie", 572. The Consumption of Mulberry Leaves by Silkworms and the Influence of the Consumption on: 1) The Relation between Nercores and Parenchyma in the Leaves; 2) The Proportion of Fruits on the Branches, 573. Partial Steulisation of Mulberry Leaves in Feeding Silk Worms, 655. The Pebrine Disease of Silkworms in Iudia, 750. Parthenogenesis in the Silkworm, 939. The Best Silkworm Hybrids in the First Generation, 937. The Biology of the Larvae and Moths of Bomber mori of Parthemogenetic Origin, 1050. The "Black Worm" Silkworm of Cambodge 1194. The Use of Viper's Grass in Feeding the Mulberry Silkworm, 1195. French Eggs and the Cultivation of Silkworms in Persia, 1196. Apparatus for Selecting Cocoons in Silkworm Rearing, 1216.

Sesame: The International Trade in Feeding Stuffs, page 500. In Indo China, 436.

Sesbania acuteata, 431.
Sesbania acuteata, 431.
Sesbania acqyptinca, 1126.
Setaria italira, 221, 258, 328, 431.
Shade, Plants for, 36, 536.
Shaftal, 431, 726, 7(r).
Shallu, 812.

Sheep: The Livestock in Algeria, page 5 The Registration of Pedlgrees in the United States, 58 Karakul Sheep Breeding in South Africa, 64. Experiments in Feeding Maize Silage to Lambs at the South Dakota Experiment Station, U. S. A., 65. A Portable Sheep Shelter on a Farm in New York, 82. The Increase in Livestock in 25 Years. Canada, 117. Sheep Feeding Experiments in Kansas, 170, Pumpkins as Food for Sheep, 171, Egyptian Sheep, 172. Production in the United States, 215. The Herd and Stud Books of the Argentine Rural Society, 264, Economics of the Breeding of Pure-Bred Stock, 265. Ewe's Milk, its Fat Content and Relation to the Growth of Lambs. 350. Lamb Feeding in Texas, 468. Stock Breeding in Uruguay, 517. Hereditary Transmission of the "Curly Wool" Character of Karacul Sheep, 570. A Study of Hemorragic Septicaemia; Observation in Sheep and in Mouflon-Sheep Hybrids, 645. Agriculture in Queensland in 1915-1916, 700. Sheep breeding in the Argentine Republic, page 1205. A Study of Leading Breeds of Sheep with Special Reference to Production Factors in Idaho, 833. Lamb Feeding Experiments, in Nebraska, 834. Present State of Sheep Breeding in Canada, page 1333. The Sheep Tick and its Eradication by Dipping, 925. Family Performance as a Basis for Selection in Sheep, 940. Sheep poisoned by Western Golden-Rood (Solidago spectabilis), in U.S.A., 1033. Enzootic Paraplegia in Lambs, 1035. The Outlook for Farm Sheep Raising in the United States, 1045. Prospects for American Purebreds. 1189.

Shelter: A Portable Sheep Shelter on a Farm in Central New York, 82.

Sherungulu, Kaemfferia Ethelae, 118.
 Shippons: Ventilation, 80. Mechanical Installation for a Stable, 759.
 Siam: Rubber Cultivation, 150.
 Sida reiusa, 149.

Silkworm, see Sericulture.

Simulium replans, 341.

Sisal: Agave americana, Maguey, Textile Plant in Guatemala, 2. In the Belgian Congo page 177. Fibres from the Belgian Congo, 118. Species Growing in the Botanical Garden of Casa Bianca, Grosseto Province, Italy, 312. Textile Plants in the Columbian Republic, 530.

Skins and Hides: Export of Raw Skins in Algeria, page 4.

Skunk in the United States, 1201.

Sodium: Effect on Plant Growth of Sodium Salts in the Soil, 132, Pffects of Sodium Salts in Water Cultures on the Absorption of Plant Food by Wheat Seedlings, 229.

Soils: The Presence of a-Crotonic Acid in a Soil in the United States, 6. The Influence of the Lime: Maguesia Ratio in the Soil on the Yield in Seed of Sugar Beets, 7. The Washing-out of Nitrates from Arable Soil at the Rothamsted Agricul. tural Station During the Winter 1915-1916, 8. Carbon and Nitropen Changes in Soil Treated with Lime Ammonium Sulphate and Sodium Nitrate, 9. Researches on the Equilibrium between the Nitrogen and Carbon in the Soil, 10. Experiments on Loss of Moisture from Soile by Evaporation, 119. On the classification of Soil according to the Electrical Conductivity of their Aqueous Extract, 121, Effect on Plant Growth of Sodium Salts in the Soil 132. Water Penetration in the "Gumbo" Soils of the Belleions. che Reclamation Project, 222, A. vailability of the Potash in Certain Orthoclase Bearing Soils as Affected by Lime and Gypsum, 306. Th-Nature of the Sulphur of Swamse Soils Harmful to Plants and to Underground Constructions, 37 The Partial Sterilisation of Sec page 673. The Use of Iron in Agraculture, 405. Researches on the Calcium Compounds in Soils in the United States, 406. Analysis of Sample of Soil from Uruguay, 517 The Reaction between Dilute Acids and the Phosphorus Compounds in the Soil, 522. The Oxidising Pawer of Some Soils in Deli, 523, Factors Affecting the Evaporation ϕ Moisture from the Soil, 704. Th Effect of Soil Moisture Content do Certain Factors in Wheat Production, 705. Studies on the Palaczoic Soits of North Wales, 703. The Shrinkage of Soils in the Leeward Islands, British West Indies, 794 The Influence of Soil Conditions of the Decomposition of Organic Matter in the Soil, 795. Measurement of the Inactive or Unfree Moisture in the Soil by Means of the Dilatometer Method, 806. The Transposi-

tion of Sesquioxides in Forest Soils, Especially in View of the Pormation of Alios (Ortstein) and of Laterite, 897. Some Observations on the Occurrence of Infertility under Trees in India, 898. Investigations into Soil Efflorescences in Germany, 991. The Absorption of Cations and Anions by the Soil, 002. The Humus Content of the Soil as a Guide to Fertility, 993. Ammonia-Fixation in Seim-arid Soils, 994. Methods for Determining the Reaction of the Soil, oo6. The Quantitative Estimation of Calcium Carbonate in Determining the Nature of Soils, 997. Relation of the Water-Retaining Capacity of the Soil to Its Hygroscopic Coefficient, 1114. On the supposed Relative Unilaterd Impoverishment of the Soil in Nitrogen, Phosphoric Acid and Potassium by Various Crops; Action of the Root System of the Plants, 1115. The Effect of Soil Reaction n the Availability of Ammonium Sulphate, 1110. Livestock and the Maintenance of Organic Matter in the Soil, 1117. Soil Constituents which Inhibit the Action of Plant Toxias, 1118. The Soils of Hawaii, 1119. Variations in the Chemical Composition of Soils in the United States, 1120. Studies on Soil Colbids in the United States, 1121. New Method for the Estimation of Zeolitie" Silicie Acids in Soils, 1123. See also Bacteriology. S. mum quiteense, 18. 8 lidago spectabelis, 1033.

Sombra de Toro, 517.
Soghum: In Guatemala, 2. Seeds and Plants Introduced into the United States, 18. On the Inheritance of Certain Stem Characters in Soughum, 25. Experimental Work in Egypt on Various Cereals, 29. The Cultivation of the "Broom

Sorghum" in Tunis, 31. Kafirin 1 an Alcohol-soluble Protein from Kafir (Androtogon Sorghum), 126. Sugar Sorghum and Alcohol in War Time, in France, 369. Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Pollination and Cross-Fertilization in the Juar Plant (Andropogon Soighum Brot.), 627. Study on the Digestibility of the Grain Sorghums, 633. Kafir and Milo Sorghum as Grain Crops and Fodder Crops in Arid Soils, 811. Shallu, a Variety of Sorghum, in the Great Plains, United States, 812. Farming Practice in the Land Hills Section of Nebraska, 893. Andropogon sp., 1018, 1145. Daily Variation of Water and Dry Matter in the Leaves of Maize and the Sorghums, 1135.

Sorghum exiguum, 431.

Soya: Plants and Seeds Introduced into the United States, 18. Net Energy Values for Ruminants, 258. The International Trade in Feeding Stuffs, page 489, Wild and Cultivated Fodder Crops of the Bombay Presidency, India, 431. Soya in Indo China, 436. A Study of Climatic Conditions in Maryland (United States), as Related to the Growth of the Soy-Bean, 521. Comparative Nitrogen Adding Values of Various Legumes grown as Green Manure, 1120.

Spading-Machine of Wheel Barrow Type for Small Farms, 576.

Spain: Cattle in Asturia, 106. Production of Seed of Sugar Beet, 234. Trials of Foreign Varieties of Wheat in Spain, 238. The International Trade in Feeding Stuffs, page 489. "Navazos" and their Use for Fixing Sandhills in the Province of Cadiz, 309. Scriculture in Spain, 353. The Formation of National Parks,

556. The Cultivation of Grapes for Export in the District of Almería, 1172.

Storing of Agricultural Products: Use of Flowers of Sulphur tor Preserving Potatoes, 375. New Preserving Potatoes, 375.

Spanish clover, Desmodium uncinutum, 1120.

Speed Indicator for Hand-worked Cream Separators, 477. Spekboom, 147.

Sperboom, 147.

Spondias lulea, 449.
Spruces: The Spruce and Balsam

Fir Trees of the Rocky Mountain Region, 50. Resin-Tapping from Spruce in the Forests of Austria, 337. Influence of the Perennial Lupin on the Development of Forest Trees, 643. Thirty-seven Years of Spruce Selection in Austria, 721. Stables: The Ventilation of Stables, 50. Arrangement for Securing the Safety of Horses in Case of Fire, 81. Starch Crops: In Guatemala, 2. Va-

ricties Introduced into the United States, 18. Net Energy Values for Ruminants, 258. The Cataract Root Washer and Peeler, 272. In the

Colombian Republic, 530. Starch industry, 258, 481, 770.

Stations, Agricultural, see Agricultural Research and Experimentation.

Sugemyia tasciala, 891.

Steppes: The Relation of Transpiration to Assimilation in Steppe Plants, 22. The Importance of Rebinia Pseudi-Acadia in the Afforestation of the Steppes, 159.

Steela Rebaudiana Bert, in Paraguay, 1150.

Sullingia sebigera, 436.

Susolebium Deeringianum, 46, 431,

Stock raising Organisation and Encouragement, see Breeding of Live Stock.

Stomoxidae collected on Livestock at Zambi, 254.

Stomoxys calcitrans, 254.

Stooker, The "Bell" Automatic, 1055.

Use of Flowers of Sulphur for Preserving Potatoes, 375. New Process for Preserving Butter over Long Periods, 376. The Preservition of Fish by the Ottesen Freezing Process, 377. A Humidifier for Lemon Curing Rooms, 580, Changes in Fresh Beef During Cold Storage Above Freezing, 587. Investigations into the Changes undergone by Eggs, 588. Preservation of Timber, 677. Some Observatious upon the Relation of Hum. dity to the Ripening and Storage of Fruits, 771. Temperature Relations of Apple-Rot Fungi, 772. The Refrigeration of Fruit, 803. The Ventilation of Hay-Ricks, 1056 A Milk-Cooler Fixed on a Trolley, 1057. Rick Drying by Machinery. 1205. Electricity Applied to the Threshing and Drving of Cereals in Italy, 1206. The Handling and Storing of Apples in the Pacific North West, 1227.

Straw: Concentrated Straw Fodder, in Germany, 565. Straw-berries in the United States.

18, 322, 637.

Strohkraftfutter, 505.

Strychnos in India and the Far East 1105.

Stump Burner, 659.

Sigrax leprosum, 517.

Sudan grass, 431, 803.

Sugar and Sugar Industry: Sugar Manutacture, 258, The Sugar Industry in Russia, 279. The International Trade in Feeding Stuffs, 189, The Commercial Use of Saccharose-Inverting Bacteria for the Manufacture of Lactic Acid. Acete Acid and Acetone, 482. The Sugar Season in Queensland, 594. Home-Made Beet Syrup as a Substitute for Sugar, 768. The Maple Sugar and Syrup Industry Schools

of Quebec Province in Canada, 762. Production of Sugar in the United States and Foreign Countries, 8t 9. Agriculture in the Dominican Republic, 886. Agriculture in the Photoippines, 889. Sugar Cane Cultivation and Sugar Manufacturing in Eastern Bolivia, a21. Inversion of the Saccharose in Cane Sugar under the Influence of Microorganisms, in Java, 1249.

spar-Beets: The Influence of Different Treatments of Best "Seed" on the Beets resulting after Sowing, 37. The Influence of the Lime : Magnesia Ratio in the Soil on the Vield in Seed of Sugar Beets, 38, Changes in the American Bect-Sugar Industry, 139. Correlations betweep Morphological Characters and the Saccharine Content of Sugar Beets, 151, Some Recent Investigacions in Sugar-Beet Breeding in the United States, 233, Production if Seed of Sugar-Beet in Russia, 234. The Sugar Industry in Russia, 270. The International Production of Beet Residues, page 500. The Behaviour of " Bolting " Beets, 427. lathuence of Manganese on the Nitrogen Content of Sagar Bects; experiments in Germany, 444. Agriculture in Uruguay, 517. The Formation and Disappearance of Saccharose in the Beet, 532, Ground Sugar-Beet Seeds, 505. Home-Made Beet Syrup as a Substitute for Sugar, 768. Effect of Sulphuric Acid Sprays on Sugar Beet, \$21, A Survey of Beet-Producing Districts ia Minnesota, 1061. Sugar Beet Seeds, in France, 1144. The Sugar Beet in the La Plata District (Argentine and Uruguay), 1150. The Irrigation of Sugar Beets, 1157. Sugar-Cane: Agriculture in Guatemala, Centrai America, 2, Wild Plants of Queensland (Australia)

which can be Used for the Extrac; tion of Textile Fibre and for the Manufacture of Paper, 149. Manuring of Sugar Cane in Tava: Comparative Results with Calcium Cvanamide and Sulphate of Ammonia, 152. Agriculture in Fiji, 399. Relation between Colouration and Maturation in the Sugar Cane in Java, 548. Agriculture in Queensland in 1915-1916, 700. Study of the Sucrose Variations in Successive Cane Joints as They Attain Maturity with Special Reference to the Death of the Leaves, 820. Sugar and Sugar-Cane Products in the Philippines, 889. The After-Ripening of Sugarcane, Chemical Changes which take place after Cutting, 907. Sugar Cane Cultivation and Sugar Manufacturing in Eastern Bolivia, 921. Sugar Crops: Stevia Rebaudiana, A Saccheriferous Plant of Paraguay, 115%, See also Sugar Beets, Sugarcane, etc. Sulla in the Agriculture of Southern

Italy, 34.
Sulphur: Production and Trade, 13.
New Experiments on the Action of
Sulphur on Crop Production, 17.
Apparatus for Sulphuring Musts and
Wines on a Large Scale by Sulphur
Dioxide produced directly by Burning Sulphur, 75. The Nature of the
Sulphur of Swampy, Soils Harmful to
Plants and Ito Underground Construtions, 307. Use of Flowers of Sulplur for Preserving Potatoes, 375.

Samatra: The Oxidising Power of Some Soils in Deli, 523. The Cultivation of the Sweet Cinnamon Tree in Samatra, 1161.

Sulphur Dioxide for Sulphuring Musts

and Wines, 75.

Sunflower: Selection at the District Agricultural Station of Saratov, Russia, 321. Variations in Young Sunflower Plants in Colorado, 1141. Surilico, 530. Swampy Soils: The Nature of the Sulphur of Swampy Soils Harmful to Plants and to Underground Constructions, 307.

Sweden: History, Cultivation and Improvement of Lobium perenne, 146. Effect of Meteorological Factors on the Germination Capacity, of Seeds, 220. The International Trade in Feeding Stuffs, page 489. Improvement of Black Oats by Selection and Crossing in Sweden, 422. The Importance of the Awns of Native Wheat in Hungary and of Barley in Sweden, 430. Experiments in Out-Grewing, 725. Selection of Spring Wheat, Sob. Forestry in Sweden, page 1449. Cultural Experiments with Different Varieties of Wheat, 1146, 1147. The Most Favourable Times for Sowing Wheat and Rye at Alnarp, 1149.

Sweep, Hay, 74.

Sweet Potatoes: In Guatemala, 2. In Fiji, 390. In the Columbian Republic, 53c. Sweet Potato Culture in the United States and in Sicily, 543. In the United States, 824. Swielema Mahagom, 2.

Switzerland: The Numbers of Purebred Schwiz and Simmenthal-Cattle belonging to the Breeder's Societies in Switzerland on January 1st 1916, 63. The International Trade in Feeding Stuffs, page 489. Fish-breeding during 1916, 752. The Utilisation of the Prefits made by Swiss Peasants, 846. Action of Artificial Manures on a Mountain Meadow, 917. Stock-Breeding during the War, 1042. The Revival of the Ensilage Question, 1078.

Sylviculture, see Forestry.

Syngamus bronchialis, 342. Syrup of Beet as a Substitute for Sugar, 768.

TABANIDAE collected on Live Stock at Zambi, 254. Tabanus canus, T. ditaeniatus, T.

pluto, T. par, T. biguttatus, T. tae. niola, 254.

Tabena, Dioscorea sp., 530.

Takea, 1022. Tala, 517.

Tama, 920.

Tamarindus indica, 449, 530.

Tanning and Colouring Matters: In Guatemala, 2. Rumer hymenosepalum, 40. Cassia auriculaia, 439. In the Columbian Republic, 53°. Colouring Matters in Porto Rice 558. The manufacture of Tannin in South Africa, 1112.

Tar: The addition of Tar to Calcium Cyanamide to Facilitate Spreading, 528.

Tea: Matkee a Green Manuring Plant of Tea Estates in India, 409. Experiments on the Manuring of Tea-Plants in Java, 549. Fermentatica Tests of Tea Leaves in Java, 585. Observations and Experiments on the Manufacture of Tea at Java, 958. Tea tree, Melalenca uncina a, 1114. Tembleque, 829, 924, 1179. Teosinta, 431.

Tephrosia purpurett, 431.

Thelepogen elegans, 431. Tibar, Escalenta discolor, 530.

Tick fever, 210, 254.

Tillage and Method of Cultivation The Normal Day's Werk or Fain Implements, Werkmen and Cows in Western New York, 276. Rotations and Tillage Methods in Western Nebraska, 709. The Cultivation of Wheat by Hoeing, 914.

Timber: In Guaterrala, 2.The Preparation ration and Uses of Weed Fleut, 62 The Technical Properties of the Wood of the Greek Fir (Abies orphalonica Link), 455. Useful Plants found in the Columbian Republic. 530. The Walnut Tree and the Pecan Nut Tree, 555. The Native Trees of São Paulo, Brazil, 557. The Forests or the Hawaiian Islands, 559. Preservation of Timber, 677. The Eucalyptus as Fuel in North America, 827. In the Dominican Republic, 888. Forestry in Sweden, pige 1449. Pinus canariensis a Tree with wood whichdoes not Rot, 1029. Timber Industry in South Africa, 1112. Mechanical Properties of Woods Grown in the United States, 1175. Yields from the Destructive Distillation of Certain Hard-Woods in the United States, 1176.

Timbó, 517. Jin Plate, 649. Jiñe hamaca, 2. Timte, 530. Tipping Trailers, 363. Toa, 147.

Tobacco: Experiments on the Drying or Tobacco in Java, 153. In the United States, 215. The Chemical Composition of Tobacco during its vegetative Period, 314. Transmission of Characters in the Hybrid Nicotiana Tabacum × N. sylvestris, 424. Hereditary Anomalies of the Flower of Nicotiana Tabacum Observed in Germany, 425. Behaviour of Tobacco "Variations" in Java, 426. Experiments on the Cultivation of Mild Yellow Tobaccos in Tripolt, 445. The Manuring of Tobacco Nurseries in Java, 446. Cultivation in Uruguay, 517. Tobacco Growing in Russia, 551. Expetiments on the Spacing of Tobacco Plant, in Java, 552. The Influence of Light on the Cermination of the Seeds of Different varieties of Nicottana Tabacum, 802. The Effect or Some Alkaline Salts on the Fire-Holding Capacity of Tobacco, 823. Agriculture in the Dominican Republic, 888, Agriculture in the Philippines, 889, Studies on Tobacco Seeds in Java, 908. Experiments on the Manuring of Tobacco Plantations, in Java, 1025. Agricultural Development in South Africa, 1112. Tocay, Carvodentron orinocense, 530. Tomatoes: Tomato Preserve, 674. In the United States, 824. The Sanitary Control of Tomato-Canning Factories, 856. Experiments in Crossing Varieties of Tomato in the United States, 1143.

Tool-holder Jullien for One-armed Men, 578.

Totumo, Crescentia Cujete, 530. Toulon-couma, 920.

Touring Car converted into a Tractor, 577.

Tractor, see Machinery.

Trade, Imports and Exports of Agricultural Products: The Trade in Feathers in Brazil, 188, World's production and consumption of commercial seed of sugar beet, 234. The Normal Day's Work of Farm Implements, Workmen, and Crews in Western New York, 276. Meal Production and Trade in the United States and other Countries, 286. The Great Cattle Markets of the United States, 287. The International Trade in Feeding Stuffs, page 489. On the Use of Paraffin Oil as a Substitute for Olive Oil in Sealing Wine Flasks, 368. The Introduction of a Trade Mark for Butter Made in Iowa, United States, 378. Statistics of Fruit in the Principal Countries, 448. Brine Tank Refrigerator Cars for Fruit Shipment, Used in Canada, 478 Horse-breeding in the Argentine Republic, par 819. The Agricultural and Economic Development of Venezuela, 690. The Trend of the Wine Industry; Comparison with the Coffee Industry, 864. Agriculture in the Dominican Republic. 888, Oil-Producing Plants of French

1916, 1080. The Texas Turkey Trade, 1081. Agricultural Development in South Africa, 1112. Tragelaphus scriptus, 254. Trains: The First Agricultural Demonstration Trains in Russia, 3. Transport: The Use of Brine Tank Refrigerator Cars for Fruit Shipment, 489. Trichechus latirostris, 1200. Tricholaena rosea, 117. Trigona williana and Trigona analthea, 68. Trigonella Foenum-graecum, 431. Tripoli: Experiments on the Cultivation of Mild Yellow Tobaccos, 445. Triumfetta sp., 149. Trough, Hygienic Drinking, 365. Trypanosoma cazathoni, 254. Tsé-tsé, Fly, 216. Tuba in the Philippines, 889. Tuberculosis, see Hygiene. Tunis: The Cultivation of "Broom Sorghum'' in Tunis, 31. The

West Africa, 920, Live Stock Market

Review in the United States for

Sorghum'' in Tunis, 31. The Activity During the Agricultural Season 1914-1915 of the Various Technical Branches of the Agricultural Administration of Tunis, 219. The International Trade in Feeding Stuffs, page 489. The Cultivation of Flax, 1155.

Turkey: Experiments in Controll-

Turkey: Experiments in Controlling Ectoparasites on Poultry in the United States, 830. Turkey Raising in Texas, U. S. A., 1049.
Turnips, 258.

•

Uснива**s**, 530. Udid, 431.

United States: The Volunteer Cooperators of the Department of Agriculture for the Advancement of Farming, 4. Seeds and Plants Introduced by the Bureau of Plant Industry, 18. Commercial Varieties of Lucerne, 32. The Registration of

Pedigrees, 58. The Selection of Dairy Cattle and the Development of Co-operative Associations for the Control of Milk Production in the United States, from 1906 to 1916 62. Experimental Kelp Plant at Summerland, California, 123, Scler, tion Experiments on some Varieties of Raspberries, 137. The Improve. ment of the Walnut by Selection in California, 138. Changes of Bect. Sugar Industry, 139. Variety Tests of Maize in Missouri, 144. Compari. son of American Advanced Registry Aryshires with Aryshires in Scotland in Respect of Milk Production, 168. Sheep Feeding Experiments in Kansas, 170. Influence of Age on the Value of Dairy Cows and Farm Work Herses, 182. Appropriations of the Federal Department of Agriculture, 21.4 The Distribution of Crops and Farm Animals in the United States 215. Water Penetration in the "Gumbo" Soils of the Bellefourche Reclamation Project, South Dakota, 222. Improvement of Ghr. ka Spring Wheat in Yield and Our lity, 237. The Effect of Cultural and Climatic Conditions on the Yield and Ouality of Peppermus Oil, 247. Culture and Forcing Witloof Chicory, 249. The Chi mical Composition of America Grapes Grown in the Central an Eastern States, 253, Improved Av paratus for Determining the To-Weight of Grain, 271. The Norm. Day's Work of Farm Implements Workmen, and Crews in Wester New York, 276. The Increases Use of Forage Silos on Farms, 28 Meat Production and Trade, 28: The Great Cattle Markets, 287. Th International Trade in Feeding Stuffs, page 489. Strawberry Schotion, 322. Cereal Experiments in Montana and in Wyoming, United States, 328. Statistical Data Relating to the Age of Cattle Used as Breeders in Maine, 345. A Jersey Cow which Earns \$ 367 Per Anmm in the United States, 346. Care, Feed and Management of the Dairy Herd in Iowa, 349. The Development of the Brewing Industry in the United States during the last 25 Years, 370. The Introduction of a Trade Mark for Butter Made in Iowa, 378. Researches on the Calcium Compounds in Soils, 406. Drainage by Dynamite, 107. The Cryoscopic Constants of Expressed Vegetable Saps as Related to the Local Environmental Conditions in the Arizona Deserts, 419. Transplanting Alfalta, 432. Apples, Production Estimates and Important Commercial Districts and Varieties, 450. On the Growth of the Fig-Tree in Arizona, 451. Pinus ponderosa Laws in Oregon, 454. The comparative Costs of Using Agricultural Machinery in the United States and in France, 473. The Comparative Cost of Tractor and Horse-Power, 474. The Rapid Increase in the Output of American Potash, 526. The Selection of Sea Island Cotton, 530. The Improvement of Lemon Trees by Selection in California, 530. Experiments with String Cereals at the Eastern Oregon Dry-Farming Substation, Moro, Oregon, 540. Sweet Potato Culture in the United States, 543. Live Stock Production in the Eleven Far Western Range States, 500. The Cost of Raising Leghorn Pullets, 571, Methods and Cost of Growing Beef Cattle in the Corn Belt States, 583. New Irrigation-District Code for Oregon, 621. Dry Farmed and Irrigated Wheat, 632. Study on the Digestibility of the Grain Sorghums, 633. Fruit varie ties for Maine, 637. Financial Statis ment of the Delaware Experiment Station Peach Orchard, 665. The Relation of Farm Weeds to Hay Fever, 701. The Effect of Soil Moisture Content on Certain Factors in Wheat Production, 705. The Drainage of Irrigated Shale Land, 707. Rotation and Tillage Methods in Western Nebraska, 709. Fall-Sown Grains in Maryland and Virginia, 723. The Acreage of Fruits, Bearing and Non-bearing, by Counties, in 1916 in California, 729. Skim Milk and Milk Substitutes for Calf Feeding, 742. The Production of Baby Beef, 743. The Actual Extent of the Use of Motor Tractors on American Farms, 754. Labour Requirements of Crop Production, 762. Labour Requirements of Dairy Farms as Influenced by Milking Machines, 763. Experiments with Small Grains (Wheat, Barley and Oats) Under Irrigation in Idaho, 810. Shallu, a Variety of Sorghum, in the Great Plains, 812. Experiments with Irrigated Legume Crops and Grass Pasture, 813. Variety Tests of Vegetables Carried Out at the Maryland Agricultural Experiment Station, 824. The Pine Trees of the Rocky Mountain Region, \$20. Experiments to find a Basal Ration for the most Economical Feeding of Dairy Cattle under Northwestern, 831, A Study of Leading Breeds of Sheep with Special Reference to Production Factors in Idaho, 832. Goose Raising, 838. Production of Sugar in the United States, 840. The Sanitary Control of Tomato-Canning Factories, 856. Paying for Milk in Cheesemaking, 860. Farming Practice in the Sand Hills Section of Nebraska, 803. Investigations in Cost and Me-

thods of Clearing Land, 899. Dry Farming Investigations in Oregon, 901. Grass and Clover Seed Imports, 913. The Comparative Study of Various Wheats, 915. Investigation in Animal Nutrition: Beef Production, 931. Farming in the Bluegrass Region, 951. Investigation of the Methods and Costs of Marketing Butter in Kansas, 960. Experiments in Irrigated Crops, 1002. Production of Nitrates by the United States Government, 1007. The Improvement of Native Vines by Crossing and Selection, 1015. Nursery Practice in the National Forests, 1030. The Utilisation of Ash in the United States, 1031. The Outlook for Farm Seep Raising, 1045. Turkey Raising in Texas, 1049. A Survey of Beet-Producing Districts in Minnesota, 1061. Live Stock Market Review in the United States for 1916, 108c. Seeds and Plants Imported into the United States, 1129. Reforestation on the National Forest, 1173. Prospects for American Purebreds, 1189. The Handling and Storage of Apples in the Pacific North West, 1227. Report of the Committee on Statisties of Milk and Cream Regulations of the Official Dairy Instructors' Association, 1228.

Ullucus tuberosus, 18, 530. Urena, 1.19.

Urena lobata, 919.

Uruguay: Meat Production and Trade, 286. The Niata Breed of Cattle, 466. Agriculture and Stock Breeding, 517. The Sugar Beet in the La Plata District, 1156.

Uva do matto, 155.

Uvito, 530.

VALDIVIA, Picrolemma Valdivia, 530. Vanilla: In the Columbian Republic. 530.

Vatica moluccana, 443. Velvet bean, Stizolohium Deeringianum, 46, 431, 1126.

Venezuela: Agricultural and Econo. mical Development, 699,

Ventilation: Ventilation of Farm Buildings, 80. Ventilation of Hay-Ricks, 1056. Rick Drying by Machinery, 1205.

Vicia spp., 18, 145, 235, 813, 1120, Vigna Catiang, see V. sinensis.

Vigna sinensis, 18, 46, 170, 258, 431

Vine growing: Plants Introduced into the United States, 18. Drought resisting Stocks in Hérault, France 47. "Pellaverga", a good Italian Table Grape, 48. A Simple Apparatus for Cleating Vines, 73. Experiments with New Grape Stocks at the Montpellier National School of Agriculture, France, 156, Gool Hybrid Direct Bearers Cultivated in France, 252, The Chemical Composition of American Grapes in the Central and Eastern States, 253. Variations of a Sexual Hybrid of the Vine obtained by Grafting it on one ci its Parents, 324. Hybrid Direct Bearers in the Côtes du Rhône Region, France, in 1916, 336. The Slow Change of Vine Wood Buriel in the Soil, 414. The Yield of Unpruned Vines, 452. Stocks Testel. at the National School of Agriculture, Montpellier, France, 453, Esfect of the Sirocco upon Tunisian Vineyards, 190, In Uruguay, 517. Fruit varieties for Maine, 637. Shallow Cultivation in Vineyards, 649. Cultivation of the Vine by the Desbois Method, 641. Observations on the Cultivation of the Vine "en Asmas", in Bulgaria, 642, Notes on Hybrid Direct Bearers in the Scine et-Marne District, France, 731. Mechanical Methods of Cultivation of Vineyards, 841, Grape-Henry, 857.

The Improvement of Native Vines by Crossing and Selection in the United States, 1015. Observations on some Direct Bearers, in Prance, 1026. Table Crape Hybrid Bearers, 1169. Hybrid Direct Bearers in the Scine-et-Marne District, France, in 1917, 1170. The "Madone" Vine in the Department of Aude, France, in 1917, 1171. ther's Grass in Feeding the Mulberry Silkworm, 1195.

lismia latifolia, 530.

NALNUT: In the United States, 18. The Improvement of the Walnut by Selection in California, 138, The Walnut Tree and the Pecan Nut Tree, 555. The Acreage of Fruits, Bearing and Non-bearing by Counties in California, 729. Vater used the Plants, 23.

Vater, Rain, 582.

Valer, Sewage, 14. Veizenmelukleie, 565.

theat: Seeds and Plants Introduced into the United States, 18, Work on Egyptian Wheats in 1915, 29. Wheat-land in the Republic of San Salvador, Central America, 30. Agricultural Development of the Province of Ontario, Canada, 117. "Fylgia", "Extra Squarchead Hi ", " Sol H ", "Pansai", " Thule II", Varietics of Wheat selected at Svalöf, Sweden, 135. Cultural Trials of Some Native and Foreign Wheats at Pharsalos, Thessalv, 140, The Distribution of Crops in the United States, 215. Effect of Meteorological Factors on the Germinating Capacity of Sceds, 220. Effect of Sodium Salts in Water Cultures on the Absorption of Plant Food by Wheat Scotlings, 229, Improvement of Ghirka Spring Wheat in Yield and Quantity, 237. Trials of Foreign Varieties of Wheat in Spain,

238. Net Energy Values for Ruminants, 25%. Trailer for Men who have lost a Leg, 270. The Effects of Manganese and Iron on the Growth of Wheat, 319. The Suppression of Characters on Crossing, 320, Varieties of Hungarian Wheat Selected to Increase the National Production, 325. Manitoba Wheat in Italy and France, 326. Agricultural Procedures for Increasing the Production of Wheat, 327. Cereal Experiments in Montana and in Wyoming, United States, 328, New Practical and Scientific Experiments in the Selection of German Wheats Rich in Gluten, 420. A New Method of Wheat Cultivation Advocated by Mr. Devaux, 428, Results of Experiments in the Cultivation of Spring Wheats at Valdichiana, Tuscany, Italy, 429. The Importance of the Awns of Native Wheat in Hungary and of Barlev in Sweden, 430. Agriculture in Uruguay, 517. The Use of Lead for Stimulating Growth in Plants; Manuring Experiments in Germany, 529. Experiments with Spring Cereals at the Eastern Oregon Dry-Farming Substation, Moro, Oregon, 540, Studies on Wheat in the Province of Rovigo, Italy, 541. Is Lysine the Limiting Amino-acid in the Proteins of Wheat, Maize or Oats 1, 50%. Wheat Production in Canada, page oot. Dry Farmed and Irrigated Wheat, 632. The Effect of Soil Moisture Content on Certain Factors in Wheat Production, 705. Belotourka, Richelie and Oregon, Good Varieties of Chili, 724. The Agricultural Development of North-West India, 700. The Resistance of Wheat to Cold in Relation to its Sugar Content; Investigations carried out in Sweden, 800. Selection of Spring Wheat in Sweden, Soo.

Hybridisation Tests between Spelt and Wheat in Holland, 807. Experiments in Hybridizing Wheat and Rve in the United States, 808. Performance Record of Irrigated. Wheats, 810, Cost Prices and Unit Yields of Wheat in the Argentine, 811. Dry Farming Investigations at the Sherman County Branch Experiments Station, 901. The Cultivation of Wheat by Hocing, 914 Wheat Production in the Argentine, 1016. Observations on Manitoba Wheat in Algeria in 1917, 1017. The Cultivation of Wheat by Early Sowing and Hilling-up, 1145. Cultural Experiments with Different Varieties of Wheat at Ultuna, Sweden, 1146, 1147. Red Fife Wheat in the South-West of France, 1148. The Most Favourable Times for Sowing Wheat and Rye at Alnarp, Sweden, 1149.

Wild Cotton, Hibiscus sp., 149. Wild Rattleford, 1126.

Wili-Wili, Ervihrina monosperma, 559. Wine-making: Apparatus for Sulphuring Musts and Wines on a Large Scale by Sulphur Dioxide produced directly by Burning Sulphur, 75. A Simple Apparatus for Filtering Wine-lees, 76. A Contribution to the Study of the Yeasts of Wine, 85. The Relationship Between the Development of the Flowers of Wine and the Watering of Wine, 86. The Analysis of Hungarian Wines and the Minimum and Maximum Content of their Principal Constituents, 87. Practical Method for Removing the Foxy Flavour from Noah Grapes, 183. Method for the Investigation of the Aniline Derivatives and other Foreign Colours in Wine, 278. Variations in the Glucometric Index of Musts coming from the Same Vines in Different Years, 366. On the "Casse blanche" of Wines, 367. On the Use of Paraffin Oil as a Substitute for Olive Oil in Sealing Wine Flasks 368. New Feeding Stuffs used in Germany during the War, 565, Ex. periments on the Deacidification of Wine, in Italy, 666. The Reduction in Volume of Wine due to Fer mentation, 667. Contribution to the Study of Apiculated Yeast, 668 Notes on Hybrid Direct Bearer in the Seine-et-Marne District France, 731. A New Apparatus for Pasteurising Wine in the Cold, 765 The Use of Metabisulphite of Po tassium and Sodium in Wine-Mak ing, 766. Contribution to the Studof the Aldehydes of Wine, 81: Contribution to the Study of Bit ter Wines, 848. "Grape Honey" 857. Plastering of Grapes and th Increase of Acidity and Sulphate in the Wine: Investigations i Italy, 1063. Wine Making Experments with Sulphur Dioxide i Italy, 1064. The Substitution (Calcium Sulphite for Potassiu Metabisulphite in Wine-Makin 1005. Morizot Acidimeter for tl Rapid Determination of the Ac dity of Musts and Wines, 106 Unripe Grapes in Wine Makir in the Argentine, 1215. The R duction in Volume of the Mu During Fermentation, 1216, Co. tribution to the Study and Tres ment of the "Casse Blanche" Wines, 1217.

Withering: On the Resistance Plants to Withering, 227.

Wool: Exports from Algeria, pass Hereditary Transmission of the Curly Wool "Character of Karkul Sheep in Crosses between the Karakul and Rambouillet Broeffor. In Queensland, 700. Cat Breeding in the Argentine Republic the Present Day, page 1073. Proceedings of the Present Day, page 1073. Proceeding in the Present Day, page 1073. Proceeding in the Present Day, page 1073. Proceeding in the Present Day, page 1073. sent state of Sheep Breeding in Canada, page 33. Wool, vegetable (Ochroma tomentosa), 530.

XANTHOSOMA SAGITTIFOLIUM 2. Kerophytes: The Relation of Transpiration to Assimilation in Steppe Plants, 22.

YEAST: New Feeding Stuffs used in Germany during the War, 565, Contribution to the Study of Apiculated Yeasts, 668, Feeding Trials with Cattle at the Model Farm of

Dikopshof, Germany, 740. The Use of Brewer's Yeast in Bread-Makin 1069. Yema de huevo, Lucuma Rivicoa, 2. Yolombo, 530. Yorkshire fog, 241. Yuca, 2, 416, 530.

Yuquilla, Manihot carthaginensis, 2. ZACATON, 2. Zapan, 530.

Zapote, 2.

Zein: The Percentage of diaminoacids in Kafirin and in Zein, 126.

B) INDEX OF AUTHORS.

Acqua C., 572. Avarai T. and Ranawara S., 439. Adametz Leopold, 570. Adams, J., 815. BACO F., 324. Agers S. H., Bowen J T., Johnson Bacot A. and Atkin E. E., 891. W. T., 283. Badouin Marcel, 1199. Aita, A., 14. Bailey H. S. and Thompson H. C., 39. Akerman A. and Johansson Hj., 800. Bajo Federico, and Naredo Manuel, 166. Akerman A. and Lundberg John, 1013. Baker J., 1069. Albrecht E. A., Pigoulevskii G. V. and Bald E. D., Byron Alder and Egbert Voulf E. V., 550. A. D., 747. Allison F. E. and Brown P. E., 11. Balland, 851. Allison F. E. and Cook R. C., 1116. Barnes J. H., 907. Alpers K., 185 Barnes Will C. and Jardine J. T., 569. Alway F. J., 1114. Batchelor L. D., 138. Alwood William B. 253. Bates J. S., 1174. Beadie Clayton, 1020. Amilon J. A. page 1539. Amons W. J. Th., 1049. Beals G. L. and Lindsey J. B., 259. Anderson E. and Nestell R. G. 905. Beck A. J. and Tottingham N. E., 319. Anderson Ott., Caldwell R. E. Spit-Beegle F. M. and Forbes E. B. with Fritz C. M., Morgan L. E. and Rhue zer George and Carr R. H., 467. Andouard and Gouin, 1184. S. N., 648. Beets A. N. J., 1025. Andrews F. and Gould H. P., 450 Andrlik K., 821. Beger C., 411. Antevs Ernst, 318. Benzine V., 3. Anthony R. D. an | Headrick U. P., 137. Berg F., 313. Berkant A. D., Hendricksz R. D. and Appleyard A. and Russel E. J., 8, 795. Wind G., 712. Archibald and Grisdale 80. Bernard Ch. and Deuss J. J. B., 549. Arens P. 246, 959. Arkell Reginald J. page 1333. Bernardini F., 86. Armsby Henry Prentiss and Fries J. Bernardis G. B. and Feruglio D., 639. Bert Roadhouse W., 117. August, 258. Berthault Pierre, 1054. Arnold J. H. and Montgomery Frank Berthold Erich, 415. Bertoni G., 541. Arnoux André, 94. Atkin E. E. and Bacot A., 891. Bertrand A., 624. Augustin B, 20. Bertrand Gabriel, 1067.

Besana C., 372. Beutler and Matthiesen, 341. Bhide R. K. Kulkarni L. B., Hanmate N. M. and Burns W., 431. Bielov S. A., 703. 3iffen R. H., 320. Bird H. S., Markell E. L., Mac Kay A. W., Ramsey H. J., 1227. Bishopp F. C. and Wood H. P., 830. 3loounfield H. E., 921. Slumberg A. and Fiehhorn A., 459. Bolkin G. E. and Clease L. D., 733. 30erner E. G., 271. 30hn Ralph M., 343. 3olland B. G. C., 29, 33. 3olland B. S. C., 29. 30lland, G., 29. Bonequet M., 1109. Boncquet P. A., 1009. lonnet Frederic Jr., 1046. lorghesani G. A., 796. lorgmann, 732. lorntraeger A., 1063, 1216. Borzi A., 520, 525, 543. loss A., Cooper T. P., Peck J. W., 762. losscha K. A. R. and Brzesowsky A., 585. lottomiev, W. B., 21. bunhiol J. P., 751. ionyoncoz G. Y., 896. lowen J. T., Johnson W. T. Agers S. H., 283. Joynton William Hutchins, 1036, 1177. ravo Jorge E., 530. freazeale J. F., 229. renchley Winifred E., 625. Itenier, 436. irentana Domenico, 647. irewster J. F., and Johns Carl O., 126. higgs L. J. and Shantz H. L., 134. hill Harvey C., 1160, 1166. itooks Charles and Cooley J. S., 772. bown Bliss S., 637. Brown, P. E. and Allison F. E., 11. fruce E. A. and Hadwen Seymour, 644. Itzesowsky A. and Bosscha K. A. R., 585. 3uchard P., 640.

Burgess P. S., 1119.
Burkhardt Franz, 256.
Burns W., Bhide R. K., Kulkarni L.
B. and Hanmate N. M., 431.
Burri R., 1078.
Burri R. and Hohl Joh., 483.
Byron Alder, Bald E. D. and Egbert
A. D., 747.

CADORET ARTHUR, 240. Caldwell R. E., Anderson O. H., Spitzer George and Carr R. H., 467. Caldwell R. E. and Hunziker O. F., 742. Caldwell W. H., Mac Mannies W. Winsloff C. M., 61. Carbone Domenico, 956. Carles P., 766. Carr R. H., 993. Carr R. H., Spitzer George, Caldwell R. E., Anderson O. H., 467. Carrero J. O. and Gile P. I., 626. Carroll W. E., 1041. Castaldi G., 332. Chapin, Catharine Lines, 929. Chernoff L. H., Viehaever Arno and Johns Carl, 416. Christensen, R. K., 19. Christensen Harald R., 713, 996. Ciamician G. and Ravenna C., 1136. Ciapetti G., 75. Ciutea Joan, 52. Clark Allen J., 237. Clark W. M., 1223. Clausen R. E. and Goodspeed E. H., 424. Clawson A. B., Marsh H., Marsh C. D., 54, 161, Cleare L. D. and Bodkin G. E., 733. Clayton Beadle and Stevens, 441, 538. Cockayne A. H., 2241. Coleman D. A. and Kopeloff N., 619. Colin H., 532. Collins G. N., 1012. Cominotti Luigi, 255. Cook R. C. and Allison F. E., 1116. Cooley J. S. and Brooks Charles, 772. Cooper T. P., Peck J. W. and Boss A.,

762.

Dessaisaix R., 840. Copper Morton O, Cotton J. S., Ward W. F. and Rav S. H., 583. Deuss J. J. B., 955. Deuss J. J. B. and Bernard Ch., 549. Corlette Ewan, 918. Devaux H., 327, 1145. Correa M. P., 1154. De Villele Auguste, 36, 148. Corvan James, 893. Coste H., 434. De Vries O., 153, 244, 957, 958. De Vries O. and Sidenius E., 552. Cotton J. S., Copper Marton O., Dexler Gustav, 617. Ward W. F. and Ray S. H., 583. Diaferia L., Mamenano G. and De Do. Coupin Henri, 1138. minicis A., 992. Covell Earl D., 663. Disselhorst Rudolf, 165. Cox J. G., 281. Dissonbray J., 274. Cranfield H. T., 1006. Donald F. Jones, 1143. Creelmann J. M. and Smith Edwin, 863. Donaldson N. C., 328. Crowther Charles, 55. Dorman J. E., 348. Cugnoni Cesare, 1188. Dorsett P. H., Shamel A. D. and Pope-Cupper Percy A., 621. Curtis E. W., Headley F. B. and Sconoe Wilson, 449. Dox A. W. and Plaisance G. P., 1079. field C. S., 132. Douglas Graham R. J., 627. Curtis Mavnie B. and Pearl Raymond, Ducomet, 770. 67. Dudgeon G. C. and Bolland G., 29. €utolo A., 282. Dudgeon G. C. and Bolland B. S. C., 29 Duhaut, 699. DALLA TORRE C., 485, 486, 488. Dusserre C., 917. Dalmasso G., 452. D'Utra G., 1018.

Daniel Lucien, 41. Dantin Ch., 753. Darrow M. George, 322. Davenport C. B. and Ritzman, 930. De Angelis d'Ossat G., 119. Dearing Charles, 1015. De Assis Iglesias Francisco, 173. De Astio G., 667. De Campos Penteado Marcillo, 1044. De Castro Manuel M. Fernandez, 309. Dechambre, 1185. Dedominicis A., Mammano G. and Dialeria L., 992. Degli Atti M., 418, 1028. Degrully, 1026. De Jong A. W. K., 442. De Jong A. W. K. and Peelen J. R. C., 635. Delamare Ach., 1202. De Marcillac, 1220. De Mas Solanes R., 238. Denier et Vernet, 858. De Poncins A., 1203.

Desmoulin A. Ind Villard V., 336.

Eckles C. H., 564.
Eckles C. H. and Palmer L. S., 347,691
Eckmann E., 303.
Edlefsen N. E. and West F. L., 804.
Edlefsen N. E. and West F. L., 804.
Edlefsen A. D., Bald E. D., Byron Adder, 747.
Eichhorn A. and Blumberg A., 450.
Ellington E. V., 831, 832.
Elliot Perry, 849.
Emerson R. A., 232.
Espiéallier G., 760.
Evans A. R., Hackleman J. C., Mc
Donald E. M., Hutchinson C. J., 144

Dybowski J., 1155.

Dyer F. J., 1021.

FAIRCHILD D., 1129. Fairfield W. H. and Hutton G. H., 93: Fallada O. and Greisenegger Ignaz K 37, 38. Fallon F., page 187. Faulkner A. F., 171. Galli Giacomo, 1215. Favero P., 69. Gangulee M., 1127. Fawcett H. S., 46. Garcia Santos, 35. Felber Paul, 10. Gardner V. R., Magness J. R., and Fenzi E. O., 312. Yeages A. F., 251. Fergusson S. P., 5. Gautier A., 715. Feruglio D. and Bernardis G. B., 639. Gavin W. and Mackintosh J., 187. Feuereissen W., 342. Gay frères, 1017. Ficai G. and Perotti R., 852. Geerts J. M., 150. Figuerola Ballester J., 238. Gemtchongenikov E. A., 131. Finlow R. S., 798, 1140. Georgiades, 487. Finzi Guido, 734. Gerdil H., 939. l'ippin E. O., 1117. Gerö Wilhelm, 371. Geslin B. and Wolff J., 1137. Fischer G., 268. Fischer Hermann, 12. Gile P. L. and Carrero J. O., 626. Girard A. Ch., 770. Fleischmann Rudoli, 430. Flores Teodoro, 122. Girola Carlos D., 1016, 1179. Flower P. W., 215. Giuliani R., 56, 739. Gmelin H. Mayer, 807. Forbes F. B. and Beegle F. M. and Fritz Goodspeed E. H. and Clausen R. E., 424. C. M., Morgan L. E. and Rhue S. V., Goosen G., 481. 6.18. Forbes E. B., Mangels C. E., and Mor-Gore H. C. and Townsend C. O., 768. Gorini C., 861. gan L. E., 1183. Goris A., 954. Fordi Ernst, 842. Gouin A. and Andouard P., 1184. Forman T., 521. Gouy P., 864. Forsberg L., 1149. Gould H. P. and Andrews F., 450. Fonzes-Diacon, 367. Fowler Chester and Zentmire Zelma, Grabner Emile, 325. Graham R and Himmelberger L. R., 1113. François G., 920. 1032. Frauçois Louis, 912. Gramlich H. J., 834. Frandsen N. H., 805. Grand Clément, 641. Freiman K., 862. Granderye L. M., 582. Frémier Victor, 358. Grant et Stevenson, 93. Friederich Ernst, 337. Greaves J. E., 120. Fries J. August and Armsby Henry Greaves J. E., Hawart R. and Hirst C. Prentiss., 258. T, 995. Fritz C. M., Morgan L. E., Rhue S. N., Greggio G., 400. Beegle F. M. and Forbes E. B., 648. Greiner G. C., 1193. Fröhner, 51. Greisenegger Ignaz K. and Fallada O., Frommherz Heriberto, 724. 37, 38. Frawirth C., 535. Griebel C., 1131 Fry William H., Shorey Edmund C. Grimaldi Siro, 368 and Hagen William, 406. Grisdale and Archibald, 86. Groves James Frederich, 801. GACHON, 1194. Guarnieri P., 674.

Guedroitz G., 1123.

Gallagher Bernard A. and Ward Archi-

bald R., 646.

Suerrero Luis E. and Guerrero Alfredo 🚅 L., 989. Guillaume A. C., 757. Guthrie F. B., 1003. Gyarías J., 280. HACKELMAN I. C., Mc. DONALD E. M., EVANS A. R., a d HUTCHINSON C. J., 144. Hadlington Jas and Ross G. D., 1191. · Hadwen Seymour and Bruce F. A., 644. Haecker T. I.., 931. Hagland R., Mac Bryde Ch. N. and Powick W. C., 587. Hall Harvey Montoe, 701. Halste dByron D. and Owen Earle J., Hammate N. M., Kulkarni L. B., Bhide R. K. and Burns W., 431. Hammond J. and Hawk J. C., 738. Hansen C. C., 150. Hansen N. E., 432. Hanson S. G., 351. Haro Salvador, 1172. . Harris Arthur J. and Popenoe Wilson, Harris J. Arthur and Lawrence John V., 419. Harris F. S., 704, 1001, 1157. Harris F S and Maughan H. G., 705. Harris F. S. and Pittman D. W., 1125. Hastings, Stephen H., 658. Hawk J. C. et Hammond J., 738. Hay S. H., 743. Hazen William, Shorey Edmund C. and Fry William H., 406. Headley F. B., Curtis E. W. and Scofield C. S., 132. Headrick, U. P. and Anthony R. D., 137. Hector G. P., 719. Heim F., 334, 463, 634, 854. Hendrick J., 91. Hendricksz R. D., Wind G. and Berkaut A. D., 712. Henry A., 157. Herrasti G., 95.

Hickman C. W. and Iddings E. J., 833. 836. Hill A. W., 1165. Hill C. E. and Stephens D. E. 901. Hill M., 304. Hill Reuben L., 1038. Hills T. L., 620. Hilson, G. R., 25. Himmelberger L. R. and Graham R. Hirst C. T., Hewart R. and Greeves J. E., 995. Hitier H., 622 Hjin, V. S., 22. Holborow A. G., 329. Holden James A., 745. Holm Alex., 64. Holmes A. D. and Langworthy C. F., 633. Holmes F. S., 825. Holmes G. K., 286. Holton F. S. and Lawrence Balls W., 242. Honing J. A., 523, 802, 804. Hood S. C., 362. Hohl John and Burri R., 483. Hood S. C., 728. Howard Albert and Howard Gabrielle. 136, 790. Howard Burton J., 856. Howard G. L. C. and Howard C., 726. Hughes F., 29. Humphrey H. N., 763. Hunziker O. F., Mills H. C. and Switzer H. B., 1076. Hunziker O. F. and Caldwell R F Hutchinson C. J., Evans A. R., Hacklemann J. C. and Mc. Donald E. M., Hutchinson C. M., 623, 750 Hutton G. H. and Fairfield W., H. 932. IDDINGS E. Y. and HICKMAN C. W., 833, 836. Ikeno S., 629.

Hewart R., Hirst C. T., Greaves J. E.

tues Marion, 925. Klebs Georg, 425. Kling M., 565. JACOBSON, H. O., 27. Knorr Fritz, 1002. Jakonchkine, J. V., 131, 413. Knut Vix, 1150. James C. C., 402. Kock I.., 809. Janka Gabriel, 455 Koff, G. and Maier H. N., 355. lanssens Van Raaij C., 711. Kolesnikov Alexandre, 159. fardine J. T. and Barnes Will C., 569. Kopeloff N. and Coleman D. A., 619. latindra Nathsen, 141, 230, 898. Korn V. E., 443. Jensen Hj. 426, 908. Kossovitch P. S. 1123. Jessup L. T. and Miller Dalton G. 707. Koultchizkij Ja. P., 248, 1163. Kraus E. J., 43. fimenez Juan B., 1159. Johansson Hj. and Akermann A., 800. Kraus E. J. and Ralston G. S., 43. Johns, Carl O. and Brewster J. F., 126. Kraybill Henry R., 823. Kressmann Frederick W., 92. Johns Carl O. and Jones, D. Breese, 127, 128. Krevs K., 314. Johns Carl, Viehoever Arno and Cher-Krionkov N. A., 234, 279. noff L. H., 416. Krisuamurti and Venkataraman, 820. Johnson Maxwell O., Thompson Alice Krotoff M., 948. R. and Sahr C. A., 1126. Kuczyaski L. and Monnier A., 405. Johnson T. C. and Rosa J. T., 543. Kulkarni L. B., Hanmate N. M., Bhi-Johnson W. T., Bowen J. T., Agers de R. K. and Burns W., 431. S. H., 283. Kvassay J., 308. blyet A., 158. lotkevitch V., 28. LABORDE J., 847. jones, D. Breese and Johns Carl O., Laforge F. B., 417. Lakon Georg, 533. 127, 128. lones J. S. and Colver C. W., 632 Lambert F., 1195. Jones Jenkin W., 328, 468. Lamon Harry M. and Lee Alired R., foret G. and Sirot M., 484. 838, 1048. Lange W., 340. 'evino S., 34. Langworthy C. F. and Holmes A. D., KABLONKOV, A. S., 130. 633, 791. Lanorville Georges, 761. Kachevarova O. N., 130. Kaiser E., 85, 848. Lapicque Louis, 1067. Kalaida F. K., Plotnitzkii G. A. and Laur Ernst, 846. Voulf E. V., 437. Lawrence Balls W. and Holton F. S., Kallert E., 285, 354. 242. Lawrence John V. and Harris J. Ar-Kaltenbach R., 748. thur, 419. Sappeli J., 483, 1042. Lawrence W. H., 451. xayser E., 668. sempster H. L., 1047. Lebedianzev A. N. and Zalygnine G. J. Senjiro Jugii and Yoshinari Kuwada Lécaillon A., 936, 1050. 423.

Lee Alfred R. and Lamon Harry M.,

838, 1048.

Legendre Jean, 472.

Legendre R., 1068.

Xildee H. H., 319.

129.

šitt Th., 469.

šishida M., Shibata K. and Nagai I.,

Mammano G., De Dominicis A. and Leighty C. E., 808. Diaferia L., 992. Leighty C. E. and Love H. H., 26. Mangels C. E., Morgan L. E. and For. Lemus Manuel, 2. Le Roy Georges A., 1070. bes E. B., 1183. Le Roy W. Allison, 659. Mangin Louis, 1220. Lesage Pierre, 24, 316. Mannarini Albino, 42. Leslie Gordon Corrie, 554. Mann Harold H., 431. Lévy-Salvador Paul, 999. Manrin G., 1056. Maquenne L. and Demoussy E., 717. Lillie Frank R., 929. Lindet, 588, 767, 769, 1185, 1218, 803. Marcarelli B., 330, 331. , 1220. Lindsey J. B. and Beals C. L., 259. Marcarelli and Novelli, 142. Lissonne E. C., 48. Marenghi E., 84. Lockett S., 1033. Marescalchi A., 366. Markell E. L., Ramsey H. J., Mackay Loder E. G., 909. A. W. and Bird H. S., 1227. Long, 49. Marsh C. D., Clawson A. B., and Marsh Longton J., 335. Lopriore G., 333. H., 54. 161. Love H. H. and Leighty C. E., 26. Marsh H., Clawson A. B., and Marsh Louis E. Wise and Walters E. H., 6. C. D., 54, 161. Marshall J. R. and Millin R. B., 1045. Lucks and Schmoeger, 528. Marson D., 470. Lundberg John and Akerman A., 1013. Martinoli Gaetano, pages 853, 1123, Lyman J. P., 1182. 1273. MAC ATEE W. L., 567. Martinotti F., 857. Mac Beth J. G., 994. Masoni Giulio, 278. Mac Bryde Ch. N., Powick W. C. and Masotto Leopoldo, 560. Hagland R., 587. Mathews O. R., 222. Mac Cormie K. E. B., 579. Mathewson W. E., 403 Mac Cue C. A., 665. Matthiesen and Beutler, 341 Mac Dole C. R., 1114. Manghan H. G. and Harris F. S., 705 Mackay A. W., Markell E. L., Ram-Maurin G., 270. sey H. J. and Bird H. S., 1227. Mazzocchi Alemanni Nallo, 445. Mac Killican W. C., 932. Me Celland T. B., 822. Mackintosh J. and Gavin W., 187. Mc Collum E. V., Simmonds V. and Macklin Theodore, 960. Pitz, W. 162, 163, 568. Maclanghey V., 559. Mc Cray Arthur H., 654. Mac Monnies W., Caldwell W. H., Mc Donald E. M., Hutchinson C. J. Vanderslice J. A., Winsloff C. M., Evans A. R., and Hackleman I. C 61. 144. Mc Dowell J. C., 182. Mac Whorter V. O., 845. Mack Winfred B. and Records Edward. Mc Fadden Edgard A., 808. Mensio C., 666, 1064. Magness J. R. Gardner V. R. and Yea-Merz F. L., 765. Mezzadroli G., 482. ges A. F., 251. Maier H. N. and Koff G., 355. Miège M., 404. Miller Dalton G. and Jessup L. E , 70 Makrinov I. A., 124.

Miller E. C., 1135.

Mallet Louis, 47.

Miller H. G. and Thomson S. M., 1214. Millin R. B. and Marshall J. R., 1045. Mills H. C., Switzer H. B. and Hunziker O. F., 1076. Modestov, A., 1115. Molines U., 73. Molony E. A., 706. Moore C. W., 1010. Montgomery Frank and Arnold J. H., Monnier A. and Kuezyaski L., 405. Montanari C., 524. Moore J. S., 741. Moreau L. and Vinet E., 1217. Morettini A., 544. Morgan L. E., Mangels C. S., Forbes E. B., 1183. Morgan L. E., Rhue S. N., Fritz C. M., Beegle F. M. and Forbes E. B., 648. Morgenthaler Otto, 839. Mori Nello, 645, 736. Morizot P., 1066. Morosov V. A., 130, 133. Morrison F. L., 474. fosseri V., 817. fouriquand G. and Weill E., 260, 566 loissu M. 563. lowry H. H., 276. füller Karl, 433. Junerati O. and Zapparoli T. V., 427. dunger Tharnton T., 454. Murdock H. E., 1000. Murphy L. S., 558. NAGAI ISABURO, 716. Nagai I. and Shibata K., 317.

Nagai Isaburo, 716.
Nagai I. and Shibata K., 317.
Nagai I., Shibata A. and Kishida M., 129.
Navarro De Andrade E. and Vecchi O., 557.
Natedo Manuel and Bajo Federico, 166.
Nawratil K., 643.
Nelson W. L., 1080.
Nestell R. G., and Anderson E., 905.
Newlin J. A., 1175.
Newman L. H., page 1003.
Nicolaleva A. G., 130.
Nicolaleva A. G., 130.

Nilsson Ehle H., 135, 422, 806. Nilsson George, 1146 Nishimura T., 1128. Novelli and Marcarelli, 142.

OAKLEV R. A. and WESTOVER H. L., 32.
Omeliansky V. L., 1122.
Opazo Roberto G., 224.
Orton W. A., 536.
Osborn T. B. G., 1164.
Osborne Thomas B. and Wakeman Alfred, 186.
Osborne W. M. and Snyder W. P., 709.
Owen Earle J. and Halsted Byron D., 1133.

PACZOSKIJ J., 313. Palmer E. F., 408. Palmer L.S. and Eckles C.H., 317, 651. Palmer R. C., 1176. Pantanelli E., 414. Papageorgios P., 140. Parow, 661. Pasquale Fortunato, 547 Passerini N., 997. Paul Théodore, 376. Pearl Raymond, 164, 167, 168, 231, 203, 345, 934. Pearl Raymond and Curtis Maynie B., 67. Peck F. W., 1061. Peck F. W., Cooper T. P. and Boss A., Peckolt Gustave, 155. Pee Laby E., 252, 1169, 1171. Peelen J. R. C. and De Jong A. W. K., Pember F. R., 1134. Perez G. V., 1029. Perichon A., 1148. Perotti R., 86, 852. Perracini, 669.

Perrandito A., 890. Perconcito A., 890. Pescott E. E., 1167. Philipps A. G., 571, 653. Pfciffer, 17, 257. Piccioli L., 923. Picdallu André, 40.

Rene Ch., 735. Reuss (Oberforstrat), 721.

igoulevskii G. V., Albrecht E. A. aud Voulf E. V., 550. Ping Nattino Juan, 1156. Piot J. B., 462. Piracchi Antonio, 933. Pittman D. W. and Harris F. S., 1125. Pitz W., Simmonds N., Mc Collum E. V., 162, 163, 568. Plaisance G. P., 1079. Plotnitzkii G. A., Kalaida F. K. and Voulf E. V., 437. Pole Evans, 147. Polter R. S. and Snyder R. S., 9. Ponzin Paul, 369. Poole James E., 287. Poepenoe Wilson, Dorsett P. H. and Shamel A. D., 449. Popenoe Wilson and Harris Arthur J., 315. Portier Paul, 926. Powick W. C., Hagland R. and Mac Bryde Ch. N., 587. Pren Moore, 837. Prescott J. A. and Russel E. J., 522. Prianichnikov, D. N., 130. Pritchard J. Frederick, 151, 233. Pryse Metcalfe T. and Scott George A., 1212. Puchner H., 991. Punnett R. C., 630.

RABAT FRANK, 247. Rabaud Etienne, 911. Rach C., 370. Ram A. 409. Runawara S. an I Avarai T., 439. Ramsay A. A., 799. Ramsey H. J. Mackay A. W. Maskell E. L. and Bird H. S., 1227. Ravaz L., 156, 452, 453. Ravenna C. and Ciamician G., 1136. Ray S. H., 1039. Ray S. H., Ward W. F., Copper Moston O. and Cotton J. S., 583. Records Edward and Mack Winfred, 53. Redondo A., 188. Reed C. O., 575. Reed O. E., 928.

Rey Emile, 914. Rhodin Sigurd, 725. Rhue S. N., Morgan L. E., Fritz C. M., Beegle F. M. and Forbes E. B., 648. Richards E. H., 797. Richardsen, 174, 652, 740. Ringelmann Max, 473, 574, 577, 578, 841, 945, 948, 1051, 1052. Ritzman E. G., 350, 930. Rivas Heracho, 924. Robertson Proschowsky A., 730. Robinson G. W., 793. Robinson W. O., Steinkoenig L. A. an! Try W. H., 1120. Roemer Th., 1139. Rohringer S., 217. Roig G. and Sergent Edm., 737. Rosa J. T. jnr., 250. Rosa J. T. inr. and Johnson T. C., 543. Rosenbuch Francisco and Zabala Joaquin, 829. Ross G. D. an i Hadlington Jas, 1191. Rothgeb Benton E., 812. Rouband E., 216, 458, 988. Rouband E. and Van Sageghesan R., Ronchelman Nadia and Wolff Jules, 534. Roule Louis, 70, 938. Rovira Enrique José, 517. Ruddick J. A. and Burgess Jos., 1060. Ruddiman H. D., 448. Russel E. J. page 693, 714, 1004. Russell E. J. and Appleyard A., 8, 795-Russel E. J. and Prescott J. A., 522. SABACHNIKOV V., 228. Saechi Rosa, 352, 655. Sagnier Henry, 940. Sahr C. A., Thompson Alice R. and Johnson Maxwell O., 1126. Saillard Emile, 1144. Salmon, E. S., 1142. Salomon R., 731, 1170. Samoilov Ja V., 310. Sannino F. A., 1065.

Saunders Edith R., 631. savoie J. N., 792. Sazerac R., 1122. Sazyperov P., 154. Scheltema A. M. P. A., 548. Schmoeger and Lucks, 528. Schribaux, 428. Scofield C. S., Headly F. B. and Curtis E. W., 132. Scott George A. and Pryse Metcalfe T., 1212. Secretain Ch., 1196. Serex P. Jr., 710. Sergent Edm, and Roig G., 737. Serpieri Arrigo, 83, 1213. Severson B. O , 464 Shamel A. D., 539, 580, 771. Shamel A. D., Dorsett P. H. and Popence Wilson, 449. Shantz H. L. and Briggs L. J., 134. Sherman J. M., 650. Shibata K. and Nagai J., 317. Shibata K., Nagai J. and Kishida M., Shibata Keita and Tahara Masato, 906. Shilston A. W., 460. Shorey Edmund C., Fry William H. and Hazen William, 406. Shutt F. T., 15. Sidenius E. ar.d De Vries O., 552. Signorini M., 326. Simmonds N., Pitz W., and M. Collum, E. V., 162, 163, 568. Sirinsoy M. G., 221. Sirot M. and Joret G., 484. Smith Edwin and Creelmann J. M., 863. Smith Frank, 169. Smits M. B., 818. Snyder, R. S. and Polter, R. S., 9. Snyder W. P. and Osborne W. M., 209, Somogyi Michael and Weiser Stephan 672. Souvorov W., 321. Spitzer George, Caldwell R. E., Anderson Ott. and Carr R. H., 467. Stanton R. T., 723. Stapledon R. G., 916. Statr Ch. G., 1043.

Stassano Henri, 859. Steinkoenig L. A., Try W. H., and Ro binson W. O., 1120. Stephens David E., 540, 901. Stephenson C., 676, 856. Sterret W. D., 1031. Stetefeld Richard, 373. Stevens and Clayton Beadle, 441, 538. Stevenson and Grant, 93. Stockberger W. W., 1008. Stoklasa Julius, 412. Strampelli Nazareno, 718. Stremme H., 897. Stute, 160. Stutzer A., 529. Sudworth G. B., 50, 826. Sundelin Gustav, 1147. Surface M. Frank., 231. Surface M. Frank and Zinn Jacob.. Switzer H. B., Mills H. C. and Hunziket O. F., 1076. TILLOTSON C. R., 1173. Tubusso M. E., 1035. Tahara Masato and Shibata Kéita, 906. Tamhane V. A., 1022. Tarchetti A., 356, 1206. Tavares J. S., 816. Tempany H. A., 794. Thomas L. M., 953. Thompson Alice, Sahr C. A. and Johnson Maxwell O., 1126. Thompson H. C. and Bailey H. S., 39 Thompson M. J., 899. Thomson S. M. and Miller G. H., 1214. Thorner Wilhelm, 307. Tillotson C. R., 1030. Tissèdre L., 183. Tisserand, 1185. Tockerell T. D. A., 1141. Tollev H. R., 764. Tollim N., 998 Tombolato Arturo, 956. Toscano Dario, 519. Tottingham W. E. and Beck A. J., 319. Tournier M., 749-

Townsend C. O. : n I Gore H. C., 768.

Trabut L., 323, 531, 555, 827.

Youette, G., page 1.

Troy H. C., 860, 1209.

Truche C., 561.

Truelle A., 44, 1071.

Trueman, 80

Truog E., 1118.

Try W. H., Steinkoenig L. A. and Robinson W. O., 1120.

ULRICH K., 444. Ultee A. J., 446. Unselt, 636.

Vacher Marcel., 1185.
Vallese F., 438.
Van Emmelen Amáro, 68.
Van Helten W. M., 903.
Vanderslice J. A., Caldwell W. H., MacMonnies W., Winsloff C. M., 61.
Vannuccini Vannuccio, 76.
Van Sageghen R. and Ronbaud E., 254.
Vecchi O, and Navarro De Andrade E., 557.
Velu H., 562.
Venkataraman T. S. and Krishnamurti Row K., 820.

Viehoever Arno, Chernoff L. H. and Johns Carl, 416. Vigiani D., 145, 428, 573. Villalba Abraham, 811. Villard V. and Desmoulin A., 336 Vinet E. and Moreau L., 1217.

Verne Claude, 720.

Vernet and Denier, 858.

Von Caron Eldingen, 420. Von Eckenbrecher E., 542.

Von Horvath Bela, 121.

Vorobiev S. J., 125. Voulf E. V., Kalaida F. K., Plotnitzkii G. A., 437.

Voulf E. V., Pigoulevskii G. V. and Albrecht E. A., 550.

Vuk M., 87.

Wacker H., 628.

Wakeman Alfred J. and Osborne Thomas B., 186.

Waliden J. N., 220.

Walter H. B., 746.

Walters E. H. and Louis E. Wise 6. Walters George, 1180.

Ward Archibald R. and Gallagher Ber.

nard A., 646. Ward W. F., Ray S. H., Cottou J. S., Copper Morton O., 583.

Wayne Dinsmore, 58.

Weill E. et Mouriquand G., 260, 566. Weis P., 1190.

Weiser Stephan and Somogyi Michael, 672.

Weldon Geo P., 729

Wellington J. W., 249.

Welch J. S., 810, 813.

Welsh Jules, 223.

Wentworth E. N., 66, 265, 344, 1189. West F. L. and Edlefsen N. E., 894.

Westover H. L. and Oakley R. A., 32. White Thos H., 824.

Whitehouse W. E., 43.

Whiting R. A., 1037.

Wiancko T. A. F., 1077. Williams Milo B., 708.

Williams W. L., 1178.

Wilson James W., 65.

Wilson T. R. C., 1175.

Wind G., Hendricksz R. D. and Berkaut A. D., 712.

Winkler I., W., 527.

Winsloff C. M., Caldwell W. H., Mac Mannies W., Vanderslice J. A., 61. Wirth, 374.

Witte Hernfrid, 146.

Wolff Jules, 534.

Wolff J. et Geslin B., 1137.

Wolff Jules and Rouchelman Nadia. 534.

Wolkoff M. I., 1121.

Wood Chas D., 59.

Wood H. P., 1181.

Wood H. P. and Bishopp F. C., 839. Wyers E. W., 1161.

YEAGER A. F., MAGNESS J. R. and GARDNER V. R., 251. Yoshinori Kuwada and Kenjiro Jujii,

423.

Young H. D., 638. Yuncker, T. G., 23. Zeele, 447. Zegen A., 280. Zell C. A., 1187.

MABALA JOAQUIN and ROSENBUCH FRANCISCO, 829.

Zentmire Zelma and Fowler Chester, 1113.

Zago F., 45.

Zielinski C. M. J., 888. Zinn Jacob and Surface M. Frank.,

Alvenine G. F. and Lebedianzev A. N. 225. Zapparoli T. V. and Munerati O., 427. Zelerbauer E., 1014.

Zlataroff As., 586. Zwart S. G., 60.

tori.

III. - PLANT DISEASES

A) INDEX OF SUBJECTS.

Abies: Thecopsora sparsa, 383. Acacia: Acacia spp. 681. Acacia melanoxylon, 977. Observations on the Coccidae of Europe, Atrica and America, 977. Acalypha Wilkesiana, 607. Acer: A.campestre !681. Phomopsis Platanoides on Acer Pseudoplatamis, 969. Agromyza on Acer rubrum, 1109. Acer saccharum, 885. Phenacoccus aceris, in Hungary, 213. Cladosportum acerinum on Negundo aceroides, 1233. Achras Sapota, 107, 607, 1253. Acid, hydrocyanic, on the Eggs of Apples pomi and A. avenue Apple Parasites, 206. Aclerda takionis, 60". Acrocorcops cramerella, 1256. Acricomia media, 607. Adoretus compressus, 500. Adrama: A. austeni on the Fruits in India, 107. A. determinata on the Tea Plantations in Java, 113. Aegle Marmelos, 107. Aegopodium Podagraria, 382. Aeschynomene sensitiva, 607. .! 8thognatus ajer, 783. Africa: New Uredinaceae in East

Africa, 193. Bacterium campestre,

Injurious to Crucifers Cultivated in South Africa, 201. New Species of Coccid-Infesting Chalcids on the Gold Coast and in Southern No geria (Africa), 302. Ceratitis esyra and C. capitata, Diptera Injurious to Fruit Trees in South Africa, 513. Fungi of Angola, 681. Notes on Coccid-Infesting Chalcidoidea, 783. Chalcididae Living in the Fruits of Wild Fig-trees; see Observations on the Coccidae -: Europe, Africa, and America, or: Fruit Flies (Sub-Genera Tribate and Dicus), observed in Eryttaca Nyasaland and Mauritius, 970, N gerian Fungi, 1085. Observations on the Coccidae of Asia, Africa and America, 1000. Insects Injurious to the Cacao Plant in the Belgian Congo and Natal, 1107, Inset-Injurious to Cultivated Plants :: North Africa, 1252. Acave sisalana, 607. Agelaius icterocephalus, 1261. Agrilus burkei n. sp., a Colcoptere Parasitic on Almus rhombifolia at A, tenuitolia in California, 887. Agriolimax agrestis, 1084. Agrioles : A. lineatus and A. obscur-

on seeding sugar-beets, 111. A. lineatus in Denmark, 1084. Observations on the Life History of Agriotes obscurus Linn. 508. Diseases observed in Austria-Hungary during 1915, 112. fgromyza spp., 785, 787, 1100. Agrotis exclamationis, 205. terotis segetum Observed in Austria-Hungary during 1915, 112. Damaged cabbages and turnips, 205. A. segetum and A. exclamationis on Tobacco in Ireland, 205. A. segejum in Russia, 611. A. segetum in Denmark, 1081. Agnacate, Persea gratissima attacked by Coccidae of Porto Rico, 607. {kermes n. spp. 977, 1100. Alang-alang, Imperata arundinacea, 914. liber in moluceana attacked by Helopeltis, 614. Attacked by the Coccidae of Atrica, 977. Heides frenatus, a Coleopteron Injurious to the Mango-tree, in Bengal, 212. licides theobromae, 1107. Lamiles triloba attacked by Septobasiduum bogoriense, 808. Aleurodicus destructor, 601; Mgarrobo, Hymenaea Courbard, 607. Ugeria: Insects Injurious to Cultivated Plants, 1252. Elimon: New Japanese Pungi, 905. Almacigo, Elaphrium Simarulai, 607. Almendra, Terminalia Catappa, 607. timond: Observation on Plant Discases carried out in 1015 at the Royal Institute of Cryptogamic Botany of Pavia, Italy, 381. "Little Leuf " on almond in California, 1241. Unus spp., 887 Imaranthus patulus, 382. Imbrosia trifida, 885. Imelanchier attacked by Phomopsis Imelanchieris, on a. .1. attacked

by Agromyza,11 ou.

America: On the Hibernation and Spread of Cereal "Ruots" Sub-tropical Climates, 97. Observations on the Coccidae of Asia. Africa and America, 1099. Anami, Pavonia typhalaea, 607. Andropogon: A. Sorghum attacked by Chaetodacus, spp. 107. Anemone nemorosa, 382. Aneristus ceroplastae How., 507. Ameristus croconotus, 392. Angitia plutella, 882. Angola, see Arrica, Annato, 607. Anona: Coccidae of Porto Rico, 607. Coccidae of the Philippine Islands, 1253. Ant: The "Gramang" Ant from the Point of View of its Economic Importance, 507, 156. The Ant in the control of Pests of the Cocotree, 1256, 1259. Anthomyia conformis, 112. Anthonomus grandis in the United States, 49. Authraenose of Bean and of Pea. 100 Anthurium azaule, 667. Antriesma Bunnes, 1253. Antigonon lebtopus, 1253. Antilles: Root Diseases Due to Rosellima sp., in the Lesser Antilles, 500, New Mites, Mostly Economic (Arach, Acar.). 781. Physothelps vanthius sp. nov., a New Thysanopteron Damaging Cultivated Orchids Cattleval in Trinidad, West Indies, 684. Cotton Plants as Green Manure; a Method of Controlling the Mite Eciophyes cessypii and the Scale Insect Saissetta nigra in the Island of St. Kitts, Lesser Antilles, 1102. Willistonia exuriens, a Tachinid Parasite of the Lepidopteron Automeris janus in the Island of Trinidad, Antilles, 1257. Automeris

janus a Lepidopteron Living on

Cacao and on Erythrina spp. in

the Island of Trinidad, Antilles, 1260. Agelaius icterocephalus, a Bird Injurious to Rice in the Island of Trinidad (Antilles), 1263. Intothrips aculeata, 1084. Aonidietta perniciosa, 206. Apanteles parasite of Notarcha, 211. Aphis: A. avenue injurious to Oat 205, 206, 1084. A. brassicae, 1084. A. papaveris, in Hungary, 112. A. pomi and A. avenae in Canada, 206. Aphis pruni, on Prunus, in Ireland, Aplanobacter Rathayi, 1084, 1093. Apocrypta westwoodi, 301. Apple scab, 1086, 1227. Apples: Tropicoris . wipes, Palamena prasina, Phyllopertha horticola, Smerinthus ocellatus, Lvonetia clerkella, Bibio sp, injurious to apple trees, 205. The Effect of Hydrocyanic Gas Fumigation on the Eggs of Aphis pomi and A. acenae, Apple Parasites in Ontario, 206, Phenacoccus aceris on the apple trees in Hangary, 213. Observations on Plant Diseases carried out in 1015 at the Royal Institute of Cryptogamic Botany of Pavia, Italy, 381. Xylaria sp., the Cause of Root-Rot of the Apple in Virginia, United States, 604. Influence of Temperature on the Development of Fungi causing Rot in Stored Potatoes, 776. Notes on the Black Apple Leaf-Hepiter (Idiocerus fitchit, 788, Xylama sp., the cause of Root Rot in Apple Trees in North Carolina, United States, Over - Wintering of the Apple-Scab Fungus, Venturia innequalis, in Canada, 1087. Venturia Fome in the United States, 1227. Apricots: Observations on Plant Diseases carried out in 1915 at the Royal Institute of Cryptogamic Botany (Cryptogamic Laboratory) of Pavia, Italy, 381. The "Little

Leaf " Disease of the Apricot to California, 1231. Arachides: Pea-nut Mosaic, 192, Comcidae of the Fhilippine Islands Araeocerus fasciculatus, a Colcopte ron injurious to Technosia candila 1259. Aralia: Host plants of Thirling basicola, 292. Lecanium persus crudum on leaves of Aralia, 473 Arctostaphylos alpina, 385. Ardisia humilis, 976. Areca Catechu, 696, 905. Areca lutescens, 607. Arenga saccharitera, 1253. Argentine: Mesolecanium deltae n. 81. a Gall-forming Scale Insect of served upon Species of Citrus, 78 The Natural Enemies of the Maco lepidopteron Oiesticus plateusis ette cho de canasto") attacking Tree in the Argentine, 981. Lewis; pin: a Coccid Attacking Pines: the Argentine, 987. Fungous b seases of Wheat in the Argentia 1092. Animal Pests of Wheat 116 Armillaria mellea, 686, 1249. Arrenophagus chionaspis, 607, 11-Arrowroot attacked by Rosella spp., 050. Arsenite: An Experiment of spraing the Cassida pallidula with 12% so ution of arsenate of les and arsenite of zinc, 297. Arsenat of lead against Ceratitis cessra, 51 Arsenate of Lead against Chaccnema ectyta, 613. Phillotiela d moriciae, 787. Arsenate of Leagainst Eudemis and Cochylis, 58 Plutella maculipennis controlled 1 arsenical sprays, 882. Meligethes a neus, a Coleopteron Injurious Cruciferae in Sweden, 1106 Artemisia spinescens, 701. Arthrolobium, 133 Arthrophillum diversifelium, 114. Articarpus spp. attacked by Condae in the Philippine Islands, 1253.

Arcogrous integrifolia attacked by Chaetodacus ferrugineus incisus, 107. Attacked by Pleurotus radicosus, n. sp., 868.

Aundo Donax, 681.

Asclepias curassavica, 781.

Aschochyla: A. Brassicae, 503. A. hortorum, 680. A. Pisi, 100. A. sp., the Cause of a Disease of Cabbages, 503.

Aserica variegata, 1107.

Asia: Observations on the Coccidae on the Asia, Africa and America, 1099.

Asparagus falcatus, 976.

Asparagus Sprengeri, 607.

Asparagus variety resistant to rust 824.

Aspergillus parasiticus, 509.

Asperula odorata, 382.

A-pidi-tiphaeus citrinus, 607, 783. Aspidi-tus: A. (Chrysomphalus), ausci on the leaves of the coconut palm, 100. A. bromeliae, 106. A. camelliae, 783. A. cyarophylli, 607. A. distructor, 607. A. distrospermi finnultiera, 100. A. perniciosus, 100. A. spp., 607. Coccidae Observed in the Royal Botanic Gardens Kew, England, 970. Coccidae Observed in South Africa, 977. In British Guiana, 1100. In the Philippines, 1253.

Aspidoproctus spp, 1090.

Asplenium nidus, 1253.

Asta, against Plasmopara vitis, 194. Aster subulatus, 606.

Asterolecanium: A. bambusae, 976. A. speciabile, 1999. A. spp. in Porto Rico, 607. Coccidae observed in the Seychelles Islands, 100.

Amplex attached by Lita atriplicells, 112.

Atmosphere: On the Hibernation and Spread of Cereal Rusts in Sub-

tropical Climates, 97. Relation between Climate and Life-Cycle the Tussoch Moth (Liparis monach).

Lymantria monacha), 782. Atmospheric-Electricity and damage of Hevea, 985. Hop resistant to diseases and bad seasons, 1142. Winter Wheat, 1146, 1147.

Aucuba japonica, 681.

Aulacaspis pentagona, 607. Aulacaspis rosae, 1253.

Australia: Plantago Psyllium, a New Weed in South Australia, 605. Scorzonera laciniata, a New Weed in Southern Australia, 780.

Austria-Hungary: Diseases and Pests of the Sugar-beet observed in Austria-Hungary during 1915, 112. Comparative Tests of Remedies against Vine Mildew (Plasmopara viticola), in Austria in 1916, 194. Scale Insects as Vine Pests and their Relationships with other cultivated Plants, 213. The Defective Development of Walnut Shells in Austria, 201. Synchylrium in Hungary, 294. Microgaster glomeratus, a Braconid Observed on Wheat in Austria, 206. Experiments Made in Austri in Protecting Forest Treesiespecially Resinous Kinds) from Injury by Game, 302. Pseudococcus nipae (= Dactylopius nipae), a Scale Insect Injurious to Palms, in Hungary, 615. Cochodes juliginosus, a Coleopteron Injurious to the Poppy, in Austria, 693. Relation Between Climate and Life-Cycle of the Tussock Moth (Liparis monacha=Limantria monacha) in Bohemia, 782.

Automeris jamus, 1287, 1260. Avicennia nitida, 977, 1099. Awi tali, 614.

Aximopsis javensis, 1259. Azalea attacked by Stephanitis tioides, 1008. Azteca schimperi, 1100. ACCHARIS VIMINBA, 701.

acillus: C. carotovorus, 1089. B. Lymantriae and B. Liparis, n sp., 610. B. Omelianskii n. sp., as the Cause of "Bacillary Gummosis" of Sorghum, 102. B. Solanacearum, 680 Bacteria on Cultivated Plants: Bacteria and Fungi in Their Vital Relationship with the Tissues of Plants. 493. Fungi and Bacteria as a Means of Combating Insects Injurious to the Sugar Cane, 509. Bacteria and Fungi Parasitic on Cultivated Plants. Observed in 1915 in the Province of Turin and Neighbourhood, 680.

Bacterium: B. campestre, Injurious to Crucifers Cultivated in South Africa, 201; B. citrarefaciens, 972. B. Phaseoli, 874. B. Pruni, 1096. B. Pytymysi, 396. B. Tabacum, in North Carolina, 1244. B. vascularum, 962. Bael, Aegle Marmelos, 107.

Bamboo: Coecidae of Porto Rico, 607. Bamboo attacked by Helopeltis spp., 614. Bambusa Metake, 781.

Bananas: On a Disease of the Banana in the Şaleyer Islands, Indian Archipelago, 190. Notarcha (Nacoleia) octasema, a Microlepidopteron Injurious to the Banana, in Java, 211. Coccidae of Porto Rico, 607. Coccidae in the Philippine Islands, 1253.

Barbadoes: Dinaspis annae n. sp. on Citrus, 608.

Barbarea vulgaris, 382.

Barley: Uspulum a New Preparation for the treatment of Cereal grains against Fungoid diseases, 100. Contarinia trilici, a Dipteron Injurious to Wheat and Barley in Sweden, 692. On the Specific susceptibility of Barley to Leaf Stripe Disease (Helmithosporum grammeum), 777. Tetranobia decepta on barley, 781. Hordeum trifurcatum

attacked by Mycosphaerella Lordy, cola, 965, Ustilago nuda and U. Truly, ci. Observed Respectively on Barley and Wheat in Java, 97°. Fungi Insects and Animals Infurious to cultivated Plants in Denmark, 1684, Blitophaga opaca, a Coleoteteron Injurious to Barley, Beets and Potatoes in the Scandinavian Peninsula, 1604, Mites Attacking Orchard in United States, 1168.

Bean: Uspulum, a New Preparation

fean: Uspulum, a New Preparation for the treatment of Cereal Grain against Pungoid Diseases, 100 Host Plants of Thielavia basicola, 202 Nezara viridula, a Rhyncote Pest of the Tomato the French Bean and the Potato in New South Wales 298. Attacked by Sclerotinia Litertiana and Colletotrichum Lindena thianum in 1915, Italy, 381. Iv Africa, 681. Bacterium Phase Einjuriousto Pield Beans in Michigan U. S. A. 874.

Begoniaceae: Host Plants of The living basicola, 292.

Beni bana, 905.

Berengena cimarona, Solanum ... cum, 607.

Bela maritima, attacked by Lita on. latella, 112.

Betula alba attacked by Lecanica zebrinum, 975.

Bibio. B. abbreveatus, a Diptered Injurious to Celery in Alberta Canada, 512. B. hortulanus, 1084 Bibio Sp., 205.

Bicho de canasto, 981.

Bignoniaceae: Host Plants of Teals via basicola, 202.

Bindweed prominent, 884.

Biosteres carpomyiae an endophagon parasite of Carpomyia vesician-115.

Birds: Vanellus vanellus, Larus, C.; vus prugilegus, C. monedula, Sturna vulgaris against Agrioles observa 508. The Squirre! as an Eucm.

of Forest Plants and of Birds. 516. Bixa Orellana, 607. Bluberus discordalis, 1098. Black apple leaf-hopper, 788. Black knot, Plowrightia morbosa, 825. Black rot of Chestnuts in Italy, 203. Black rot of cruciferous plants, 201. Black scab, 294. Black scale, 1102. Blastophaga Spp., 391, 886. Blighia sapida attacked by Lecanium subhirsulum, 997. Blitophaga opaca, 1104. Biumea balsamifera, 1253. Robemia see Austria-Hungary. Bombyx, Unlike, Lymantria dispar, Bordeaux Mixture see Prevention and control . Bosna, against Plasmopara viticola, 194. Regretis: B. anthophila, on the clover in Russia, 199. B. cinerea, a Disease Attacking the Shoots and - Fruit of Fig Trees in England, 202. Resistance to B cinerea, 731. B. culgaris in Italy, 381. Bougainvillea spectabilis, 681. Brachvacantha 10-punctula, 1100. Bracon tletchers an ectophagous, patasite of the laxya Carponivia cesacrana, 115. Brissica: B. campestris var. Rapa and var, Rutabaga attacked by Plutella maculibennis and by Agrotis segetum, 205. B. oleracea, 382. Brassica spp. attacked by Bacterium campestre, 201. Bremia Lactucae on Lactuca saliva, Labsana communis, Souchus oleraceus and Senecio vulgaris in the Province of Pisa, 382. Bromelia Pengian, 607. Broan: The Noxious Action of Sea salt, oo. Bruja, Bryophyllum finnatum, 007. Brusca of the Olive Trees, 438. Bryobia prateusis, 1108.

Bryophyllum pinnatum, 607.
Bul brush, Artemisia spinescens, ,---,
Bulgaria: Observations on the Vine
Phylloxera in Bulgaria, 697.
Bushy starwort, 606.
Byrsonima spicata, 607.

CABBAGES: Bacterium campestre Injurious to Crucifers Cultivated in South Africa, 201, Insect and, O. ther Enemies of Cultivated Plants Observed in Ireland during 1914* and 1915, 205. Tortrix oleraceana n. sp., a Microlepidopteron Injurious to Cabbages in Newfoundland, N. America, 209, Microgaster glomeratus a Braconid Observed on Wheat, Austria, 296. Ascochyla sp. the Cause of a Disease of Cabbages in Germany, 503, Phytomyza flavuornis, a Dipteron Injurious to the Milan Cabbage, in Lombardy, 604. Phyllotreta armiraciae, 787. Variety in the United States, 824. Plutella maculipensis, 882. Fungi, Insects, and Animals Injurious to Cultivated Plants, Observed in Denmark in 1010, 1084, Meligethes neneus, 1100. Cacao: Micromycetes Injurious to Cacaos under Glass, at Pavia, Italy, 502. Pseudococcus crotonis. 507 Root Diseases Due to Rosellinia sp. in the Lesser Antilles, 500. Notes on Coccid-Infesting Chalcidoidea, 783. On Some Rhynchota of Economic Importance from Columbia, 780. Diseases in the Dutch Indies, 978. Stictococcus gowleyi on Cacao, toog. Insects Injurious to the Cacao Plant in the Belgian Congo and Natal, 1107. The Control of Canker (Phytophthora Faberi) of the Cocoatree in Java, 1212, Coccidae of the Philippine Islands, 1253. The Aut Dolichoderus bambereula tus in the Control of Pests of the

Cocoa-tree, in Java, 1256. Automeris janus, a Lepidopteron Living on Cacao and on Erythina spp. in Island of Trinidad, Antilles, 1200. Cadillo, Urena lobata, Triumfetta semitriloba, 607. Cadillo pequeque, Patonia typhalaea, 007. Ciesalpinia pulcherrima, 1253. Caimito, 607. Cij inus indicus, 607, 977, 1099. Cakile maritima f. latitolia, 382. Calandra granaria attacked by Dibrachys sp., 108. Calotropis attacked by Datus longistylus, 107. Camara, 607. Cambium miners, 1009. Camomile: Peranospora Radii a Parasite of Camomile New to Italy, 1005 Canada: The Effect of Hydrocyanic Gas Fumigation on the Eggs of Aphis pami and A. avenae, Apple Parasites, in Ontario, 206. Bibio obbreviatus, a Dipteron Injurious to Celery, 512. Tarsonemus sp., a Mite Parasitic on Cyclamens in Ontario, 616. Phyllotreta armoracute Koch on the Horse-Radish, 787. Notes on the Black Apple Leaf Hopper (Idiocerus fitchi Van D.). 788. Over-Wintering of the Apple-Scab Fungus, Venturia inaequalis, in Canada, 1087. Plant Diseases Recently Observed for the First Time in Canada, 1232. Canker of the Cocoa-tree, 1242. Canker-patches, 1094. Cannon bull tree, 977 Cape Devil's Thorn, 204. Cape Dubbeltje Doorn, 204. Cape Spinach, 204 Capuadium Footi, 965 Capparis inermis, 382. Capparis spinosa, 382. Capsella Bursa-pastoris, 382.

Capsella gracilis, 382. Capsicum: C. frutescens attacked by Chaetodaeus ferrugineus dorsalis, 107 Cardamine Chelidonia, 382. Carex ovalis attacked by Lecanopsis longicornis, 975. Careya arborea attacked by Chaetadacus spp. in India, 107. Carissa sp., 976. Carpomya spp. Injurious to the Fruit of Zicyphus, 115. Carrots: Psila rosae on Carrots in Ireland, 205. Host Plants of Thirlavia basicola, 292. Carthamus tinctorius attacked by Marsonia Carthami in Japan, 965. Carum Carvi, 1201. Carva olivaejormis, 881. Carva ovata, 885. Caryota urens, 696, 868 Casearia sylvestris, 607. Cassia occidentalis, 1259. Cassida pallidula, 297. Casso, Saccharum spontaneum, 613 Castanea mollissima, a Chinese Chestnut-tree Resistant to Endothia 24 rasiluca, 18, 99. Castilloa: Coccidae of Porto Rico, 607 Castor-oil Plant: Ricinus attacked by Chaetodaeus spp. in India, 107. Cor cidae of Porto Rico, 607. Nov Japanese Fungi, 965. Rust (Um? Ricini) of the Castor-oil Plant is Morocco, 1245 Catscar, 489. Cats Heads, 204 Cattleya, 98 p Cecidomyia sp., 978. Celery: Phaedon turnelulus and Psil rosae on Celery in Ireland, 205 A tacked in 1015 by Septoria Apic) Italy, 381. Bibio abbreviatus a Dr. teron Injurious in Canada, 51 Coccidae of Porto Rico, 607 Celtis australis, 680, 681. Celtis occidentalis, 885. Celtis philippinensis, 1253 Centaurea solstitualis, 689.

cidoidea, 783.

and Ceylon, 107.

pin in Latium, 293.

flea-beetle ") a Coleopteron Parasi-

tic on Cultivated Gramineae and

Lucerne, in the United States, 613.

n. sp. a Parasite of the White, Lu-

rasitie of the "Grain Weevil", 108,

Chalcididae of the Wild Fig-Tree in

India, Ceylon and Java, 391. New

Species of Coccid-Intesting Chalcids

on the Gold Coast and in Southern

Nigeria (Africa), 392. Wolffiella

ruforum, 393. Notes on Coccid-Infest-

, 696. Notes on Coccid-Infesting Chat. Cephalosperium Lecunii, 607, 1100. Cerapterocerus pattersoni parasite of Chaetocnema ectypa (" the desert corn l'insonia personata, 392. Cerastium glomeratum, 382. Cerasus Laurocerasus, host of Lecanam capreae, 975. Chaetococcus bambusae, 607. Ceratitis: C. capitala on Citrus fruits Chaetodacus Spp. in India, Burma in North Africa, 1252. C. cosyra and C. capitata, Diptera Injurious to Chalaropsis thielactables, n. g., and Fruit Trees in South Africa, 513. Ceratomy, a temoralis, 785. Cerate phyllus, 396. Chalcididae: Dibruthys a Chalcid Pa-Ceratesolen spp., 301, 886. Cercis canadiensis, 885. Carospera berionala, 492. Cereals: On the Hibernation and Spread of Cereel Rusts in Subtropical Climates, 97. Uspulum, a New Preparation for the Treatment of Cercal Grains against Fungoid Diseases, 100, A New grain standardization laboratory in Minnesota, United States, 214. The Influence on Germination of the Hot Water Treatment of Cereal Seeds for Smut. 533. On the Appearance of Puccinia glumarium Yellow Rust) on Wheat in 1913 and 1010 in Germany, 597 Cricus attacked by Diaspis echiatecicii, urb. Carcophala cornigera, 308. Constant temoralis C wheat-sheath

Cephaleuros virescens, 978.

ing Chalcidoidea, 783. Chalcididae living in the fruits of Wild. Fig trees in Eritrea and Uganela, 886 Chamacrops humilis, 681. Cherleneuromyra navensis, 507. Cheimatebia brumata dangerous to Rhododendr m. 205. Cheiranthus Cheiri, 3-2. Chenopodiaceae: Host Plants of Thie larra basicola, 292. Chenobodium attacked by Lita atriblicella, 112. Chenopodium album, ot. miner"), a Dipterous Pest of Chenopodium murale, 382 Chermes abietis, 505. Wheat, 785. minimisae, 612 C. Cherry: Myxomycetes and Fungi of Carplastes + C Piedmont, Italy, 1233. 1981, 975 Ceroplastis spp. 1090. 1100, 1253. Coreidae observed in Chestnut: A Chinese Chestnut-tree Resistant to Endothia parasitica, 90. the Sevelielles Islands, 100, Coccidae On the Black Rot " Nerume " of Porto Rico, 607 or "Marciume nero" of Chestnuts, Ceatharhynchus assimilis, and C quain Italy, 203. Phenacoccus aceris Ardens, 1081. observed on the wild chestmuts, Cevlon: Fruit Phes, 10- Chalcididae 213. New Observations on the " Ink of the Wild Fig-Tree in Ceylon, Disease" of the Chestnut Tree sur. Rhynchophorus ferrugineus, a in Italy, 387. Phoma endogen a Coleopteron Injurious to the Co-Spheropsid Parasite of the Chestcount and other Palms in Cevlon,

nut in Piedmont, 687. Studies on the "Ink Disease" of the Chestnut tree in Italy, 973. The Chinese 2 Chestnut, 1129. Chile: Lepidosaphes diaspidiformis n. sp. on Myrceugenia planipes, 608. Chilocorus bipustulatus, 691. Chilocorus melano phthalmus Mols., 507. Chiloneurus afer and Chil. evanolus, 392. Chiquastis: Coccidae in Seychelles Islands, 100. Coccidae of Porto · Rico, 607. Chionaspis, spp. 783, 917. Chilly, see Capsicum. Chlorophenate of mercury content in Uspulun, 100. Chlorops taeniopus, 1048. Chlorosis, Toxic, of Maize, 101. Choanephora Cucubitarum, 100 Cholam, Andropogon Sorghum, 107. Cholus torbesii, 1098. Chortoglyphus gracilipes, 781. Chremylus rubiginosus, 108. Crythalus hambei, 978, Chrysanthemulis: Tarsonemus pal-Idus, a Mite Parasitic on Cyclamen and Other Plants in the United States, 983. Chysanthemums attacked by Pulvinaria in Africa, 1099. By Coccidae of the Philippine Islands, 1253. By Tarsonemus pallidus, 1262. Chrysomphalus: C. aonidum and C. spp., 607. Chrysomphalus dictyosbermi attacked by Prospallella fasciata n. sp., 110. On the So-Called Varieties of the Scale Insect Chrysomphalus dietyospermi Injurious to Citrus Plants, 600. Chrysomphalus minor injurious to oranges in North Africa, 1252. Observations on the Coccidae of Europe, Africa and America, 977. Of British Guiana, 1100. Coccidae of the Philippine Islands, 1253. Chrysomyxa abietis, 505.

Chrysopa claveri, 1100.

Chrysophyllum argenteum, 607.

Chrysophyllum Sp., 976. Cicer arietinum attacked by Phyllosticta cicerina, 681. Cigarette beetle, 781. Cinchona: Helopeltis spp. injurious to Java, 614. Cinchona plantations, 978, Cinnamonum: Coccidae in the Sev. chelles Islands, 106. Coccidae of Porto Rico, 607. Diseases attack. ing Cinnamon Tree, 1161. Circaea Inteliana, 383. Cirsium arcense, 390. Cistus laurifolius, 801. Citharexylum truticosum, 007. Citrus blast, 972. Citrus fruits: The Fruit Flies Occuring in India, Burma, and Ceylon 107. Appropriations of the Federal Department of Agriculture of the United States, 214. Citrus auranastolia, 500. List of the Cecadae of Porto Rico, 607. On the So-called Varieties of the Scale Insect Chrysomphalus dictyospermi, Injurious to Citrus Plants, 600. Messleen nium deltae n. sp., a. Gall-forming Scale Insect observed upon Spevies of Citrus, 789. Septobasidium albidum on Citrus, 808. Insects Injurious to Cultivated Plants in North Africa, 1252. Selenaspern articulatus on Citrus, 1253. Citris Medica: Coccidae in Barbas does bos. Cladosborium acerinum on Acer No gundo, 1233. Cladosporium herburum, 196. Clasterosporium carpophilum, 381 Claviceps purpurea, 1084. Cleirastra flacibes, 1081. Cleanus sp. observed in 1915 in Austria Hungary, 112. Clover: The Influence of Parasitic Fungi on the Clover Crop, 1995 Host Plants of Thielagia basic A.

202. Tetranickina abicalis on white

clover, 781. Enemy in Denmark.

1084. Sitona lineata, a Coleopteron Injurious to Leguminosae in Sweden, 1105.

Clover mite, 1108.

Clytus (Plagionolus) arcualus, a Coleopteron Injurious to the Oak in Germany, 698.

Cnearhinus exaratus, 1081.

Cuicus arvensis, 300.

Coccidoxenus coelops and C. obscuratus, 392. C. distinguendus n. sp., 783. Coccoloba uvitera, 607.

Coccophagus bogoriensis, Koningsb. 507.

Coccus: C. hesperidum, 607. C. mangilerae, 607. C. tomentosus, 976. C. vitis, 213. Coccus spp. 1253. Cocklebur, Kanthium pennsylvanicum,

701. Coco de mer, 106.

Coconut: Coccidae observed in the Seychelles Islands, 10b. Coccidae of Porto Rico, 607. Aleurodicus destructor, a Rhyneote Pest of the Coconut, in the Philippines, 605. Rhynehophorus terrugineus, Coleopteron Injurious to the Coconut and other Palms in Ceylon, 600. Pseudocacus mpac, 976. Diseases and Pests of Cultivated Plants in the Dutch Indies during 1010, 678. Coccidae in the Philippine Islands, 1253.

Codineum sp., 607, 1000, 1100, 1253. Coloides juliginosus a Coleopteron Injurious to the Poppy in Austria,

Coffee: Diseases into Reunion, 36.

Coffee robusta, 507. Root Diseases
Due to Rosellinia sp. in the Lesser
Antilles, 500. Coccidae of Porto Rico,
607. Coccidae on the coffee-tree,
783. Corticium salmonicolor on the
Coffee-tree, 808. Hymonochaete novia
on the coffee-tree, 808. Lecanium
spp. on the coffee-tree, 977. Diseases
in the Duich Indies, 978. Lerya
migrareolata on coffee, 1099.

Colaspidema atra, 1255. Coleosporium spp., 971. Coleus sp., 607. Collaria oleosa, 786.

Colletotrichum: C. cereale on Wheat in Canada, 1232. C. Lindemuthianum, 381, 681. C. olizochaetum, 381. Columba venus, 1084.

Columbia: On the Injury to Rice called "Hielo", in the Villavicencio Region, 207. On Some Rhynchota of Economic Importance from Colombia, 786.

Compositae: Host Plants of Thielavia basicola, 292.

Conchaspis angraeci, 607.

Conchylis ambiguella, 881.

Congo, Belgian: The Organisation of the Agricultural Department in the Belgian Congo, 177. Insects Injurious to the Cacao Plant in the Belgian Congo, 1107.

Contophora cerebella, 967.

Contothyr:um Dasylirii, 681. C. tirelense, 869.

Construchelus nemuphar, 109, 825. Contarinia tritici, 692, 1084.

Convolvulus hawk-moth, 1251.

Copper: Preparations using copper as a basis against Plasmopara viticida, 194.

Cordia sp., 607, 976.

Cornandrum salieum, 1261.

Cornus alba, 904.

Corozo, Acrocomia media, 607.

Certicium salmonicolor, 808.

Corticium sp., 978.

Corvus frugilerus, 1084. Coryneum permiciosum, 387, 973.

Corypha clata, 1253.

Cotton: Diseases of cotton, 214. Gossypium herbaccum host plant of Thiclavia basicola, 292. Disease Resisting Sea Island Cottons, in the United States, 593. Cotton attacked by Choanephora Cucurbiarum, 600. Coccidae of Porto Rico, 607. Pectinophora gossypicili (Pink Boll-

worm) a Microlepidopteron Injurious to Cotton and Pyroderces tileyi (Scavenger Bollworm) another Microlepidopteron which May Easily be Mistaker for the Former, 879. The Chief Insects Injurious to the Cotton Plant in the Punjab, India, 883. Cotton Plants as Green Mamure: a Method of Controlling the Mite Eriophyes gossypii and the Scale Insect Saissetia nigra in the Island of St. Kitts, Lesser Antilles, 1102. Coccidae in the Philippine Islands, 1253. Cotton bollworn, 883. Coupida, 977. Courida, see Avicenna nitida. Cowpea wilt, 684. Cranberry, 290. Crassiseta nigriceps, 787. Crataegus Oxyacantha, 788. Cremastogaster Sp., 1009, 1100. Crescentia Cuiete, 607. Crinum giganteum, 681. Crioceris asparagi, 1253. Cristatithorax latiscabus Gir., 507. Cronartium ribicola, 601, 1246. Crotalaria striata, 1259. Crotalaria usaramoensis resistant to insect attacks, 980. Croton humilis, 607. Crucifers, cultivated: Bacterium campestre Injurious to Crucifers Cultivated in South Africa, 201. Insects and Other Enemies of Cultivated Plants in Ireland, 205, Host Plants of Thielania basicola, 292. Sclerotinia Matthiolae n. sp. Parasitic on Matthiola valesiaca and other Cruciferae, in Switzerland, 778. Life History of Plutella maculipennis, the Diamond-Back Moth, 882. Melizethes aeneus, a Coleopteron Injurious to Cruciferae in Sweden, 1106. Cryphalus abietis, 505. Cryptocerus atratus, and C. minutus,

1100.

Chrysobalanus pellocarpus, 977. Chrysophlyctis endobiacica, 294. Ctenopsylla, 396. Cucumis attacked by Chaefodacus-SDD., 107. Cucumis sativus attacked by Cheanethora Cucurbitarum, 600. Cucurbita spp. attacked by Chucts. dacus spp., 107. Cucurbitaceae: Attacked by Dacus brevistylus, 107, Host Plants of Thielaria basicola, 292. Chounephan Cucurbitarion, a Phycomycete Parasite on Cucurbita spp. in North Carolina, United States, 600. Cheurbitaria Piceae, 505. Cumullit against Plasmopara citicola, 10.0 Curl of the Potato, 198 Curly Dock, Rumer crispus, 701. Curly-leaf, 1231. Cutworms, 611. Cycas circinnalis, 1253. Cycas revoluta, 607. Cyclamens: Tarconemus sp., a Mite Parasitic on Cyclamens in Ontario. Canada, 616. Tarsonemus pallidas a Mite Parasitic on Cyclamen and Other Plants in the United States, 083. "Cyclamen mite" 983. Cycloconium: C. oleaginum in Italy 381, 438. Cylindrosporium Brassicae, 1081. Cymbidium Tracyanum, 608. Cyperaceae: Host Plants of Thielawa basicola, 292. Cyrtacanthacris nigricornis, 510, 678. 985. Cyrtogaster occidentalis, 785. Cystopus spp., 380, 382, 581. Cytospora batata, 598. Cylosporina ludibunda, 686. DACETON ARMIGERUM, 1100. Dacnusa, 785.

Dactylis glomerata, 1093. Daetylopius nipae, 615.

urus: D. oleae, attacked, by Eupelmus urozonus, 115. D. oleae var. astatica n. var., 210. D. oleae in North Atrica, 1252. Ducus spp., 979. The Fruit Plies Occurring in India, Burma and Ceylon, 107. adap, see Erythrina. milia variabilis, 681. Jalbergia latifolia, 978. Jarluca Filum on Uromyces Polygalac. 193. ustlirion acrotrichum, 681. late Palm; Coccidae of Porto Rico, 1607. Phoenix dactylifer, attacked by Coccidae in England, 977. Coccidae in the Philippine Islands, enmark: Fungi, Insects and Animals Injurious to Cultivated Plants, Observed in Denmark in 1916. 1084. Atlanobacter Rathavi Injurious to Dactylis glomerata in Denmark, 1093. esert corn flea-beetle, 613. namend-back moth, 882. Dunthus Caryophyllus attacked by Septoria calycina, 681. Suporthe spp., 964. Diaspis: D. rchinocacti, 607, Prospattella berlesei against D. tentagona, our Coccidae observed in the Sevchelles Islands, 106. Coccidae Observed in the Royal Botanic Gardens, Kew, England, 976. Ditrachys spp., a Chalcid Parasitic of the Grain Weevil, 108. Divmella applanata, a Spheriaceae Parasite on the Raspberry in Switzerland, 779. Dihammus fistulator, 985. Dilenia philippinensis, 1253. Olophia graminis, 381. binaspis annae n. sp., 608. D: spyros Kaki, 1253. Diflococcus Lymantriae, n. sp., 610. Difilodia Traversiana, 681. Diplodiella Goetheana, 681.

actylopius vitis, 213.

Diplosis sp., 1256.
Diplotaxis sp., 382.

Diseases due to Fungi, Bacteria and

other Lower Plants: Observations on Plant Diseases carried out in 1915 at the Royal Institute of Cryptogamic Botany of Pavia, Italy, 381 A New Disease of Wheat, Probably of Bacterial Origin, 969, Fungi Insects and Animals Injurious to Cultivated Plants Observed in Depmark in 1916, 1684. Plant Diseases Recently Observed for the First Time in Canada, 1232. Diseases not due to parasites or or unknown origin: The nexious Action of Sca-salt deposited on Scashore Plants, ob. Tuberoid Deformities on Sunflower Roots in Italy. 189. On a Disease of the Banana in the Saleyer Islands, 190, "False Blossom", a Disease of Cranberry (Oaveoccus macrocarfus) in the United States of America, 299. The defective Development of Walnut Shells in Austria, 291, A New Disease of Pelargoniums in Germany, 380. Effect of the Sirocco upon Tunisian Vinevards in July 1616, 490. Toxic Chlorosis of Maize, 491. Pea-Nut Mosaic, 492. Factors Determining the Occurrence of "Silver-Leaf" on trees, 775. Gummosis of the Sugar-Cane in Java, 402. The Treatment of Sugar Cane Cuttings with regard to Sereh Disease and Disease of the Phloem in Java, 963. Investigations on the Dving-out of Pepper-Vines in the Dutch-East-Indies, 1083. The Presence of Nitrites and Autmonia in Diseased Plants, 1088. Experiments on Potato Leaf Curl in France, 1229. New Discase of the Pineapple, 1230. The Little Leat Disease

Djamoer ocpas, 978. Dolichoderus bituberculatus, 507, 614.

of the Vine, 1231.

weolichoderus sp., 1100, 1256, 1259.
Dothichiza populea, 1232.
Dropping, Resistance to, 731.
Drosicha patavinica and Drosicha spp., 1253.
Dry-rot, 1241.
Dusky cotton bug, 883.
Dutch- East-Indies: Diseases and Pests of Cultivated Plants during 1916, 978. Investigations on the Dying-out of Pepper-Vines in the Dutch-East-Indies, 1083. See also Java, Sumatra.
Dysdercus cingulatus, 883.

EARIAS INSULANA, 883. Ectatoma tuberculatum, 1100. Egg Plants : Cassida palliaula (" Eggplant Tortoise Beetle") Parasitic on the Eggplant and the Potato in Louisiana (U. S. A.), 207. Coccidae of Porto Rico, 607. The damage caused by Aschochyta hortorum, 680. New Japanese Fungi, 905. Eggs plant tortoise beetle, 297. Egypt: Europhera osseutella, a Microlepidopteron Attacking Potatoes, in Egypt, 982. Eichhornia crassipes, 1082. Eluchiptera nigriceps, 787. Elachista coffeella, 36. Elaphrium Simaruba, 607. Elateridae: A New Remedy for the Successful Control of Elateridae, 111. Diseases and Pests of Sugarbeet observed in Austria-Hungary,

"Elm-galerucella" (Galeruca luteola) in Spain in 1917, 986.

Emex australis, a Queensland Weed, 204.

Empusa Fresenii, 607.

Endothia parasitica, 18, 90.

Endothia radicalis, 973.

Entomophthora Phylonomi, 1084.

Entyloma hieronense, 681.

Ephialtes manifestator, 781.

Eriaporus laticeps, 783.

Erigeron linifolius, 614. Eriobotrya japonica attacked by Ma crophoma Eriobotryas, 681. Eriodendron aniractuosum, 1253. Eriopeltis testucae, 975. Eriophyes gossypii, 1102. Erlangea tomentosa, attacked by Pa. cinia Erlangeae, 193. Errengium maritimum, 96. Erysiphe graminis, 381, 1084. Ervsiphe Polygoni, observed on the Clover crop in Russia, 199. Erythraspis glauca, 977. Eritrea: Scutellista giganlea n. sp., Chalcid Parasite of the Corc Ceroplastes mimosae, in Eritrea, 61 Chalcididae Living in the Fruits Wild Fig-trees in Eritrea, 88 Fruit Flies (Sub-Genera Ermaand Dacus), observed in Eritic Nyasaland and Mauritius, 979 Erythrina spp., 607, 614, 976, 97 1083, 1100, 1260. Erythropalum scandens, 1253. Escoba, 607. Eucalymustus chelonioides, 977, 11 Eucalyptus: Coccidae of Porto Ru 607. Eugenia: E. calubcob, 1253. E. J. bolana, attacked by the Fruit Fli 107. E. Jambes, 607, 1253. E. v. laccensis, 977, 1253.

Eulecanium corni var. robiniarum Hungary, 213. Eulecanium persicae, in Hungary, 2 Eunotus trumcatipennis, 302. Euonymus americanus attacked Phomopsis spr., 901. Euconymus europaeus host of Li nium capreae, 116, Factors Det mining the Occurrence of "Sil Leaf" on Trees, 775. Eupatorium edoralum, 607. Eufelmus javae, 1259. Eupelmus urozonus ectophagous rasite of Dacus oleae, 115. Euphorbia attacked by Aspidi 976.

Euphorbia Peplus, 606. E. sanguinea, Eupristina Spp., 391. European fruit Lecanium, 1101. Eurydema oleracea, 1081. Furstoma caridei, 981. Fusemion cornigerum, 783. Elsemion pattersoni, 392. Entypa ludibunda, 686. In alsa Paulowoniae, 965. Europhera osseatella a Microlepidopteron Attacking Potatoes in Egypt, Leaspidiorus fimbriatus var. capensis, 977. have creadiscolor, 970.

FAGOPY RUM ESCULENTUM, attacked by Scientinia Fagopyri, 965. Fagus sylvatica, 382. Faise blossom, 200.

False Ragweed, Franseria acanthi-(arta, 701.

Ferma Sellowiana, 877.

Locentrus ortmansi, 1107.

Fiber Libethicus, 397.

Figus: F. laevigato, 607. F. nitida, 607. F. Sycemorus attacked by Cerates den arabicus and Sycophaga sycomori, 886. Ficus Sp., 1253. Fious Carron, see Fig.

Fig: Figus sp. attacked by the Fruit Flies, occurring in India, 107. Dotives emercia Disease Attacking the Shoots and Fruit of Fig Trees in England, 202. Chalcididae of the Wild Fig-Tree in India, Ceylon and Java, 391. Coccidae of Porto Rico, 607. Chalcididae Living in the Fruits of Wild Fig-trees in Erig tria and Uganda, 886. Ficus Carica attacked by Phomopsis spp. in England, of a. Phytophthora Me-. agenue, obs. Observations on British Coccidae, 975. Observations on the Coccidae of Europe, Africa and America, 977. Aspidoproclus criticosus on fig tree, 1000. The

"Little Leaf" Disease of the 6~ tree in California, 1231. Fiorinia spp., 1223. Fiorinia hewensis, 976. Flat weed, 380. Flax: Longitarsus purculus on the Flax in Ireland, 205. Flea seed, 605. Flies, The Fruit, 167, 979, 1252... Fly, Olive, 210, 1252.

Forage Crops: Enemies in Denmark, 1081. Aplanobacter Rathayi Injurious to Dactylis glomerata in Denmark, 1093. Forestry: Experiments Made in Aus-

tria in Protecting Forest Trees from Injury by Game, x02. Rhyssa persuasoria and Ephialtes manifestatur, Hymenoptera useful to Forestry, 784. See also Pines, Oaks, Juniper, Larches, etc. E-rpeula auricularia, 1084.

Formalin against Bacterium camtis-

tre injurious to Crucifers, 201. France: The Phytopathological Inspection of Horticultural and Vine-Graving Establishments, 289, Becillus Lymantriae, B. Liparis n. sp. and Diclococcus Lymantriae n. st., Parasites of the Larvae of the " Unlike Bombyx " (Lymantria dispart, in France, 610. Table Grape Hybrid Bearers and Hybrid Direct Bearers in the Seine-et-Marne District, France, in 1917, 1169, 1170. The "Madone "Vine in the Department of Aude, France, in 1917. 1171. Experiments on Potato Leaf Curl, in France, 1220. Armillaria melica, a Basidiomycete Injurious to the Walnut Tree, in France, 1249. Disease of Bacterial Origin Observed in Spargemothis pilleriana, in France, 1251. Observations on Mergenia iloralis, a Dipterous Parasite of the Lucerae "Negril" Colasprilema atra), in France, 1255. Fraxinas americana, 885.

Frazinus excelsior attacked by Phomopsis in England, 964.

Frost: The Freezing of Fruit Buds, · 894. The Resistance of Certain Omamental Plants to Frosts in England, 895.

Fruit-Tree: The Fruit Flies, 107. Enemies of Fruit Trees in Ireland, 205. Citrus and subtropical fruit diseases, 211. Laspeyresia molesta, injurious in the United States, 300. Ceratitis cosyra and C. capitata, Diptera Injurious to Fruit Trees in South Africa, 513. Idiocerus filchi in Canada and in the United States, 788. The Natural Enemies of the Macrolepidopteron Oiceticus platensis ("bicho de canasto"), Attacking Trees in the Argentine, 981. Mites Attacking Orchard and Field Crops in Utah, United States, 1108. Littl eleaf in California, 1231.

Fuchsia Sp., 1262.

Fumago in Hungary, 213.

Fumaria officinalis, 382.

Fungi: Fungi in the San Martino Valley (or Germanasca Valley), Piedmont, Italy, 191. Research Work in the Laboratories of Agricultural Mycology and Entomology in the Belgian Congo, 192. New Uredinaceae in East Africa, 193. The Influence of Parasitic Fungi on the Clover Crop, 199. Bacteria and Fungi in Their Vital Relationships with the Tissues of Plants, 493. Fungi and Bacteria as a Means of Combating Insects Injurious to the Sugar Cane, 509. Sorosporella uvella and Its Occurrence in Cutworms in America, 611. Bacteria and Fungi Parasitic on Cultivated Plants in Piedmont, 680. Fungi of Portugal and Angola, Africa, 681. Influence of Temperature on the Development of Fungi causing Rot in Stored Potatoes, 776. Fungi of Switzerland, 867. Fungi of Tonkin 868. Further Researches on the Morphological Variations Due to Environment in Coniothyrium # rolense and Phyllosticta pirina, Soc Spondylocladium atrovirens, a Hy phomycete Parasite on Potato Tu bers, New to Italy, 873. New Ja panese Fungi, 965. The Acidifyin Action on the Basidiomycete C niobhora cerebella on Timber, 90 Nigerian Fungi, 1085. Soil Fun Injurious to Cultivated Plants: the New York Botanical Garden 1086. Myxomycetes and Fungi-Piedmont, Italy, 1233. Fungi a North Dakota, United States America, 1234.

Fusarium: F. arthrosporioides, 124 F. coeruleum the Cause of the Dry Rot of the Potato Tuber the British Isles, 1241. F. v. borum and F. trichothecivides the United States, 1241. F. Sein on the potato in 1915 in Italy, is F. tracheiphilum Parasitic on So Bean, 681, Uspalun a New P: paration for the Treatment of C real Grains against Fungoid Dis-Ses. 100.

Fusicladium on Pear trees and App trees, 381.

GALERUCA LUTEOLA, 986.

Galerucelia, Elm, 986.

Game: Experiments in Protects Forest Trees from Injury by Gan 302.

Gandul, 607.

Gangrene: Diseases of Sugarbeet Bohemia, 712.

Garcinia spp. attacked by Chaese cus spp., 107.

Gardenia sp., 507, 1253.

Gelechia gossypiella, 879. Geranium nodosum, 382.

Geranium spp. attacked by Soil Fun 1086.

amany: A New Disease of Pelarconiums in Germany, 380, Wolfsella ruforum, n. gen, and n. sp., a chalcid Parasite of the Eggs of Lighyrus rufus in Germany, 393. Isrochyla sp. the Cause of a Disease of Cabbages, in Germany, 503. piscase Resisting Varieties of Poone, in Germany, 542. On the Appearance of Yellow Rust on Wheat 14 1014 and 1916, 597. Clylus !Plagonotus) areuatus, a Coleopteron Injurious to the Oak, in Germany, 668. Serelia Saubinetii, 381, Elina cerealis, 351. Sieldüne, 685. hitrschia triacanthus, 607. osperium: G. caulivorum on the Clover in Russia, 199. G. elasticae, 501. G. Lindemuthianum, 100, G. Specarrinci and G. triviale, 681. cat head Buza, 204. orthocarpus truticosus and G. phyearpus, 205. severum barbadense, 607. ssypinor, see Cotton. ramang, 507, 1250. raminaceae: Attacked by Fruit Flies in India, 107 affefhyllum spp., 607, 1253. reat Britain and Ireland: Verticilcum albo-atrum, Causing the Verticillium Disease of the Potato, 168, Barylis cinerea, a Disease attacking the Shoots and " Fruits of Fig Trees in England, 202, Insects and Other Enemies of Cultivated Plants, Observed in Ireland during 1914, and 1915, 205. Solanum nigrum and S. Indicamara, Hest Plants of Synchyfrum end bioticum (Chrysophlycus cadobiotica), in Great Britain, 294. Diseases and Pests of the Common Spruce (Picea excelsa) in Darnaway Forest Scotland, 505. Hylastes cumealarms Er, and Its Relation to the Forest in Scotland, 515. Notes

on Coccid-Infesting 783. The British Species of Phomopsis, 964. Observations on British Coccidae, 975. Coccidae Observed in the Royal Botanic Gardens, Kew, England, 976. Fusarium o er leum the Cause of the Dry Rot of the Potato Tuber in the British Isles, 1241. The Abundant Occurrence of Sphinx convolvati in Scotland, 1251. Grecillea: Coccidae on G. robusta in Porto Rico, bor Grossuloria hisiella, 1246. Grünrange, 112. Gryllocalfia gryllotaica, 1048. Guama, 607. Gnanábano, 607. Guatemala: Diseases of Potatoes, 2. Guatemote, Baccheris cominea, 701. Guava: Attacked by Chactodacus spp. in India, Burma and Ceylon, 167. Coccidae of Porto Rico, 607, Lecanum spp. on guava, 977. Observations on the Coccidae of Asia, Africa and America, 1099. Coccidae in the Philippine Islands, 1253. Guayaba, 1607. Guazuma ulmilolia, 607 Guetturda scabra, 607. Guiana: Observations on the coccidae, 977. Coccidae of British Guiana 1100. Tomastis tristis a Rhyuchote attacking Sugar Cane in Surinam, 395. Gummosis: Bacillus Omelianskii n. sp. as the Cause of " Bacillary Gummosis" of Sorghum, 102." Gummosis" of the Sugar Cane in Java, 962. Gymnaspis acchineae, 976. Gymnaspis grandis on fruit of Coco de mer (Lodoicea Sevehellarum), 1001 Gymnococcus agavium, 976. Gymnonychus californicus, 200.

HABROLEPIS AFICALIS, 783. Hadena secalis, 1084.

Gymnosporangium Sabinae, 98.

Hadromycosis of the Potato, 198, Higuerete, Ricinus communis, two-Holotrichia helleri, 509. Homalonema philippinensis, 1256 'Haltica sp. in Austria-Hungary, 112. Hamelia patens, 607. Homoesoma nebulella, 321. "Hops: Wild Hops of the United St. Harriella Castaneae, 203. tes Resistant to Disease and G Hawthorn attacked by Lecanium bituberculatum, 975. matic Changes, 1236. Horse-Radish Flea-Beetle: its L Heart rot and dry rot, 112. History and Distribution, 787, Pp. Helianthus annuus, see Sunflover. tella maculifennis, 882. Helicosporium Nymphaearum u. sp., a Hyphomycete Parasite of Nym-Hoslundia sp. attacked by P. Hoslu phasa in the United States, 603. diae, 193. Howardia biclacis, 607, 976, 1100. · Helminihia echioides, 433. Hungary, see Austria-Hungary. Helminthosporium gramineum, Hung-hua, 975. Helminthosporium Theobromae, 502. Hura crepitans, 977. Helopeltis spp. injurious to Tea and Hydroecia micacea, injurious to P tato in Ireland, 205. Bamboo, 614. On cacao, 978, 1256. Hydrophyllaceae: Host Plants Hemichianaspis: Coccidae in the Seychelles Islands, 106, Coccidae of Thielaria basicola, 292. Porto Rico, 607. Observed at Kew, Hylastes cunicularius, 515. England, 976. Coccidae in British Hylastes palliatus, 505. Hylemyin coarctata, 1081. Guiana, 1100. In the Philippine Hymenaea Courbaril, 607. Islands, 1253. Hemp: Eulecanium corni var. robi-Hymenochaete noxia, 868. niarum on hemp fields, 213. Hymenoclea, 701. Hyperaspis coccidae of British Gai Hendersonia Oleae, 681. Herpetrichia nigra, 680. na, 1100. Hesperis matronalis, 382. Hypochoeris radicata, 389. Heterodera: H. radicicola, 684. H. Hyptis sp., 607. schachtii, 1084. Heterodera sp.: Tu-Hystrichobsylla, 390. beroid Deformities on Sunflower IBERIS AMARA, 882 Roots in Italy, 189. Herea: In the Belgian Congo, page Icerya; I. montserratensis, 607. Ica-181. Abnormal Leaf Fall in a Heyen spp. in Africa, 1090. In Seychelic Plant observed in Java, 501, 978. Islands, 106, Coccidae of Por-Chytopathological Notes on Herea. Rico, 607. Observed at Kew, Es-985. Nigerian Fungi, 1085. Phylogland, 976. In the Philippine is hthora Faberi, the Cause of Hevea lands, 1253. iker, 1094. Idiocerus fitchii, 788. 's : Attacked by Puccinia exilis Imperata arundinacea, 614. t Africa, 193. Hibiscus spp., India: The Fruit Flies Occurring ::: by Choanephora Cucur-India, Burma and Ceylon, 107. The 500. Coccidae of Porto Olive Fly (Dacus oleae var. a.); Hibiscus Rosa-sinensis tica u. var.) and One of its Parasi-Sclerotinia Libertiana. tes Recorded for the First Time in ese Fungi, 965. India, 210. Alcides frenatus a Coleopteron Injurious to the Mangeo Rice, 207.

he Wild Fig-Tree in India, 301. The thief Insects Injurious to the Coton Plant in the Punjab, 883. An act to Eradicate Eichhornia crassins a Troublesome Weed in Burma, India, 1082. sligo: Root development of Indigo m Bihar, 136. Alechina: Fungi of Tonkin, 868, alt Disease of the Chestnut Tree, 387, 673, 1129. Sa laurina, 607. 123 cera, 607. white theobromae, 1099. Plant vilrea, 60%. ciurious insects and other Lower Animals: Coccidae in the Seychelles Islands, 100. The Fruit Flies, 107. Pests of Sugar-beets, 112. Injuries to Seed-producing Tea Plantations in Java, 113. Diptera inburious to the Fruits of Zerythus. 115. Insects and other Enemies of Cultivated Plants, Observed in Ireland, 205. Scale Insects as Vine Pests, 213. Chalcididae of the Wild Figatee, New Species of Coccid-Injesting, 301. Chalcids in Africa. 12. The Gramang Ant from the Point of View of its Economic Importance, 507. Observations on the Late History of Agrades obscurus, Linn., 508, Insects Injurious to the Spruce in Darnaway Forest, Scotland, 514. Coccidae of Porto Rico, 1997. New Mites, mostly Economic 3). On Some Rhynchota of Econoand Importance from Colombia, 786. Scale Insect observed upon Species of Citrus, 780. Plum-Growing at the Maryland Agricultural Experiment Station, 825. The Chief Insects Injurious to the Cotton Plant in the Punjab, India, 883. Coccidae of United States; 885. Chalcididae

Living in the Fruits of Wild Fig-

Mees, 886. Observations on British

ree, in Bengal, 212. Chalcididae of

Coccidae, 975, 976. Observations on the Coccidae of Europe, Africa and America, 977. Disease and Pests of Cultivated Plants in the Dutch Indies during 1916, 978. Fruit Flies (Sub-Gener Tridacus and Dacus), Observed in Eritrea, Nyasaland and Mauritius, 979. Phytopathological Notes on Heyen, 985. Leucuspis bini a Coccid Attacking Pines, 987. Animal Pests Observed During 1916 in Denmark, 1097. Undesirable Insects which Have Recently Been Introduced into New Jersey, 1098. Observations on the Coccidae of Asia, Africa and America, 1099. Coccidae of the British Guiana, 1100, Coccidae in the United States, 1101. Animal Pests of Wheat in the Argentine, 1164, Insects Injurious to the Cacao Plant in the Belgian Congo and Natal, 1107. Mites attacking Orchard and Field Crops in Utah, United States, 1168. The Abundant Occurrence of Sphinx concelude in Scotland, 1251. Insects minrious to Cultivated Plants in North Africa, 1252, Coccidae of the Philippine Islands, 1253.

Injarious Vertebrates: Experiments Made in Austria in Protecting Forest Trees (Especially Resinous Kinds) from Injury by Game, 302, The Squirrel as an Enemy of Forest Plants and of Birds, 516. Corcus frugilegus, 1084. Azelaeus & exceptablus a Pird Injurious to Rice in the Island of Trinidad, Antilles, 1203, Insects parasites for control of pests, 500 Prevention and Control.

Institutions: Royal Institute of Cryptogamic Botany of Pavia, Italy, 381. Laboratories of Agricultural Mycology and Entomology in the Belgian Congo, page 179.

Inula salicina, 382. Iodine Bush, 701. Ibomeca spp., 607. Iris flavescens, 386. Ischnaspis filiformis, 106, 976. Ischnaspis longirostris, 607. Isotoma tenella, dangerous to Tulipa in Ireland, 205. Italy: Biological observations on Roestelia cancellata, a Rust attacking the Pear, 98 Prospatiella jasciata n. sp., a Chalcid Parasite of the · Scale Insect Chrysomphalus dictvospermi, 110. On Species of Tripaneidae (Diptera), Genus Carpomvia Injurious to the Fruits of Zizyphus, 115. Tuberoid Deformities on Sunflower Roots in Italy, 189. Fungi in the San Martino Valley (or Germanasca Valley), Piedmont, Haly, 191. On the Black Rot (" Nerume" or "Marciume nero") of Chestnuts, in Italy, 203. Decree of the Italian Minister of Agriculture, Prohibiting the Export of Various Plants and Parts of Plants, 288. Chalaropsis thielavendes n. g. and n. sp. a Parasite of the White Lupin in Latium, 203. Observations on Plant Diseases carried out in 1915 at the Royal Institute of Cryptogamic Botany (Cryptogamic Laboratory) of Pavia, Italy, 381, Peronosporacea observed in Tuscany, Italy, 382. New Observations on the "Ink Disease" of the Chestnut Tree in Italy, 337. The control of Field Voles in Italy, 396, Micromycetes Injurious to Cacaos under Glass, at Pavia, Italy, 502. Studies on Wheat in the Province of Rovigo, Italy, 541. Lepidosaphes tubercolata n, sp, on the leaves of Cymbidium Tricyanum, 608. Decree regarding the Organisation of the Phytopathological Service in Italy, 678. Decree by the Minister of Agriculture, in Italy, Regulating the Importation of Living Plants, Portions of Plants, Seeds and other

Ireland, see Great Britain.

Plant Products, 679. Bacteria au Fungi Parasitic on Cultivate Plants, Piedmont, 680, On the Cat ses of Root Rot of the Mulbert and Protective Measures in Pimont, Italy, 686. Phoma endous a Spheropsid Parasite of the Ches nut in Piedmont, Italy, 687, Pr pultella berleset against Diago pentagona, Observations in Pic mont during 1916, 691. Phytoma. flavicornis, a Dipteron Injurior to the Milan Calbage, in Lombard 694. Decree of the Italian Ministra of Agriculture Regulating the Issue of Certificates of Immunity Growers and Sellers of Plants : Portions of Plants, 774. Decrees the Italian Minister of Agricultar Suspending the Importation Certain Plants or Portions of Plan into the Kingdom, 865. Decree ; mending the Single Text of the Laws Controlling the Spread Phylloxera in Italy, 866, Ston. locladium atrovirens a Hyphomyce Parasitic on Potato Tubers, No to Italy, 873. Pestalozzia Lucae :: sp., and P. Feijose n. sp., Mela. conicae Parasite on Ouercus Ilex agrifolia and Feijoa Selloviana to pectively in Tuscany, Italy, 87 Experiments on the Control of L: demis and Cochylis (Polychi botrana and Conchylis ambigue! in Piedmont, Italy, 881, Studies the "Ink Disease" of the Ches nut Tree, in Italy, 973. Permiss? Radii, a Parasite of Camomile, No. to Italy, 1095. Myxomycetes at Fungi of Pielmont, Italy, 1235 Iva uxillaris, 701. Ixora coccinea, 1253. Ixora ferrea, 607.

JAKPRUIT, Artocarpus integrifolia, v. 868. Jantaica: Metamasius ritchier, n. 85

neapple, in Jamaica, 111. Jaman, Eugenia Jambolana, 107. Japan : New Fungi, 965. Jasmin: Coccidae observed in Seychelles Islands, 106. Coccidae in Porto Rico, 607. In British Guiana, 1100. In the Philippine Islands, 1253. latropha Curcus, 1094. Java: Injuries to Seed-producing Tea Plantations in Java, 113. A Peronospora Disease of Maize (Zea Mays), 197. Notarcha (Nacoleia) ectasema a Microlepidopteron Injurious to the Banana, 211, Chalcididae of the Wild Fig-Tree, 391. Abnormal Leaf Fall in an Heyea, 501. Experiments on the Infection of Insects with the Fungus Metarrhizium Anisophiae, 510. Investigations on Helofeltis, a Capsid Parasite of Tea, 614. Gummosis of the Sugar-Cane in Java, 962. The Treatment of Sugar Cane Cuttings with regards to Sereh Disease and Disease of the Phloem in Java, 963. Ustilag) nuda and U. Trifici on Barley and Wheat in Java, 970. Xyleborus coffeae and Pests of Cultivated Plants, 978. Crotalaria usaramoensis, a Plant for Green-Manuring, Resistant to Insect Attacks, 98o. Phytojathological Notes on Heyea, 985. Phytophthora Faberi the Cause of Hevea Canker, 1001. The Control of Canker (Phytophthora Faberi) of the Cocoa-tree in Java, 1212. The Ant Delichoderus bituberculatus in the Control of Pests of the Cocoa-tree, 1256. Araeocerus tasciculatus a Coleopteron Injurious to Tephrosia candida in Java, 1259. Jazmin, 607. Jobo, Spondias lutea, boy. Jumping mite, 1108.

Juniperus : I. Sabina, J. Oxycedrus, I.

phoenicea, J. virginiana, J. japo-

a Coleopteron Injurious to the Pi-

nica, J. macrocarpa, J. tripartita, J. excelsu, 98. Juniperus Sabina, see Sabina. Justicia Betonica, 507. KAKI, see Diospyros Kaki. Karschomyia cocci, 607. Kerria japonica, 961. Kitul, 696. Koniga maritima, 882. Kuse, 965. LACHNELLA CERASI, 1233. Lagenaria vulgaris attacked by Chaetodacus spp., 107. Lantana, 607. Lupsana communis, 382. Larch: Strophosomus coryli and Phyllobius argentaius on Hazel Larch in Ireland, 205. Hylastes cunicularius, 515. Larix: Thecopsora spaisa, 383. Lasinderma serricorne, 781, 1261. Lasfeyresia molesia, 300. Laurus : Stigmatea laurincola, 681. Lead, see Arsenité. Leaf-blister mite, 1102. Leaf curl of the Potato, 198, 1229. Leaf roll of the Potato, 198. Leaf-stripe of Barley, 777. Lecaniobius cockerelli, 1100. Lecaniodiaspis tarsalis, 1099. Lecanium . L. capreae, a Scale Insect Injurious to Robinia Plantations, in the Province of Ekaterinoslav (Russia), 116. L. capreae enemy of Robinia Pseudo-Acacia, 159. L. coffeue, L. viride, L. nigrum, on Coffee, 36. L. mangiferae, 106. L. robiniarum, 213. L. sacchari, 509. New Species of Coccid-Infesting Chalcids on the Gold Coast and in Southern Nigeria, 392. The Gramang Ant from the Point of View of its

Economic Importance, 507, No-

tes on Coccid-Infesting Chalcidoi-

dea, 783. Coccidae observed in

England, 975, 976.

Lecanopsis spp. observed in England 975.

Lera aequala, 61.1.

Legislative and Administrative Measures: Appropriations of the Federal Department of Agriculture of the United States for the Fiscal Year Ending June 30, 1917, 214. Decree of the Italian Minister of Agriculture Prohibiting the Export of Various Plants and Parts of Plants, 288, Credits Allocated in 1916-17 for the Control of Diseases and Pests of Plants, in the United States, 379. The Phytopathological Inspection of Horticultural and Vine-Growing Establishments Considered as a Factor of Increased Exportation in France, 289. Decree Regarding the Organisation of the Phytopathological Service in Italy, 678. Decree by the Minister of Agriculture in Italy, Regulating the Importation of Living Plants, Portions of Plants, Seeds and other Plant Products, 579, Decree of the Italian Minister of Agriculture Regulating the Issue of Certificates of Immunity to Growers and Sellers of Plants or Portions of Plants, 774. Decree of the Italian Minister of Agriculture Suspending the Importation of Certain Plants or Portions of Flants into the Kingdom, 865. Decree Amending the Single Text of the Laws Controlling the Spread of Phylloxera in Italy, 866. An act to Eradicate Eichhornia crassipes a Troublesome Weed in Burma. India, 1082.

Leguminosae: Host Plants of Thietavia basicola, 292. Silona lincala a Coleopteron Injurious to Leguminosae in Sweden, 1105.

Lemon Tree: Glocosporium Spegaztinit, 681. Bacterium citrarelaciens 5. nov. the Cause of the Disease of "Citrus blast" in California, 972.

Leonotis nepetaefolia, 781.

Lepidosaphes: L. citricola, 973. L. duponti on leaf stalks of coconut
palm, 106. L. luberculata n. sp., L.
diaspiditormis n. sp. and Dinashis
annue n. sp. Scale Insects Recorded
in Italy, Chili, and Barbados Respectively, 608. L. ulmi, 394. Coccidae
observed in England, 970. Coccidae
in the Philippine Islands, 1253.

Leptilon canadense, 607. Leptocorisa sp., 978.

Leptomastix dactylopii, 1100.

Leptosphaeria herpotrichoides, 381, 1084. Leptosphaeria Napi on Brassica Rapa, 1232.

Leptoxyda longistylus, 107.

Lepus europaeus, 1084. Lettuce: Peronosporacea observed in Tuscany, Italy, 382, Coccidae of Porto Rico, 607.

Leucaspis indica, 607.

Leucaspis pini, 987. Leucapholis rorida, 510.

Leucosyke capitellata, 1253.

Lilaila, Melia Azedarach, 607.

Lime: Lime-Sulphur Mixtures in the Control of the "Oldium of the Vine", 498, Resistance to, 731.

Lindesomium caridei, 981. Liparis monacha, 782.

Lita sp. observed in Austria-Hungary during 1915, 112.

Little Leaf Disease of the Vine in California, 1231.

Llaveia abrahami and L. primitiv i vat. pimentae, and Slaveia spp., 1000, 1100, 1253.

Locusts: The Control of Locusts in Various Countries, 105. Experiments on the Infection of Insects with the Fungus Metarrhizium Unisopliae, 510. Invasions of Locusts in Uruguay in 1015 and 1016, 696. Cvrlacanthacris rigricornis in Dutch Indies, 978. Lodging, Resistance to Wheat, 1146, 1147.

Indoicea Seychellarum, 106.

Longitarsus parendus on Flax in Ireland, 205.

Loricera Spp., 964.

Liphionema Chodati n. sp., parasite of the Scots Pine in Switzerland. 504.

Liphodermium macrosporum, 505. Liphyrus rufus attacked by Wolftiella ruforum, 393.

Incerne: Host Plants of Thielasia

Loquat, 107.

basicola, 292. Chaetocnema ectypa a Coleopteron Parasitic on Cultiated Cramineae and Lucerne in the United States, 613. Insects and Animals Injurious Observed in Denmark, 1084 Observations on Meigenia floralis a Dinterous Parasite of the Lucerne "Megut"

Colaspidema atral in France, 1255. Luija aezvētiaca, attacked by Chaelos dacus spp., 107.

Ismaria biennis, 382. Lupin: Lupinus spp. hosts of Thielaout basicola, 202, Chalaropsis thiebarmides n. g. and n. sp., a Parasite of the White Lupin in Latium, 203. landaspis Innibie, 975. lyer, Disease of Maize, 167. Ermantria dispar, 610. l vmantria monacha, 782,

Lymathribs denticarnis, 1084. Li netia clerchella, on Apple tree in freland, 205.

Instruction culgaris attacked by Physmopsis Lysimachiae, 964.

Macaranga Tanarius, 1253

Machina auranizaca, 604. Microphoma, spp., 681. Madre de cacao, Erythrina glauca, 607. Magnolia grandullora, 964. Magney, Agare sisalana, 607.

Maize: A Peronospora Disease of Maize in Java, 197. Toxic Chlorosis of Maize. The Internal Secretical and Natural Resistance of Higher Plants to Poisons and Parasitic. Diseases, 491. Coccidae of Porto Rico, 607. Diseases and Pests of Cultivated Plants in the Dutch Indies, 978. Mites Attacking Orchard and Field Crops in Utah, United States, 1108.

Majagua, Paritam tiliaceum, 607. Malacantha sp., 976.

Malacca apple, 977.

Malea moschata attacked by Phometsis, 961

Malvaceae; Host Plants of Thielecia basicola, 202,

Mamey, Mammea americana, 607. Mangifera, see Mangos.

Mango shoot borer, 212.

Mangos: Coccidae observed in the Sevehelles Islands, 100. Charlette cus spp. observed in Mango in India, Burma and Cevlon, 107. Alcides frenatas Injurious to the Mangotree in Bengal, 212. Mangifera indica, 607. Coccidae in Zanzibar, 977. Observations on the Coccidate, 1000, Coccidae in the Philippine Islands, 1253.

Manibot utilissima, 607.

"Marciume nero", the Black Rot of Chestnuts in Italy, 203.

Margarodes bilvom, 1000.

Maricao, 607. Markhamia' flatvestvx, 1099.

Marsh Cress, 787.

Marssonia Carthami, 965.

Marunguev, Zamea rategritolia, 607. Massa ia Aesculi, 681.

Massaria phorei ides and M. Mori in Japan, 905.

Mata gallinas, Salanum migram, 607. Matricarla Chamomilla, 1005.

Matthiola so., 382.

Matthiola valesiaca, 778.

Mauritius, see Africa.

Maya, Bramelia Pinguin, 007.

Meigenia floralis, 1255. .

Jelanconium Sacchari the Cause of Mischocarbus fuscescens, 1233. the "Rind Disease" of the Sugar Cane, 685. Melastoma malabathricum, 614. Melia Azedarach, 607. Meligethes aeneus, 1105. Meliola manea. 868. Melor, against Plasmopara vilicola, 194. Mellesis sphaeroidalis and M. spp. on the Fruits in India, 107. Melolontha vulgaris appeared in the Sudeten region in 1915, 112. In Denmark, 1.81. Melons: Attacked by Fusarium niceum and Colletotrichum oligochu:tum in 1915 in Italy, 381, Pseudoperonospora cubensis on Cucumis Mele, 382. Variety resistant to Leaf spot, \$24. Meratorus sp., 108. Merulius lacrymans, 967. Mesclecanium deltae n. sp., 789. Metamasius ritchiei n. sp. a Coleopteron Injurious to the Pineapple in Jamaica, 114. Metarrhizium enemy of Helopeltis, 614. Metarrhizium Anisopliae, 305, 509, Metasphaeria culmidda, 681. Microcoecus Tritici, 381. Microgaster glomeratus a Braconid observed on Wheat in Austria, 296. Microlobium acaziaefolium attacked by Ahermes quinquefort, 977. Micromycetes Injurious to Cacaos, 50 : . Mildew: Comparative Tests of Remedies against Vine Mildew, 194. Silver Nucleinate, a Substitute for Copper Sulphate in the Control of Vine Mildew, 501. Resistance to Mildew, 731. Grain Millew (Sclarespora macrospora) in the Covernment of Podolia, Russia, 872. Milium multiflorum, 681. Mimusobs globosa, 977. Mirabilis Jalapa, 380.

Mole: The natural enemy of Agricles obscurus, 508. Momordica Charantia, attacked by Chaetodacus spp., 107. Monalonion spp., 786. Monodora sp., 976. Monophlebinae injurious to Tea Plan. tations, 113. Monophlebus (1) hirtus, 1099. Monophlebulus townsendi, 1253. Montidae enemy of Helopeltis, 614. Morinda bracteati, 1253. Morocco: "Rust" of the Castor-Off Plant (Uredo Ricini) in Morocco, 1245. Injurious insects, (232. Mosaic, Pea-Nut, 192. Mungi-no-tachigare, 965. Mulberry; Coccidae of Porto Rico, 507, On the Causes of Root Rot of the Mulberry and Protective Measures in Piedmont, Italy, 686. New Japanese Fungi, 965. Mule Fat, Baccharis vininea, 701. Munkiella melastomata, 868. Musa paradistaca, see Bananas. Muscardine, green, see Metarrhizmin Anisopliae. Musquash, 397. Mussel Scale Insect, 391. Mustard attacked by Plutella macul. pennis, 882. Mwange attacked by Aspidopical nearei, 1099. Mycosphaerella hordwola, 905. Myginia Rhacoma, 681. Myiocnema comperei, Ashm., 507. Myrceugenia planipes, 608. Myriangium Duridei, 607, 868, 977 Myrica Gale attacked by Lecan. on cupreae, 975. Myristica fragrans, 1094. Mytilaspis femorum, 391 NACOLEIA OCTASEMA dangerous to Ba nanas in Java, 211. Nanggrang, 1256. Narcissus: A Disease of the Bull-

of Naraissus and of Other Plants in . Nucleinate, silver, 594. New South Wales, Australia, 602. Nasturlium sylvestre, 382. Natal, see Africa.

Nectria graminicola, 1084.

Neda dilychnis, 1100.

Neoundo aceroides, attacked by Phonorpsis Libisevi, 961. Attacked by Cladosporium acerinum, 1233. " Négril of the lucerne ", 1255.

Neozimmermannia elasticae, 501. Nephrolepis exaltate var. hostoniensis, 607.

Nertum Olcander, co7.

" Nerume" or " Marciume nero", the Black Rot of Chestnuts in Italy, 203.

Neuropy is sp., 613.

Newfoundland: Tortrex olerareana n. sp. a Microlepidopteron Injurious to Cabbages, 209.

New South Wales: Negara includa a Rynchote Pest of the Tomato, the French Bean and the Potato in New South Wales, 298, Southus Araccus and Hypocheeris radicata, Weeds of New South Wales, 38o.

A Disease of the Bulbs of Narcison on Other Plants in New South Wales, Australia, 602, Fuohorbia Peolis and Aster subalatus Weeds of New South Wales, ook, Centumya vilstratalis and Solver ses-

salts Weeds of New South Wales 689. Ne ara ciridula, 208.

Nicotine: The Use of Nicotine Sulphate is a Spray, 880.

Nigeria, see Africa.

Nispero, Achias Sap la, 107, 607. " Nonn 7 782.

Norway: Blu-phaga phaga a Celeoptecon Injurious to Barley, Beets and Potatoes in the Scandinavian Peninsula, 1104.

Notarcha (Nacoleia) eclasema a Mierolepidopteron Injurious to the Banana in Java, 211.

New phallus circles, 781.

Nyasaland, see Africa,

Nymphaea: Helicosporium Nymphaearum n. sp. a Hyphomycete Parasitic on Nymphaea in the United States, 603.

OAK: Observations on the Oidium of the Oak, 494. Practical Means of Control of the "Oidium" of the Oak, 682. Clvtus (Plagionotus) arcuatus a Coleopteron Injurious to the Oak in Germany, 698. Quercus Hex f. agrifolia attacked by Pestalozzia spp., 877. The British Species of Phonopsis, 964. Lecunium ciliatum on Oak, 975.

Oat: Uspulun, a New Preparation for the Treatment of Cereal grains against Fungoid Diseases, 100, Oat Aphid (Aphis avenue), 205. Animal Injurious in Denmark, 1084. Mites Attacking Orchard and Field Crops in Utah, United States, 1108. "Occhio di pavone" of Olive Trees, 381, 438.

Ochna pumila, 976. Odonaspis schrzostachyi, 1253.

Oecophylla smaragdina, 1250. Ocrets, 510.

Olecticus platensis, 981.

Oidium: Observations on the Oidium of the Oak, 494. Ordium leucocomium 1247.

Oldium of the Vine: Lime Sulphur Mixtures in the Control of the Oidium of the Vine, 408. Resistance to Oidium, 731

Oilpalm: Coccidae in the Seychelles Islands, 100. In the Belgian Congobage 179.

Okumikawa, oo5

Olive: Dacus oleae attacked by Eupelmus urozonus, 115. The Olive Fly and One to its Parasites Recorded for the First Time in India, 210, Cvcl contum olcaginum and Stictes Paniszer, 381, 438. Experiments Made in

productivity, 438. Hendersonia Oheae, 681. Dacus oleae in North Africa, 1252. Omo Lyer, Disease of Maize in Java, ₩7, 978. Oospora Scabies, 1241. Opatrion depression, 416. Ophiobolus graminis and O. herpotrichus, 381, 965. Ophiochaeta graminis, 955. Opius concolor, from the Pupae of Carponvia incompleta, 115, Opius ponerophagus n. sp. parasite of Dacus oleas var, asiatica n. var., 210. Orange: The Fruit Flies, 107. The Gramang Ant, 507. Coccidae of Porto Rico, 607. Bacterium citrarefaciens sp. nov., the Cause of the Disease of Orange and Lemon Trees known as "Citrus Blast ,, in Caliiornia, 972. Lecanium hesperidum on orange, 975. Akermes andersoni on orange, 977. Injurious insects in North Africa, 1252, Coccidae in the Philippine Islands, 1253. Orchidaceae: Host Plants of Thiclama basicola, 292. Physothreps xanthias sp. nov. a New Thysanopteron Damaging Cultivated Orchids (Cat-(leva) in Trinidad, 984. Undesirable Insects which Have Recently Been Introduced into New Jersey United States, 1008, Coccidae of British Guiana, 1100. Orcus janthinus, 507. Ornamental Plants: Insects and Other Enemies of Ornamental Plants in Iteland, 205. Orobancha eumana, 321. Orozuz, Leptilon canadense, 607. Ortheria insignis, 607, 976. Orycles rhinoceros, 500, 696. Oscinis frit, 1084. Oscinis pallipes, 787. Osiers: The Musquash (Fiber zibe-Micus), Injurious to Osiers in Bavaria and Bohemia, 397.

Maly in order to Control the Un-

Ostrya virginiana, 885. Otiorrhynchus picipes, 205. Otiorrhynchus sulcatus on Ferns in Ireland, 205. Oxalidaceae: Host Plants of Thielavia basicola, 292. Oxycarenus laetus, 883. Oxycoccus macrocarpus, 290. PACHIRA Spp., 977. Pachypellis vittiscutus, 614. Paleococcus spp., 1099. Palms; Dactylopius nipae, a Scale Insect Injurious to Palms in Hungary, 615. Pseudococcus spp., 976. Coccidae observed in Europe, America and Africa, 977. Coccidae observed in Asia, Africa and America, 1000. 1100. Coccidae in the Philippine Islands, 1253. Phenacapsis eugenioe on a Palm, 1253. Palo de cucubano, Guettarda serbar, 007. Palomena prasma, on Apple in Iteland, 205. Pandanus; Coccidae in the Sevelalles Islands, 100, Coccidae observed in England, 976. Papager Spp., 382. Papaya, Carica Papaya, 607, 1253. Pabilio demoleus attacking species of Citrus in the Belgian Congo, page 178. Parafairmanna gracilis, 783, 075. Paralecantion 5pp., 1253. Paritium tiliaceum, 607. Parlatoria: P. pergandei cotronis, 070. P. pergander on Thunbergia, 100. P. zizyphi, 975. Parlatoria Spp., 1253. Parol, Trichosanthes dinea, 107. Pascueta, Lepticon canadense, 607. Passer domesticus, 1084. Pasta Caffaro, 68o. Paronia typhalaea, 607. Peach: Chaetodacus spp., observed in India, Burma and Cevlon, 107. Laspevresia molesta, an Important New

Insect Enemy of the Peach and &

Other Pruit Trees in the United States, 300. Observations on Plant . Diseases carried out in 1915 at the Royal Institute of Cryptogamic

Botany of Pavia, Italy, 381. Coccidae of Porto Rico, 607. Lecanium percinite on Peach, 977. Bacterium Prani, Injurious to Peach and Phun Trees in the United States, 1996.

Trees in the United States, 1096.
The Little Leaf Disease of the Vine
in California, 1231. The Treatment of Mildew of the Peach Tree
(Oidium !eucoconom), 1247.
Peach bacterial spot, 1096.

Peach bacteriosis, 1006.

Pear: Biological observations on Recstelia cancellata, a Rust attacking the Pear, 98 The Fruit Flies, Dacinae, 107. Gymmonycha's caliporacus Injurious to the Leaves of the Pear tree in the United States, 209 Observations on Plant Diseases

Observations on Plant Diseases carried out 1013 at the Royal Institute of Cryptogamic Botany of Pavia, Italy, 381. Phomopsis on Pear tree, 094.
Pear leaf worm, 200

Pear sawfly, 200.

Peas: Uspulun, a New Preparation for the Treatment of Cereal Grains against Fungoid Diseases, 100. Host Plant of Thickwise basicion, Morrely

Pecan : Schizura abomicae, a Macrolepidopteron Parasite on Rose Bushes and Pecan Trees in Louisiana, United States, 884 Pectan phone grossepicila, 870.

Pelargoniums: A New Disease of Pelargoniums in Germany, 380, Tars a, mas. pullidus, a Mite Injurious to Pelargonium and other Plants in Maryland, U.S. A., 1262.

Pen bil mus devastons, 1107.

Penras verheillala XAT, pubescens, 103.

Penniha insuressa, 1100.

Pepperplant, 080.

Pepper-Vines: Investigations on the Dying-out of Pepper-Vines in the Dutch East Indies, 1083. Coccidae in the Philippine Islands, 1253.

Perfluozid against Plasmopara viticola, 194. Peridermium spp., 974.

Perissocentrus argentinae, 981.
Peronospora: P. Maydis dangerous
to Maize in Java, 197. P. Radii,
1095. P. Trifqlionum on the Clover
Crop in Russia, 199. Peronosporaceae observed in Tuscany, Italy,
382, 1095.
Perozid against Plusmopara viticola,

194.
Persea gratissima, see Aguacate.
Pestalozzia Briardi, 504.
Pestalozzia spp., 681, 877, 978.
Petty spurge, 606.
Phacea tumidulus on celety in Ire-

Phenacaspis spp., 1253.
Phenacacus: Ph. aceris on the Vine,
on Maples on Wild Chestnuts and
Apple, 213. P. ballardi, 1090. P. gassypii, 607. P. petiti n. sp., 885.
Philadelphus coronarius, attacked by
Phomopsis spp., 960.

land, 205.

Philippines: Alcurodicus destructor, a Rhyncote Pest of the Coconut in the Philippines, 695. New Disease of the Philippines, 1230. Coccidae of the Philippines, 1230. Coccidae of the Philippine Islands, 1253. Philodenstren sp., 697.

Phoma spp., 112, 681, 687, 869, 1084.

Phomopsis spp., 664.
Phobbia brassicae, dangerous to Radish, 205.
Phosphura otrala, 1104.
Phobbias of the Vine, 213.
Phobbias Trifoli or the Clover in

Russia, 109.

Phyllobus viriliaeris in Ireland, 205.

Phylloperiha horticola on Apple in

Ireland, 205.

Ireland, 205.

Phyllosticta, P. cucerna, 681, P. firma, 500, P. Trifshi on the Clover Crops in Russia, 100.

Phyllotreta armoraciae, the Horse-Tadish Flea Beetle, in North America, 787. Phyllotreta nemorum and Ph. atra, Phylloxera: Resistance to Phylloxera, 731. Observations on the Vine Phylloxera in Bulgaria, 607. Decree amending the Single Text of the Laws Controlling the Spread of Phylloxera in Italy, 866. The Number of Races of Vine Phylloxera, 878. Phylloxera in North Africa, 1252. Physal spora pustulata, 681. Physaleshera Theobromae II. Sp., 502. Physokermes piceae, 1101. Physothrips xanthius sp. nov. a New Thysanopteron Damaging Cultivated Orchids (Cattleya) in Trinidad. 984 Phytomyza flavicornis a Dipteron Injurious to the Milan Cabbage in Lombardy, 664. Phytonomus nigrir stres, 1084. Phytonomus variabilis, 1081. Phylobhthora: P. Allii, Fungi of Allium fistulesum in Japan, 965. P. Cactorum, 680, P. Faberi on Heven in the Dutch Indies, 978, 1094. P. infestans on potatoes and tomatoes in 1015 in Italy, 381. P. infestans in Denmark, 1084. Phytophthora spp., in Tuscany, Italy, 382. Phytophthora spp., 1094, 1242. Picea: Thecopsora sparsa, 383. Pieris brassicae and Pieris, spp., 296, Pigweed, Chenopodium album, 701. Pimenta officinalis attacked by Aspidiotus pimentae, 977. Attacked by Llaveia officinalis, 1099. Pineapple: Coccidae observed in the

Seychelles Islands, 106. Metamasius ritchlerin Jamaica, 114. Insect Pests

and Pungoid Diseases of Pineapple,

118. Coccidae of Porto Rico, 607.

New Disease of the Pineapple in the

· Philippines, 1230.

Pines: The Noxious Action of Sea-Salt deposited on Soa-shore Plants 96. White-pine Liister rust, 214. Enemy of Pinus ponderosa in Oregon United States, 454. Pestalozzia Briardi and Lophonema Chodati n. sp., Parasites of the Vine and Scots Pine respectively, in Switzerland, 504. Herpotrichia nogra on Pinus austriacq, Turin, 685, Pestalozzia lignicola on Pinus, Pinea, 681. Rhyssa bersuasoria and Ephialtes manifestator, Hymenoptera Useful to Forestry, 784. Pinus excelsi attacked by Phomopsis, 964. New Species of Peri-termium on Pinns in the United States, 974. Lenevipis pini, a Coccid attacking Pines in the Argentine, o87, Polyhorus amorphus, Causing a Rot of the Wood of Pinus rigida, in Peansylvania, U. S. A., 1250. Pink bollworm, 870. Pinnaspis spp., 1253. Primaspis bass, 607, 976, 1253. Pinostris, 402. Pinus spp., see Pines. Picjo del pino, 987. Piper Loheri, 1253. Pisum, see Peas. Pithecolobium Saman, 607, 1009. Placespheria Almeidiana, 681. Plagiolepis longipes, 50%, 1236. Plagionolus arcuatus, 698. Plantago major, 382. Plantago Psyllium, a New Weed in South Australia, 605. Plasmodiophera Brassicae, 1084. . Plasmopara spp., observed in Tuscany Italy, 382. Plasmopara viticola, 194, 381, 594, 585. Platylecanium cribigerum, 1253. Platysaisselia carpenteri on Fig Tree, 977. Plectrodera scalator, 301. Plectronia virilis, 1253. Pleetroscelis concinna, on Sugar Beets

in Ireland, 205.

Pleospora graminea, 1081. Pleurotus radicosus n. sp., 868. plum : Aphis Pruni on Prunus in Ireland, 205. Coccidae observed in Porto Rico, 607. Plum Diseases, 825. Bacterium Pruni Injurious to Peach and Plum Trees in the United States, 1096. Plum curculio, 109, 825. Plumeria acutifolia, 507. Plutella cruciterarum, injurious to cultivated Crucifers, 205, 1084. Plutella maculipennis, injurious to Brassica campestris var. Rapa and to Brassica campestris var. Rutabaga. 205. On Cultivated Crucifers in the United States, 882, Paa: Entyloma hieronense, 681. Pedospermum laciniatum, 780. Paliaspis cycudis, 976. P lychrosis botrana, 881. Palygala persicariaefolia 103 P.lygonum Persicaria, 071. P. lybodium aureum attacked by Lecanium ligniferum, 975. Attacked by Hemichionaspis aspidistrae, 970. Priviorus amorphus, 1250. P. lyporus sulphureus, 973.

Pomelos: Civrus decumana and the Fruit Flies Occurring in India, 107. Coccidae in the Philippine Islands, 1253.

Pominarrosa, Eugenia Jambos, 607.
Poppy: Coeliodes fuliginesus, a Colcopteron Injurious to the Poppy in Austria, 693.

P. pulus: Plectrodera scalator, a Coleopteron Injuring Pepulus deltrodes and Salix alba, in the United States, 301. Macrophoma Penzigii, 081. Lecanium zebrimum on Populus tremula, 975. Little Leaf on Populus mondifera var. angulata, 1231. Populus nigra var. italica attacked by Dothichia populca Sacc., 1232.

Porto-Rico: Coccidae of Porto Rico, 607. Portugal: Fungi of Portugal, 681. Portulaca oleracea, 382.

Potatoes: Diseases in Guatemala, 2. Verticilium albo-atrum, Causing the Verticillium Disease of the Potato in Ireland, 198. Rhopulosiphum 59lani, Bibio sp., Hydroecia micacea attacking potatoes in Ireland, 205. Eulecanium forne var. robineurum on potatoes, 213. Powdery scale of potato, 214. Solanum nigrum and S. Dulcamara, Host Plants of Synchytrium and biolicum (Chryson, phlyetis end homean in Great Britain, 294. Cassida pallidula Parasitic on the Egg Plant and the Potato in Louisiana, United Stotes, 297. Neura v.r. lula a Rhynchete Pest of the Potato, in New South Wales, 268, Observations on Plant Diseases carried out in 1945 at the Royal Laboratory of Cryptogamic Botany of Pavia, Italy 34, Potato Growing, 542. Spanislockshum atrovirens, a Hyphomycete Parasitic on Potato Tubers New to Italy, 873. New Japanese Fungt, 665 Diseases and Pests in the Dutch East Indies, 978. Europhera ossociella a Microlepidopteron Attacking Potatoes in Egypt, 982. Enemy in Denmark. 1684. Blitophaga of aca. a Colcopteron Injurious to Barley, Beets and Potatoes in the Scandinavian Peninsula, 1101. Experiments on Potato Leaf Curl in France, 1220. Fusarium e eruleum. the Cause of the Dry Rot of the Potato Tuber in the British Isles, 1241. Poverty Weed, Iva axillaris, 701. Pox. 598.

Prevention and Control: Uspulen a New Preparation for the Treatment of Cercal Grains against Fungoid Diseases, 100. A New Remedy for the Successful Control of Elateridae, 111. On Species of Tripantidae (Diptera), Genus Carponyia,

Injurious to the Fruits of Zizvphus, 115. Comparative Tests of Remedies against Vine Mildew (Plasmopara viticola) in Austria in 1016, 194. Bacterium campestre Injurious to Crucilers Cultivated in South Africa 201. The Effect of Hydrocvanic Gas Fumigation on the Eggs of Aphis pomi and A. avenas, Apple Parasites, in Ontario, 206. On the Injury to Rice called " Hielo ", in the Villavicencio Region, Republie of Columbia, 207. Notarcha (Nacoleia) octasema a Microlepidopteron Injurious to the Banana in Java, 211, Scale Insects as Vine Pests and their Relationships with other Cultivated Plants, 213, The Pear Leaf-Worm (Gymnonychus calipirnicus Mar.), A Hymenopteron Injurious to the Leaves of the Pear Tree in the United States, 200. Prevention and control against Cirsium arcense, 313. New Species of Coccid-Infesting Chalcids on the Gold Coast and in Southern Nigeria (Africa), 302. Wolffiella risfirum n. gen. and n. sp., a Chalcid Parasite of the Eggs of Lophyrus rulus in Germany, 393. The Solubility of the Scale of the Mussel Scale-Insect (Lepidosaphes ulmi, Linn, 301. Experiments Made in Italy against Stietts Panizzei and Cycloconium oleaginum, 438. Acid and Alkaline Spraying mixture, 497. Partial Sterilisation of soil, page 703. Fungi and Bacteria as a Means of Combating Insects Injurious to the Sugar Cane, 500. Experiments on the Injection of Insects with the Fungus Metarrhizium Anisopliae, 510. The Influence on Germination of the Hot Water Treatment of Cercal Seeds for Smut, 533. Silver Nucleinate, a Substitute for Copper Sulphate in the Control of Vine Mildew, 591. Helicosporium Nymphacarumn, sp.

a Hyphomycete Parasitic on Nym. phaea in the United States, 603 Coccidae of Porto Rico, 607. Bacillus Lymantriae, B. Liparis n. sp. and Diplococcus Lymantriae n. sp., Para. sites of the Larva of the "Unlike Bombyx " (Lymantria dispar) in France, 610. Investigations on He. lopeltis, a Capsid Parasite of Tea, 614 Tarsonemus sp., a Mite Parasitic on Cyclamens in Ontario, Canada 616. Copper sulphate and lime against Phylobhthora, 680. Practic. al Means of Control of the Oidium of the Oak, 682. On the Causes of Root Rot of the Mulberry and Protective Measures in Piedmont, Italy 686. Coeliodes tuliginosus, a Coleopteron injurious to the Poppy in Austria, 603. On the Specific Susceptibility of Barley to Leaf Stripe Disease (Helminthosperium gram: neum), 777. Notes on Coccid mafesting Chalcidoidea, 783. Rhyssi persuasoria and Ephialtes manufistator, Hymenoptera Useful to Ferestry, 784. Prevention and Control against Cerodonta temoralis. 785. The Horse-Radish Flea-Beetle (Phyllotreta armoraciae Koch its Life History and Distribution, 787. The Use of Nicotine Salphate as a Spray, 880. Experiments on the Control of "Endemis and "Cochylis" (Polychrosis botrai) and Conchylis ambiguella) in Piedmont, italy, 881. Studies on the Ink Disease of the Chestnut tree in Italy 973. The Natural Enemies of the Macrolepidopteron Onethous platensis ," bicho de canasto"). Attacking Trees in the Argentine, 981, Eu. phera asseatella, a Microlepidopteron Attacking Potatoes, in Egypt, 68: Coccidae of British Guiana, 1100. Cotton Plants as Green Manure a Mc thod of Controlling the Mite Errphyes gossypii and the Scale In-

sect Saissetia nigra in the Island of St. Kitts, Lesser Antilles, 1102. Prevention and Control against Blitophaga opaca, 1104. Experiments on Potato Leaf Curl in France, 1229. The Treatment of Mildew of the Peach Tree (Oidium leucoconium). 1247. Disease of Bacterial Origin Observed in Sparganothis pilleriana, in Prance, 1254. Observations on Meigenia floralis, a Dipterous Parasite of the Lucerne "Negril" (Colaspidema atra), in France, 1255. The Ant. Dolichoderus bituberculatus in the Control of Pests of the Cocoa-Tree in Java, 1256. Willistonia exuriens a Tachinid Parasite of the Lepidopteron Automeris janus in the Island of Trinidad, Antilles, 1257. Prevention and Control against Aracocerus tasciculatus, 1259. Lasioderma serricome, a Coleopteron Injurious to Tobacco and Other Plant Products, at Deli, Sumatra, 1201. Tarsonemus pallidus, a Mite Injurious to Geraniums and Other Plants in Maryland, U. S. A., 1262. Review of Patents, 181, 385, 480, 581, 664, 758, 947, 1059, 1211. Primulaceae: Host Plants of Thielavia basicola, 292. Prospaltella : P. berlesei against Diaspis pentagona, Observations in Piedmont during 1916, 691, P. fasciala n. sp., a Chalcid Parasite of the Scale Insect Chrysomphalus dictyospermi in Italy, 110. Protopulvinaria longivaleata bakeri. 1253.

Primus Lauroccrasus attacked by

Pseudoaenidia: P. fossor, 607, 1200.
P. obsita on Ficus caudatifolia, 1283.

P. tesserala, 607. Pseudoaonidia spp.,

Phomopsis Pringrum, 964.

Prunus Persica, see Peach.

Psedera quinquefolia, 885.

1253.

Pseudischnaspis bourevi. 607. .Pseudococcus: P. adonidum = longispinus, a pest of conservatory and hot-house plants, 213. P. calceolariae, 509, 607, P. citri dangerous to Citrus, Ananas, and Coffee in Porto Rico, 607. P. c.tri = P. brevispines cause of the phthiriasis of the Vine, 213. P. crotonis, 507. P. nipae (Dactylopius nipae), a Scale Insect Injurious to Palms in Hungary, 615. Coccidae observed in the Seychelles Islands, 106. Coccidae of Porto Rico, 607. Coccidae in England, 976. In British Guiana 1100. In the Philippine Islands, 1253. The Ant in the Control of Pests, 1256, Parasite of Pseudococcus, 1256. Pseudomonas campestris, 1084. Pseudomonus Juglandis, to walnut blight in California, 138. Pseudoparlatoria estreata, 607. Pseudoperonospora cubensis, 382. Pseudotrochalus concolor, 1107. Psidium Guarava, see Guava. Psita resue on Celery and Carrots in Ireland, 205. Pteromalus calandrae, 108. Puccinia: P. Astaragi, 824. P. caucasica n. sp. parasite of Iris acescens, 386. A variety of Lehum attacked by P. corenata var. Lolii, 146, P. coronijera, P. graminis, P. Maydis, P. triticina, 98. P. Erlangeae on Erlangea tomentosa in East Africa, 103, P. exilis var, Hibiscion Hibiscus in East Africa, 193. P. glumarum on Wheat in the United States, 101. P. grammis in Italy, 385. P. Heiranthi, 321. P. Heslundiae on Hoslandia sp., in Uganda, 193. P. necopina Grove on Tristemma, 193. P. pentadicula on the Leaves of Pentas verticillata var. pubescens in Uganda, 103. P. Phraemitis, 681. Enemy in Denmark, 1084. Pucciniastrum Circacae, 383. Pulvinaria: Pulcinaria betulae, on

the vine in Hungary, 213. P. jackoni attacked by Chiloneurus afer .. 392. Pulvinaria sp. on cultivated Plants in Africa, 1099. In British Guiana, 1100. In the Philippine Islands, 1253. Observed in Seychelles Islands, 106. Coccidae of Porto Rico, 607. In England, 976. Puntatura of Wheat Grains, 196. " Pyrale de la vigne" 1254. Pyroderces rileyi, 879. Pyrus communis, see Pear. Pylymys savii, 396. Pythium de Baryanum, 1084.

QUEENSLAND: Emex australis, a Queensland Weed, 201. Gomphocarpus fruticosus and G. physocarpus, Naturalised Weeds in Queensland, 295. Sida acuta, a Weed of Queensland, Australia, 288.

. Quercus spp., see Oak.

RABENHORSTIA RAPHIAE, 684.

Radicula spp., 787, 882.

Radish attacked by Phorbia brassicae, 205. By Plutella maculipennis, 882. Rape: Attacked by Bacterium campestre in North Africa, 201. Attacked by Plutella maculi pennis and by Agrotis segetum, 205, 882. Enemies in Denmark, 1081. Meligethes aeneus, 1106. Plant Diseases Recently Observed for the First Time in Canada, 1232.

Ranunculus bulbosus, 382.

Rapanea guianensis, 607.

Raphia tertilis, 681.

Raspberry: Didymella applanata a Spheriaceae Parasitic on the Raspberry in Switzerland, 779.

Rauchender Fuchs, 302.

Rauwolfia tetraphylla, 607.

Renard fumant, 302.

Red cotton bug, 883.

Red maple, 1109.

Reduviolus terus, 613.

Resistance of plants, to disease: Casta-

nea mollissima, a Chinese Chestnuc. tree Resistant to Endothia parusi. tica, 99. Sunflower Selection at the District Agricultural Station of Saratov, Russia, 321, The Importance of the Awns of Native Wheat in Hungary and of Barley in Sweden, 430. The Internal Secretion and Natural Resistance of Higher Plants to Poisons and to Parasitic Diseases, 491. Wheat Varieties resistant to Rust, 541. Disease Resisting varieties of Potato in Germany, 542. Disease Resisting Sea Island Cottons, 593, Notes on Hybrid Direct Bearers in the Seine-et-Marne, 731. The Resistance of Wheat to Cold. 800. Varieties of Plants resistant to Rust, 824. The Resistance of Certain Ornamental Plants to Frosts in Eugland, 895. Crotalaria usaramoensis Resistant to Insect Attacks, 980. Resistance of Wheat to Rust, 101. Observations on some Direct Bearers 1026. Chinese Chestnut resistant to bark disease, 1129. Plants resistant to Diseases, 1142, 1146, 1147, 1169, 1170, 1171.

Reunion: Diseases on Cotee, 36. Rhabditis on Helianthus, 189.

Rhabdospora Molleriana, 681.

Rhacodium cellare cause of the Black rot of Chestnuts, 203.

Rheedia sp., 976.

Rhinanthus Crista-galli, 382.

Rhizoglyphus echinopus, on Tulipa en Ireland, 205.

Rhizotrogus aequinoctialis, appearance in the Sudeten region, 112.

Rhopalosiphum solani on the Potatoes in Ireland, 205.

Rhus Toxicodendron, 885.

Rhynchophorus ferrugineus a Coleopteron Injurious to the Coconut and other Palms in Ceylon, 696.

Rhyssa persuasoria and Ephialtes manilestator, Hymenoptera Useful to Forestry, 781.

sibes: The Discovery of Teleutospore Sori of Cronartium ribicola in the Interior of the Petioles of Ribes Roesli, 601. Mites attacking Orchard and Field Crops in Utah, United States, 1108 Ribes hirlellum, 1246.

tice: On the Injury to Rice called "Hielo" in the Villavicencio Region, Republic of Columbia, 207. On Some Rhynchota of Economic Importance from Colombia, 786. Attacked by rats in Sumatra, 978. Agalaius iclerocephalus a Bird In jurious to Rice in the Island of Trinidad, Antilles, 1263.

Ricinus, see Castor oil Plant. Richardsonia brasiliensis, 614.

Rind disease, 685.

Ringelkrankheit der Hyacinthenzwiebeln, 602.

Ripersia filicicola, 976.

Robinias: Lecanium capreae Injurious to Robinia plantations, 116. Eulecanium corni var. robiniarum Infests Robinias, 213.

Roble, Tecoma pentaphylla, 607.
Roestelia cancellata, parasite of Pear, 98.

Rosipa sinuata, 882.

Rosa canina attacked by Phomopsis Rosae, 964.

Rosellinia spp. in Antilles, 590. Rosellinia necatrix, 686.

Roses: Climbing Roses attacked by Phyllobius viridiaeris, 205. Sphaerotheca pannosa and Botrytis vulgaris on Roses in 1915 m Italy, 381. Coccidae of Porto Rico, 617. Phoma Rosarumon Rosa moschata, 681. Septobasidium bogorienseon Roses, 868. Schizura ipomeae: a Macrolepidopteron Parasitic on Rose Bushes and Pecan Trees in Louisiana, United States, 884. Aspidiotus dictyospermion Roses, 977. Coccidae in the Philippine Islands, 1253.

Row thistle, 389.

Rubus sp., attacked by Phomopsis, 964. Rumex crispus, 701.

Russia: Bacillus Omelianskii n. sp. as the Cause of "Bacillary Gummosis" of Sorghum, 102. Lecanium capreas, a Scale Insect In urious to Robinia Plantations, in the Province of Ekaterinosiay (Russia), 116. The Influence of Parisi tic Fungi on the Clover Crop, 199. Sunflower Selection at the District Agricultural Station of Saratev, Russia, 321, Puccinia caucasica n. sp., a Parasite of Iris flavescens in the Caucasus, 386. Aerotis segelum in Russia, 611. Grain Modew (Sclerospora macrospora) in the Government of Podelia, Russia, 872. Russian thistle, Salsola Kalı, 701. Rust : On the Hibernation and Spread of Cereal Rusts in Sub-tropical Climates, 97 . Puccinia glumurum on Wheat in Salt Lake Valley, Utah, U. S. A., 101. Varieties of Wheat resistant to rust, 541. Selfsterility in Plants, 1010, Resistance

of Wheat to rust 1146, 1147. Rust of the Castoroil Plant in Morecco, 1245. Rutabaga attacked by Plutella maculipennis, 205.

Rye: Uspulun a New Preparation for the Treatment of Cercal Grains against Fungoid Diseases, 100, Fungoid Diseases and In-ect Pest in Denmark, 1084.

Sabin a Host Plant of Gymnospoansgium Sabinac, 68.,

Saccharum spontaneum, til 4.

Sahibergella singularis producing canker of cacao, in the Belgian Congo, page 178.

Saissetia: S. spp. in Porto Rico, 607.
Injurious to cultivated Plants in Europa, Africa, America, 077. In British Guiana, 1100. Attacking the cotton plant, 1102. Coccidae in the Philippine Islands, 1253.

Salix: Plectrodera scalator, in Kansas, 301. Salis spp. attacked by Phomopsis, 964. Salt, Sea: The Noxious Action of Sea-Salt deposited on Sea-shore Plants, 96. Saman, 607. Sambucus nigra attacked by Phomopsis, 964. Sand bur, Frauseria dumosa, 701. Sandoricum koetjape, 1253. Sanserieria arborescens attacked by Chrysomphalus dictyospermi, 110. Sapium Jenmanni, 1099, 1100. Sarothamnus scoparius, 96. Saurauja sp., 614. Sauvagesia erecta, 607. Scab, apple, 1087, 1227. Scab, black, 294. Scale Insects: Coccidae observed in the Seychelles Islands, 106. Scale Insects as Vine Pests and their Relationships with other Cultivated Plants, 213. New Species of Coccid-Infesting Chalcids on the Gold Coast and in Southern Nigeria, 392. The "Gramang" Ant (Plagiolepsis longipes) from the Point of View of its Economic Importance, 507. Coccidae of Porto Rico, 607. Notes on Coccid-Infesting Chalcidoidea 783. Myriangium Duriaei on coccidae, 868. Phenacoccus pettiti n. sp. a Scale Insect Observed on Several Useful Plants in Missouri and Kansas U. S. A., 885. Observations on British Coccidae, 975. Coccidae Observed in the Royal Botanic Gardens Kew, England, 976. Observation on the Coccidae of Europe, Africa and America, 977. Leucuspis pini, a Coccid Attacking Pines in the Argentine, 987. Observations on the Coccidae of Asia, Africa and America, 1000, Coccidae of British Guiana, 1100. Observation Upon

Salever (Islands): On a Disease of the

Banana, 190.

the Coccidae Lecanium corni and Physokermes piceue, in Wisconsin United States, 1101. The polypha. gous coccid (Chrysomphalus minor) in North Africa, 1252. Coccidae of the Philippine Islands, 1253. Scavenger bollworm, 879. Schizaspis lobata, 1253. Schizostachyum acutiflorum, 1253. Schizura ipomoae, 884. Schoenobius sp., 978. Scirpophaga sp., 978. Sclerospora macrospora, 381, 872. Sclerolinia; S. Fugopyri, 965. S. Li bertiana, 381, 868, S. Matthiolae, parasite of Matthiola valesiaca in Switzerland 778. S. Trifoliorum in Denmark, 1084. Sclerolium Rolfsii dangerous to Tobacco in Sumatra, 200. Sclerolium Semen and S. Tulipae, 1086. Scolytidae, 985. Scorias capilala, 965. Scorzonera hispanica host of Thielavia basicola, 292. Scorzonera laciniata, A New Weed in Southern Australia, 780. Scrophulariaceae: Host Plants of Thielavia basicola, 292. Scrophuluru nodosa attacked by Phomopsis, spp 964. Scutellista gigantea n. sp., a Chalci Parasite of the Coccid Ceroplaste mimosae in Eritrea, 613. Scymnus 5p., 1253. Seeds: Uspulun, a New Prepara tion for the Treatment of Ceres Grains against Fungoid Diseases Selenaspidus articulatus, 607, 1253. Senecio vulgaris, 382. Septobasidium Bakeri, 1253. Septobasidium spp. in Tonkin, 868. Septoria: S. Apii, 381. S. Avena 1084. S. calycina, 681. S. graminu and S. glumarum, 381. S. Pers cariae, n. sp., a new Leaf-Spx Disease of Polygonum Persicaria

Utah, United States, 971. S. Tritici, 381. "Sereh" Disease of Sugar-Cane, 963. Service berry, 1109. Seychelles: Coccidae in the Seychelles Islands, 106. Shad-bush, 1109. Sida acuta and S. spp., a Weed of Queensland, Australia, 388. Sida antillensis, 607. Silpha opaca on Sugar Beet, 205, 1084. Silpha spp. observed in 1915 in Austria-Hungary, 112. Sinaspis attacked by Pruit Flies Occurring in India, Burma and Ceylon, 107. Siphonodon celastrineus, 1253. Siphonophora pisi, 1084. Sirocco: Effect of the Sirocco upon Tunisian Vineyards, 490. Sisal, see Agave sisalana. Sisymbrium sp., 882. Sitona lineata, 1084, 1105. Smerinthus ocellatus on the Apple in Ireland, 205. Smilax: Macrophoma smilacina, 681. Sneezeweed, Helenium puberulum, 701. Soil rot, 598. Solanaceae: Host Plants of Thielavia basicola, 292. Silanum: S. Lycopersicum, 382. S. nigrum and S. Dulcamara host plants of Synchytrium endobioticum (Chrysophlyctis endobiotica) in England, 294. S. nigrum, 607. S. torvum, 607. S. tuberosum, 382. S. verbascilolium, attacked by Chaetodacus spp., 107. Schoopsis pylades, 1100. Soliva sessilis, 689. Sonchus oleraceus, 382, 389. Sono kling, 978. Sordago, 380. Sorghum: Bacillus Omelianskii n. sp. as the Cause of Bacillary Gummosis, . 102. Andropogon Sorghum attacked by Chaetodacus spp., 107.

Scrosporella uvella and Its Occurrence in Cutworms in America, 611. Soya: Fusarium tracheiphilum Para-. sitie on Soya-Bean (Soya max) in North Carolina, 684. Diseases in Dutch Indies, 978. Soya hispida, 1259. Soybean blight .. 681. Soybean-wilt, 681. Spain : "Elm-galerucella" (Galeruca , luteola) in Spain in 1917, 986. Spalgis epius, 1256. Sparganothis pilleriana, 1254. Sphaeroderma damnosum, 381. Sphaeropsis Bougainvilleae, 681. Sphaerostilbe coccophila, 607. Sphaerotheca pannosa, 381. Sphinx convolvuli, 1251. Spiny clotbur, Xanthium spinosum, 701. Spiny Emex, 204. Spondias Ivlea, 607. Spondylocladium atrovirens, 873. Spongospora subterranea, 1084. Sporidesmium exitiosum, 1232. Spruce scale, 1101. Spruces: Diseases and Pest of the Spruces in Darnaway Forest, Scotiand, 505, 514, 515. Squirrel, 516. Stachylidium Theobromae, 502. Staphylea pinnata attacked by Phomopsis Robergeana, 964. Stellaria media 1. gymnocaly# and f. trichocalyx, 382. Stephanitis pyrioides, 1098. Stephanoderes coffeae injurious to Coffee in the Belgian Congo, page 178. Stereun purpureum, 775. Stictis Panizzei, 381, 438. Stictococcus spp., 783, 1000. Stigmaeopis celarius, 781. Stigmatea laurincola, 681, Stinking-ant, 1000. Stinking smut: Uspulun as a remedy for Stinking smut, 100. Siripe-canker, to 94.

Strophosomus coryli on hazel lareh, in Ireland, 205.

Strychnos Nux-vomica, 1253. Sulphur: Lime-Sulphur Mixtures in

the Control of the Oidium of the Vine, 498.

Sugar Beets: A New Remedy for Successful Control of Agricles lineatus and A. obscurus, 111. Diseases and Pests of the Sugar-beet ob-· Served in Austria-Hungary during 1915, 112. Silpha opaca, Plectroscelis concinna on beets in Ireland, 205. Eulecanium corni var. robiniarum on sugar beets, 213. Appropriations of the Federal Department of Agriculture of the United States, 214. Fungi, Insects and Animals Injurious in Denmark, 1084. Blitophaga opaca, a Coleopteron Injurious to Barley, Beets and Potatoes in the Scandinavian Peninsula, 1104. Mites Attacking Orchard and Field Crops in Utah, United States, 1108. Sugar Cane: Tomaspist istis, a Rhyn-

chote Attacking Sugar Cane in Surinam, South America, 305. Fungi and Bacteria as a Means of Combating Insects Injurious to the Sugar Cane, 509. Coccidae of Porto Rico, 607. Melanconium Succhari, the Cause of the "Rind Disease" of the Sugar Cane, 685. Tyroglyphus succhari on the sugar cane, 781. "Gummosis" of the Sugar-Cane in Java, 962. The Treatment of Sugar-Cane Cuttings with regard to Sereh and disease of the Phleom in Java, 953. Sugarcane suffering from a disease similar to Serch, in Java, 978. Observations on the Coccidae, 1099, 1100.

Sulphate, ferrous, 686.

Sumatra: Sclerotium Rolfsii Injurious to Tobacco, 200. Diseases of the Sweet Cinnamon Tree, 1161. Lasioderma serricorne, a Coleopteron Injurious to Tobacco and Other Plant Products at Deli, Sumaira

Sunflower: Tuberoid Deformities of Sunflower Roots in Italy, 189, Sunflower Selection, Russia, 321.

Susu byô, 965.

Sweden: Contarinia tritici, a Dipteron Injurious to Wheat and Barley in Sweden, 692. Blitoplaga opaca, a Coleopteron Injurious to Barley Beets and Potatoes in the Scandinavian Peninsula, 1104. Sitona lineata, a Coleopteron In urious to Leguminosae in Sweden, 1105. Miligathes aeneus, a Coleopteron In urious to Cruciterae in Sweden 1106. Cultural Experiments with Different Varieties of Wheat, Sweden, 1146, 1147.

Sweet Potatoes: Cystospora bala: n. g. and n. sp., the Cause of "Soi Rot" or "Pox" in Ipemoea Batatas, 598. Diseases of the Swee Potato in the United States, 59 Swietenia Mahagoni, 978.

Switzerland: Pestalozzia Briardi an Lophionema Chodati n. sp., Parastes of the Vine and Scots Pine respectively, in Switzerland, 504, Sc., rotinia Matthiolae n. sp., Parasition Matthiolae n. sp., Parasition Matthiolae valesiaca and othe Cruciferae, in Switzerland, 778, Indynella applanata, a Spheriaect Parasitic on the Raspberry in Switzerland, 779 Fungi of Switzerland, 867.

Sycanus collaris, 614.
Sycophaga spp., 391, 886.
Symphoricarpus orbiculatus, 885.
Symphoricarpus racemosus, 964.
Synchytrium endobioticum, 294.
Syphonophora cerealis, 1084.
Systates spp., 1107.

TABERNAEMONTANA, Sp., 976 977. Tachardia bodkini, 1099, 1100. Tachigare, 965. Talpa ettropaea, 508, 1084. Tamarindus indica, 1253 Tarichium uvella, 611 Tarsonemus pallidus, 983, 1262. Tarsonemus sp. a Mité Parasitic on Cyclamens in Ontario, Canada, 616. Tea: Injuries to Seed-producing Tea Plantations, in Java, 113. Investigations on Helopeltis, a Capsid Parasite of Tea, 614. New Japanese Pungi, 965. Diseases in the Dutch Indies, 978. Tecoma pentaphvlla, 607. Tectona sp. attacked by Icerya, 1099. Tephrosia candida, 1259. T. Vogelii, 392. Tephrosia spp. attacked by Helopellis, 614. Terminalia Calappa, 607. Termites, African, page 184. Tetramorium guineense, 1100. Tetranichina apicalis, 781. Tetranobia decepta. 781 T. longipes, 1108. Tetranychus spp., 781, 1108, 1262. Tetrastichus platensis, 981. Tetrastichus sp. on pupae of Carpomva incompleta, 115. Thanatophilus lapponicus, 1104. Thecopsora sparsa, 383. Thersilochus conotracheli, an Ichneumonid Parasite of the Plum Curculio (Conotrachelus nenuphar), 109. Thespesia sp., 1099. Thislavia basicola: Host Plants of Thielavia basicola, 292. Thielaviopsis basicola, 293. Thlaspi pertoliatum, 382. Three cornered Jack, 204. Thrips cerealium, 1084. Thunbergia: Coccidae in the Seychelles Islands, 106. Coccidae on Porto Rico, 607. Tilia spp. attacked, by Phomopsis spp., 964. Attacked by Tarsonemus pallidus, 1262.

Tilletia: T. Carics in Denmark, 1084.

Timber: The Acidifying Action of the

Cereal Grains, 100.

T. Tritici: Uspulun, Treatment of

Basidiomycete Conjophora cerebella. on Timber, 967. Tipula paludosa, 1084. Tobacco: Sclerotium Rollsii, Injurious to Tobacco, in Deli, Sumatra, 200. Agrotis segetum and A. exclamationis on Tobacco in Ireland, 205. Appropriations of the Federal Department of Agriculture of the United States for the Fiscal Year Ending June 30, 1917, 214. Host. Plants of Thielavia basicola, 229. Chortoglyphus gracilipes n. sp. on tobacco, 781. Phytophthora Melongenae, 965. Diseases in Dutch Indies, 978. Bacterium Tabacum Injurious to Tobacco in North Carolina, United States of America, 1244. Lasinderma serricorne a Coleopteron Injurious to Tobacco and Other Plant Products at Deli, Sumatra, 1261. Tomaspis tristis a Rhynchote Attacking Sugar Crops in Surinam, South America, 305. Tomatoes: Nezara viridula, a Rhvnchote Pest of the Tomato, in New South Wales, 298. Observations on Plant Diseases carried out in 1915 at the Royal Institute of Cryptogamic Botany of Pavia, Italy, 381. Varieties resistant to wilt, 824. Damage caused by Ascochyta hortorum, 680. New Japanese Fungi, 965. Mites Attacking Orchard and Field Crops in Utah, United States, 1108. Fusarium coeruleum, 1241. Tonkin, see Indochina. Torilis nodosa, 433. Tortrix: T. oleraceana n. sp., a Microlepidopteron Injurious to cabbages in Newfoundland, N. America, 209. T. paleana, 1084. T. strobilella, 505. T. tedella, 505. Tragocephals maynei, 1107. Tragopogon sp., 382, 681. Trametes radiciperda, 505. Treculia sp., 976.

Troma micrantha, 607. Trichocentrus gibbosus, 786. Trichosanthes spp., attacked by Chaetodacus, spp., 107.

Tridacus d'emmeresi, 979.

Trigonella coerules, host Plant of Thielavia basicola, 292.

Triodouta procera, 1107.,

Tristemma sp. attacked by Puccinia necopina, 193.

Triumitetta semitriloba, 607. Trogia Carvotae n. sp., 868.

Tropicoris rufipes on the Apple in Ireland, 205.

Trypodendron lineatum, 505.

Tsuga canadensis, 1250.

Tulipa: Rhizoglyphus echinopus, Isotoma tenella, Hepialus sp., injurious to Tulipa, 205. Sclerolium Tulipae, 1086.

Tunis: Effect of the Sirocco upon Tunisian Vineyards, 490. Insects Injurious, 1252.

Turnip, 201, 882.

Tussock Moth, 782.

Tylenchus devastatrix, 1084. Tyroglyphus sacchari, 781.

UGANDA, see Africa.

Umbrelliferae: Host Plants of Thielavia basicola, 292.

United-States. Puccinia glumarum on Wheat in Salt Lake Valley, Utah, tor. Appropriations of the Federal . Department of Agriculture of the United States for the Fiscal Year Ending June 30, 1917, 214. " False Blossom", a Disease of Cranberry (Oxycoccus macrocarpus) in the United States of America, 200. Cassida pallidula Parasitic on the Eggplant and the Potato in Louisiana, 297. Gymponychus californicus, injurious to the Leaves of the Pear Tree, 299. Laspeyresia molesta, an Important New Insect Enemy af the Peach and of Other Fruit Trees in the United States, 300. Plectro-

dera scalator, a Coleopteron injuring Populus deltoides and Salix alba, in the United States, 301. Credits Allocated in 1916-17 for the Control of Diseases and Pests of Plants in the United States, 379. The Selection of Sea Island Cotton (Gossypium barbudense) in the United States, 536. Sweet Potato Culture, 543. Chonnephora Cucurbitarum, a Phycomycete Parasitic on Cucurbita spp. in North Carolina, 600. Helicosporium Nymphacarum n. sp., a Hyphomycete Parasitic on Nymphaea in the United States, 603. Xylaria sp., the Cause of Root-Rot of the Apple in Virginia. United States of America, 604. Chaetocnema ectypa ("the desert corn dea-beetle") a Coleopteron Parasitic on Cultivated Gramineae and Lucerne, in the United States, 613. Fusarium trachesphilum Parasitie on Sov-Bean (Soia mar) in North Carolina, 681. New Mites, mostly Economic (Arach-Acar.), 781. Ceratomyza femoralis (" Wheatsheath Miner"), a Dipterous Pest of Wheat, 785. The Horse-Radish Flea-Beetle (Phyllotreta armoraciae Koch); its Life History and Distribution, 787. Notes on the Black Apple Leaf Hopper (Idiocerus fitchi Van D.), 788. Plum-Growing at the Maryland Agricultural Experiment Station, 825. Disease Resistant Market-Garden Plants in Maryland, 870. Bacterium Phaseoli, Injurious to Field Beans in Michigan, United States, 874. Xylaria sp., the Cause of Root Rot in Apple Trees in North Carolina, United States, 875. Life History of · Plutella maculipennis, the Diamond-Back Moth, 881. Schizura thomeae, a Macrolepidopteron Parasitic on Rose Bushes and Pecan Trees in Louisiana, United States, 884. Phenacoccus petiti n. sp., &

Scale Insect Observed on Several Useful Plants in Missouri and Kansas, United States, 885. Agrilus burkei n. sp., a Coleopteron Parasitic on Alnus rhombifolia and A. tenuitolia in California, 887. A New Disease of Wheat, Probably of Bacterial Origin, 969. Septoria Persicariae n. sp., a New Leaf-Smit Disease of Polygonum Persicaria in Utah, United States, 971. Bacterium citrarefaciens, sp. nov., the Cause of the Disease on Orange and Lemon Trees Known as "Citrus Blast" in California, 972. New Species of Peridermium on Pinus in the United States, 974. Tarsonemus pallidus, a Mite Parasitic on Cyclamen and Other Plants in the United States, 983. Bacterium Pruni, Injurious to Peach and Plum Trees in the United States, 1096. Undesirable Insects Which Have Recently Been Introduced into New Jersey, United States, 1098. Observations on the Coccids, Lecanium corni and Physokermes piceae, in Wisconsin, United States, 1101, Mites Attacking Orchard and Field Crops in Utah, United States, 1108. Two New Dipterous Cambium Miners, 1109. The Handling and Storage of Apples in the Pacific North West, 1227. The "Little Leaf" Disease of the Vine in California, 1231. Fungi of North Dakota, United States of America, 1234. Bacterium Tabacum Injurious to Tobacco in North Carolina, United States of America, 1241. The Discovery of Urediniae of Cronartium vibicola on Stems of Ribes hirtellum in Maine, United States, 1216. Polyporus amorphus, Causing a Rot of the Wood of Pinus rigida, in Pennsylvania, U. S. A., 1250. Tarsonemus pallidus, a Mite Injarious to Geraniums and Other

'Plants in Maryland, U. S. A., Uredinaceae : New Uredinaceae in East Africa, 193. Change of Host of the Uredinaceae Thecopsora sparsa and Pucciniastrum Circaeae, 383. Uredo Ricini, 1215. Urena lobata, 607. Uromyces Poae, 1084. U. Polygalae, 193. **V**. Trifolii, 199. Urtica urens, 382. Uruguay: Invasions of Locusts in Uruguay, 690. Uspulun a New Preparation for Treatment of Cereal Grains against Fungoid Diseases, 100. Ustilago: U. Avenae, 100, 1984. U. nuda in Denmark, 1084. U. nuda and U. Tritici Observed Respectively on Barley and Wheat in Java, 970. The Influence on Germination of the Hot Water Treatment of Cereal Seeds for Smut, 533. Ustulina zonata, 1085.

Valsa Pauleuniae, 965.
Venturia inaequalis, 1087.
Venturia P.mi. 1227.
Verbena, Kalerian viles jamaicensis, 6v7.
Veronica serpyllit lia, 382.
Verticillium allovairum, injurious to Potato in Ireland, 108.
Verticillium disease of the potato, 108.
Vibuinum Tinus: "Silver Leaf", 775.

VALERIANOIDES JAMAICENSIS, 607.

Uvero, 607.

Vicia spp., 382. Vigna: V. sinensis Host Plant of Thielavia basicola, 202. V. sinensis attacked by Fusarium trackeiphilum, 684. Villebrunca rubescens, 614.

Vine: Comparative Tests of Remedies against Vine Mildew in Austria

in 1916, 194. Scale Insects as Vine Pests and their Relationships with other Cultivated Plants, 213, Observations on Plant Diseases carried out in 1915 at Rthe oyal Laboratory of Cryptogamic Botany of Pavia, Italy, 381, Effect of the Sirocco upon Tunisian Vinevards in July 1916, 490. Lime-Sulphur Mixtures in the Control of the Oidium of the Vine, 498. Parasites of the Vine and Scots Pine respectively in Switzerland, 504. Silver Nucleinate, a Substitute for Copper Sulphate in the Control of Vine Mildew, 594. Plasmotara vilicola in Italy, 680. Observations on the Vine Phylloxera in Bulgaria, 607. The Number of Races of Vine Phylloxera, 878. Experiments on the Control of Eudemis and Cochylis. 881. Observations on some Direct Bearers, 1026. Coccidae of British Guiana, 1100. Table Grape Hybrid Bearers, 1169. Hybrid Direct Bearers, 1170. The Madone Vine in the Department of Aude, France, 1171. The Little Leaf Disease of the Vine in California, 1231. Insects Injurious to cultivated Plants in North Africa, 1252. Coccidae of the Philippine Islands, 1253. Disease of Bacterial Origin Observed in Sparganothis pilleriana in France, 1254. Vinsonia: V. personata attacked by Cerapterocerus pattersoni, 392. V. stellijera, 976. Coccidae observed in Seychelles Islands, 106. Coccidae of Porto Rico, 607.

Violaceae: Host Plants of Thielacia basicola. Vitis, sp. attacked by Chaetodacus spp., 107.

Voacanga globosa, 1253.

Voles: The Control of Field Voles in Italy, 396. Diseases and Pests of Cultivated Plants in the Dutch Indies, 978. Arvicola agrestis and Talpa europaea in Denmark, 1081. WALANG SANGIT, 978.

Walnut: The Defective Development of Walnut Shells in Austria, 201 Juglans regia attacked by Phomob. sis spp., 964. Little Leaf in Cali. fornia, 1231. Armillaria mellea, ; Basidiomycete Injurious to the Walnut Tree, in France, 1249. War-worms, 982.

Wart disease, 294.

Water cress, 882. Water hyacinth, 1082.

Weeds: Emex australis, a Queensland

Weed, 204. Gemphocarpus frui cosus and G. physocarpus, Natura lised Weeds in Queensland (Aus tralia), 295. Sida acuta, a Weed o Queensland, Australia, 388. Son chus oleraceus and Hybochoeris ri dicata, Weeds of New South Wal es, 389. The Means for Controlling Circium arvense (Cnicus arvensis 300. Experiments in Germany of the Determination and Yield Red Clover from Various Sources 433. Plantago Psyllium, a New Weein South Australia, 605. Eupho bia Peplus and Aster subulatu-Weeds of New South Wales, 669 The Effect of Weeds upon Cerea Crops, 625. Observations on the Cause of the Noxious Effect of Woods, 688. Centaurea solstitui. and Solina sessilis, Weeds of New South Wales, 689. The Relation of Farm Weeds to Hay Feyer, 704 Scorzonera laciniata, a New Weet in Southern Australia, 780. Impuri ties of the seed of wild whit clover, 814. An Act to Eradicat Eichhornia crassipes, a Troublesom Weed in Burma, India, 1082.

Weissfleckigkheit der Blätter, 380. Weisspunktkrankheit der Blätter 350.

Western Elder, Iva axillaris, 701. Western Mugwort, Artemisia heterophylla, 701.

Western Ragweed, Ambrosia psilosta. chya, 701. Wheat: "Uspulun", a New Preparation for the Treatment of cere I Grains against Pungoid Diseases, 100. Puccinia glumarum on Wheat in Salt Lake Valley Utah, U. S. A. 101. On a species of Dibrachys, a Chalcid Parasite of the "Grain Weevil " (Calandra granaria), 108. On the Spotting ("Puntatura") of Wheat Grains, 196. Microgaster glomeratus, a Braconid Observed on Wheat, in Austria, 296. Observations on Plant Diseases in 1915, Italy, 381. The Importance of the Awns of Native Wheat, 430, Variety of wheat resistant to rust, 541, 1146, 1147. The Appearance of Puccinia glumarum (Yellow Rust) on Wheat in 1914 and 1916 in Germany, 597. Contarinia tritici injurious in Sweden, 692. Ceratomyza temoralis (" Wheat-sheath Miner "), a Dipterous Pest of Wheat, 785. Sclerospora macrospora, 875. New Japanese Fungi, 965. A New Disease of Wheat, Probably of Bacterial Origin, 969. Ustil**a**go nuda and U. Tritici, Observed Respectively on Barley and Wheat in Java, 970. The Attack of immune wheat plants by rust, 1010. The diseases to which Wheat is subject in the Argentine, 1016. Diseases observed in Denmark, 1084. Fungous-Diseases of Wheat, in the Argentine, 1092. Animal Pests of Wheat, in the Argentine, 1103. Mites injurious in

the United States, 1108. Conclotrichum cereale in Canada, 1232.
Wheat-sheath miner, 785.
Wild fire, 1244.
Willistonia evuriens a Tachinid Parasite of the Lepidopteron Automeris janus in the Island of Trinidad, Antilles, 1257.
Wind: Effect of the Sirocco upon Tunisian Vineyards, 490.
Wire worms, 508.
Witania origanifolia, 1253.
Wolffiella ruforum, 393.
Wormseed, Chenopodium anthelminticum, 701.

Xanthium Pennsylvanicum, 705. Xanthosoma sagittifolium, 1253. Xyluria sp. the Cause of Root-Rot of the Apple in the United States, 601, 875. Xyleborus coffene, 978. Xylotrupes gideon, 985.

YELLOW HEADED CACIQUE, 1263. Yellow-leat, 1231. Yerba mora, Solanum nigrum, 607. Yerba rosario, Aeschynomene sensitica, 607. Yerba de San Martin, 07.

Zamia integrifolia, 607.
Zinc paste against Flasmopara viricola, 104.
Zizvphus: On Species of Tripaneidae (Diptera) Genus Carponvia Injurious to the Fruits of Zizvphus, 115.

Zukalia, spp., 965.

B) INDEX OF AUTHORS.

AKERMAN A., 692.

Andrew H. W., 780.

Colley R. H., see Posey G. B., and Gra-

vatt G. F., 1246.

Cotton A. D., 294. Arens P., 501. Cromwell Richard O., 684, 875. Arnaud G., 1245. Arrow Gilbert J., Marshall Guy A.K., Cushmann R. A., 109. Gahan C. J., and Distant W. L., 1107. DANIEL LUCIEN, 682. D'Anne, 516. BAILEY J. F., 204. Dantin Cereceda, I., 986. Bailey J. F., and White C. T., 295. 388. Darnell-Smith G. P., 602. Banks Nathan, 781. Daumézon G., 1254. Béguinot Augusto, 189. Davidson W. M. see Nougaret R. L. Belosersky Nicola, 1095. an l Newcomer E. I. Berlese Antonio, 612. Dawe M. T., 207. Bernard Ch., 113. De Bussy L. P., 1261. Bezzi M., 107, 979. Bioletti Frederic T. and Bonnet Leon, Del Vecchio C., 694. De Sousa da Camara Emmanuele, 681. 1231. Distant W. L., 786. Blanchard and Perret, 1229. Distant W. L., see Arrow Gilbert J., Bodkin G. E., 1100. Marshall Guy A. K., and Gahan C. J. Bongini V. ste Voglino P., Bonnet Leon see Bioletti Frederic T. Doidge Ethel M., 201. Doane R. W., 1108. Bordas L., 784. Dufrénoy Jean, 96. Brenckle J. F., 1234. Brierley William B., 202. Briosi Giov., 381. ELLIOT JOHN A., 598. Escherich K., 698. Brittain W. H. and Saunders L. G., 788. Burkhardt Franz, 108. FALLADA O., 112. Busck August, 879. Fenton F. A., 1101. Fischer Ed., 383. CADORET ARTHUR, 498. Fisher W. S., 887. Caride Massini Pedro, 981. Ford George H., 508. Carpentier George H., 205. Poster A. C. see Wolf F. A. Casoria M., 982. Fraser W. P., 1087. Chittenden F. H. and Howard Neale F., Froggatt Walter W.; 298. 787. Fromme F. D. and Thomas H. E., 604. Colley Reginald H., 601.

GAHAN C. J. se: Arrow Gilbert J., Lécaillon, 1255. Marshall Guy A. K. and Distant' Lee H. Atherton, 972. W. L. Leefmans S., 211, 614. Garbowski L., 872. Lendner A., 501, 778. Garman Philip, 1262. Lind J., 1093. Gassner Gustav, 97. Lind J., Rostrup Sofia and Kölpin Gibson Arthur, 209. Rawn F., 1084: Lingelsheim A., 380. Graham Samuel A. see Moore William. Grandi G., 391, 886. Linsbauer It., 291. Grassi B. and Topi M., 878. Lizer C., 789 Lobik A. F., 199. Gravatt G. F. see Posey G. B. and Colley R. H. Lopriore G., 196. Green E. E., 106, 975, 976. Lounsbury C. P., 513. Greene Charles T., 1109. Groenewege J., 509, 962. MACKIE D. B., 1230. Grove W. B., 193, 964. Maiden J. H., 389, 606, 689. Guinier Ph., 1249. Malenotti Ettore, 110, 608, 609. Marsh H. D., 882. Güssow H. T., 1232. Marshall Guy A. K., 114. HEDGOCK GEO. G. and HUNT N. REX.

974.
Henry G. M., 696.
Héron G., 497.
Hollinger A. H., 885.
Howard Neale F. :e. Chittenden F. H.
Hunt N. Rex see Hedgock Geo. G.

JAAP OTTO, 867.
Jablonowski J., 213, 615.
Joakimoff Dimiter see Popoff Methodi.
Johnson James, 292.
Johnston John R., 685.
Jones Tho. H., 297, 607.

KEMNER N. A., 1104, 1105, 1106.
Keukenius P. E., 985.
Kiessling, 777.
Kolesnikov Alexandre, 116.
Kölpin Rawn F. see Lind J. and
Rostrup Sofia.
Kornauth A. and Wöber A., 194.
Krause Anton, 393.
Kutin Adolf, 296.

LAFFERTY H. A. see PETHYBRIDGE GEORGE H. Lamont Norman, 1260. Marsh H. D., 882.

Marshall Guy A. K., 114.

Marshall Guy A. K., see Arrow Gilbert
J., Gahan C. J. and Distant W. L.

Maulik S., 394.

Maxwell Herbert, 1251.

Mazé P., 495.

McClintock J. A., 492.

Milliken F. B., 301.

Mohan Lall Madan, 883.

Molz P., see Müller H.

Moore William and Graham Samuel A., 880. Moznette G. F., 983 Muller H. and Molz E., 597. Muncie J. H., 874.

Munto Ilisa and Pollacci Gino, 869.

Newcomer E. J., see Nougaret R. L. et Davidson W. M.
Newstead Rebert, 977, 1099.
Noelli Alberto, 1233.
Nougaret R. L., Davidson W. M. and .
Newcomer E. J., 299.
Nowell W., 590.

O'GARA P. J., 101, 971. Osborn T. G. B., 605. Osterwalder A., 779.

NEGER F. W., 494.

Ov holte La Carso.

Paillot A., (1944).

Patouillard Mg. 168.

Perret see B. Chard.

Pethybridge George H., 198.

Pethybridge George H. and Lafferty H. A., 1241.

Petri L., 387, 775, 967, 973.

Peyronel Beniamino, 191, 203, 293, 873.

Pollacci Gino see Mutto Elisa.

Popoff Methodi and Joakimoff Dimiter, 697.

Posey G. B., Gravatt G. F., Colley R. H., 1246.

QUAINTANCE A. L. and WOOD W. B., 300.

RAND FREDERICK V., 603.
Ranninger Rudolf, 693.
Rivière Ch., 1252.
Roberts John W., 1096.
Robinson Elizabeth, 1253.
Ross William A., 206, 616.
Rostrup Sofia see Lind J.: nd Kölpin Rawn F.
Rijkss A. B., 190.

Rutgers A. A. L., 197, 510, 1083, 1094-

SAUNDERS L. G. see BRITTAIN W. H. Savastano L., 1247.
Savelli Martino, 382, 286, 877.
Seamons H. E., 785.
Seaver F. J., 1086.
Sedlaczek Walther, 302, 782.
Sen P. C., 212.
Serbinov I. L., 102.
Shear C. L., 290.
Shepherd F. R., 1102.

Silvestri F., 115, 210, Smith Erwin F., 969. Speare A. T., 611. Splendore Alfonso, 396. Stehlik W., 111. Strichland E. H., 512.

TANARA TYÖZABURÖ, 965.
Tedin Hans, 692.
Thomas H. E. see Fromme F. D.
Topi M. see Grassi B.
Topi Mario, 381.
Trotter A., 98.
Tucker E. S., 884.
Turconi Malusio, 502.

ULRICH F. W., 1257, 1263.

Van DER GOOT P., 507, 1256, 1259. Van Hall C. J. J., 970, 978, 1242. Van Harreveld Ph., 963. Vasters Josef, 503. Voglino Piero, 680, 686, 691. Voglino P. and Bongini V., 687. Von Degen A., 594.

WAREFIELD F. M., 1085.
Waterston James, 392, 783.
Watson H., 505.
Weck, 100.
Weiss Harry H., 1098.
Westerdijk J. 200.
White C. T. see Bailey J. F.
Williams G. B., 305, 984.
Wöber A. see Kornauth A.
Wolf Prederick A., 600, 875.
Wolf P. A. and Foster A. C., 1244.
Wood W. B. see Quaintance A. L.

ZIMMER J. T., 695.

V. - WEIGHTS, MEASURES AND MONEY OF THE TRIES WITH THEIR ENGLISH EQUIVAL

			A 44 .
	Archine (Russia)	COB	27.9996: inches
	Ardeb (Egypt)	was	5.44435 bushels
	Ardeb of wheat (Egypt)	== ,	1.95264 cwt.
3	Ardeb of hulled maize (Egypt)	***	2.75580 cwt.
1	Ardeb of barley (Egypt)	page.	2.362:1 cwt.
1	Ardeb of undecorticated rice (Egypt)	-	5.72812 Cwt.
1	Ardeb of decorticated rice (Egypt)	250	3.83813 CWL.
ı	Arpent (Canada)	=	0.84501 acre
I	Are [100 square metres]	.==	107.63915 square feet
ı	Arroba (Brazil)	=	33.06951 lbs.
ı	Arroba (Cuba, Guatemala, Paraguay, Peru)	24	25.35841 lbs;
1	Arroba (Mexico)	**	25.366 7 lbs.
1	Bale of cotton (Brazil)	5.5	396.83415 lbs.
1	Bale of cotton (United States)	x :	4-46431 cwt.(gross wt.
1	, , , , ,	z.·	4.26788 cwt (net wt.
I	Bale of cotton (India)	=	3-57145 cwt.
1	Barrel of wheat flour (Canada, United States)	==	1.75001 CWL.
1	Bar, see Millier		
I	Bow (Java, Dutch Indies)	_	76.36998 square feet
I	Bushel (United States)	925	0.96896 hushels
1	Bushel of oats (United States)	200	32 lbs.
1	Bushel of oats (Canada)	=	34 lbs.
1	Bushel of wheat and potatoes (United States)	=	to lbs.
1	Bushel of barley (Canada, United States)	200	48 lbs.
1	Bushel of raw rice (United States)	5.2	45 lbs.
1	Bushel of rye, hulled maize, linseed (Canada, United States)	**	56 lbs.
1	Cadastral arpent (Hungary)	FL	1.42201 acres
1	Cental (United States)	==	100 lbs.
1	Centiare [10 square metres]	200	10.76392 square feet
1	Centigramme	322	0.15432 grains
I	Cefitilitre	178	0.0022 gallons
ı	Centimetre	-23	0.393715 inches
1	Centistere	===	0.35315 cubic feet
I	Centner (Germany, Austria, Denmark)	=	110.23171 lbs.
1	Centner (Sweden)	ter	93.7:238 lbs.
ı	Cho [60 ken] (Japan)	200	119.30327 yards.
1	Cho (Japan)	==	2.45068 acres
ì	Crown [100 heller] (Austria-Hungary)	34:	tod at par
1	Crown [100 öre] (Denmark, Norwhy, Sweden)	=	is i % d at par
1	Cubic centimetre	102	0.06102 cubic inch
1	Cubic metre	700	1.30795 cubic yards
	Decagramme [10 grammes]	110	0.35475 06.
13	is the same of the		

(ADCOMPANICATION	= 2.19976 gallons
2 Decomposition 25	- 32.80840 feet
1 Decare (in the metres)	 1195.986278quareyard
z Decastere (1968. a metres)	= 13.07951 cubic yard
z Deciare [Chardre metres]	= 11.95986square yard
1 Deciatine [2 tchctwert] (Russia)	 2.69966 acres
I Decigramme	= 1.54323 grains
1 Decilitre	= 0.022 gallons
	 0.0027497 bushels
I Decimetre	= 3.93701 inches
1 Decistere	= 3.53146 cubic yard
T Dinar, gold [100 para] (Serbia)	= 9 slud at par
r Dollar, gold, \$ [roo cents] (United States)	= 431 % of at par
1 Drachm, gold [100 lepta] (Greece)	= 9 m/m d at par
1 Dz. = Doppelzentner (Germany)	= 220.46341 lbs.
1 Egyptian kantar (Egypt)	= 99.04980 lbs.
1 Feddan Masri [24 Kirat Kamel] (Egypt)	= 1.03805 acres
I Florin, gold, or Gulden [100 cents] (Netherlands)	== 15 7 %/m d at par
r Franc [roo centimes] (France)	- 9 m/ord at par
r Gallon (United States)	 0.83270 gallons
1 gramme	- 0.03527 Oz.
1 Hectare [10 000 square metres]	== 2.47109 acres
I Hectogramme (100 grammes)	= 3.52746 oz.
1 Hectolitre [too litres]	= 21.99755 gailons
	= 2.74967 bushels
1 Hectometre [100 metres]	= 109.36133 yards
1 Hectostere [100 cubic metres]	= 130.79505 cubic yard
1 Jarra (Mexico)	= 7.22642 quarts
r Kadastral hold, see Cadastral arpent	
t Kin (Japan)	= 1.32278 lbs.
1 Kokou [10 to] (Japan)	= 1.58726 quarts
n Kokou of oats (Japan)	== 1.55014 cwt.
1 Kokou of cocoons (Japan)	= 82.67268 lbs.
I Kokou of wheat and maize (Japan)	= 2.58356 cwt.
1 Kokou of barley (Japan)	== 2.06685 cwt.
I Kokou of naked barley (Japan)	== 2.69428 cwt.
z Kokou of rice (Japan)	== 2.80501 cwt.
r Kopek (Russia)	= I ∜m farthing at pa
z Kwan (Japan)	= 8.26738 lbs.
1 Lei, gold [100 bani] (Rumania)	≃ 9 ™/ord at par
1 Leu [100 statinki] (Bulgaria)	∞ 9 ™/ac J at par
r Lira [100 centesimi] (Italy)	== 9 to/ord at par
r Litre	- 0.21998 gallons
1 MMC	 o.o275 bushels
t Manzana (Nicaragua, Guatemala)	= 1.72665 *cres
I Mark [100 Pfennige] (Germany)	= 11 % d at par
1 Mark [100 penni] (Pinland)	- 9 "/md at par
1 Maund Factory (India)	- 74.6709 lbs.

```
1 Maund Imperial (India)
1 Metre
                                                                             Jouare leet
1 Milliare
                                                                             grains
1 Milligramme
                                                                             gallons
4 Millilitre
                                                                         37 inches
1 Millimetre
                                                                    61.02361 cubic inches .
1 Millistere
                                                                    22.04634 lbs.
1 Myriagramme [10 000 grammes]
                                                                    199.75539 gallons
1 Myrialitre [10 000 litres]
                                                                    174.96701 bushels
                                                                     6.21373 miles
i Myriametre [10 000 metres]
                                                                    19.68426 cwte.
1 Millier [1 000 000 grammes]
                                                                    is 2 "/w d at par
r Milreis, gold (Brazil)
                                                                    15 5 1 in i at par
 1 Milreis, gold (Portugal)
                                                                     1.07:06 bushels
 1 Minot (Canada)
                                                                     2.11654 acres
 1 Morgen (Cape of good Hope)
                                                                              gallons
 1 Muld (Cape of good Hope)
                                                                              bushels
                                                                      2.75579 His.
 1 Oka (Greece)
                                                                      2.75138 Ilis.
 1 Oke (Egypt)
                                                                       9 "/w / at par
 r Peseta, gold [100 céntimos] (Spain)
                                                                    3 ' II " wil at par
 r Peso, gold [roo centavos] (Argentina)
                                                                    15 5 Med at par
 r Peso, gold [roo centavos] (Chili)
                                                                      2.46646 fet
 r Pic (Egypt)
                                                                    133.27675 llis.
 1 Pikul (China
                                                                    132.27505 lbs.
 r Pikul (Japan)
                                                                     36.11292 lbs.
 1 Poud (Russia)
                                                                    £1.0.6 4/a at par
 r Pound, Egyptian, gold [100 plastres]
 1 Pound, Turkish, gold [100 plastres] (Ottoman Empire)
                                                                     18 so "wat at par
                                                                      0.93712 lbs.
 1 Pund (Sweden)
                                                                      1.96843 CWt.
 r Quintal
                                                                     2 5 1 % d at par
 t Rouble, gold [100 kopeks] (Russia)
                                                                      1 4 d at par
 r Rupec, silver [16 annas] (British India)
                                                                     1.19599 square yards
 1 Square metre
                                                                      1.30795 cubic yards
 1 Stere [1 cubic metre]
                                                                     is il. "Mail at par
 1 Sucre, silver (Ecuador)
                                                                     4 ° 1 " ad at par
 er Talari [co piastres] (Egypt
                                                                      0.49601 hushels
 r To (Japan)
                                                                      3.96815 gallons
                                                                      0.98421 tons
  1 Ton (metric)
                                                                 = 1166.64479 yards
  r Verst (Russia)
                                                                 = 2 s o "/etd at par
  r Yen, gold [2 fun or 100 sen] (Japan)
                                                                 a 110.23171 lbs
  r Zeiftner (Germany)
```